0023947 Page 1 of <u>Z/</u> 1. EDT 160280

2. To: (Receiving Organization) 3. From: (Origination)						ting Orga	nization)	4. Relate	d EDT No.	:			
Distribution Environmental								}	N/	A		,	
Engineering								emediation					,
5. Proj./Prog./Dept./Div.: 6. Cog. Engr.:							7. Purchase Order No.:						
8135	-	a.\nebt.\n	1 V.:						/. Purcha:				
		- Dlia-			C.D. Krai	ner.			0 5	N/.			
ĺ	_	r Remarks: on indi	cating a	าทหดนอ	l of WHC-	CD_EM	I_AD_10/	Pov 0	9. Equip.,	/componen N/		•	
riea	36 31	gii inui	cating a	JP1 UVA	i di Mic	3DEM	I-AF-104	, kev. u	10. System				
					122 23 24 25	<u> </u>	,		10. 3yste	N/			_
11. R	eceiver	Remarks:		ANT S 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	al.	S	1		12. Major	Assm. Dw		.:	į
				17 1/2	W. Jake	3	<u>(8</u>		13. Permi			cation	n No.:
				9	C. C		띩			N/			
•				12	C. CD.		!/		14. Requi			ate:	
,				165	b.	.61	7		·	10/05			
15.			-1	DAT	A PARMETE				(F)	(G)	(H)		(I)
(A)		····		(C)	(D)		El Title or De	scription of Data	Impact	Reason	Orig	i-	Receiv-
Item No.	(B)	Document/Dr	awing No.	Sheet No.	Rev. No.	, "		smitted	Level	for Trans-	nato Disp		er Dispo-
							,			mittal	sitio		sition
1	WHC-	-SD-EN-A	P-104		0		ose Zon		3Q	1			
								ion of 216- B-3B, and					
•							-B-3C P						+
,													
•													
)							_						
16.						KE	Y						
	or 4 (see		1. Approval	Reason 4. Res	i for Transmittal (view	(G)		1. Approved	Dispositio	n (H) & (I) . Reviewed	no/cor	ament	
MRP 5.			2. Release 3. Informatio	5. Pos	st-Review st. (Receipt Ackno	ow. Regi	uired)	2. Approved w/col 3. Disapproved w/	mment 5	. Reviewed . Receipt a	w/com	ment	
(G)	(H)	17.					DISTRIBUTIO					(G)	(H)
Rea- son	Disp.	(J) Nam	e (K) Sig	nature (L) Date (M) MS		I lot issue the difference of the terms of t				Rea-	Disp.	
1	1	Cog.Eng.	C.D. Kramer	(2)	DK10/1/92	H4-55	J.R. La	ıs		н4-	-57	3	
1	1	Cog. Mgr. R.C. Roos (20/5 442 35					·y- 				3		
1	1	QA J.R. McCallum QUICCattur 10/5/13-12					Central	Files		Ļ.8	-04	3	
		Safety (EDMC (2)			₹ H4	-22	3	
		Env.											
1	1 1 F.A. Ruck (5) 6/5/2/11/11/10/5/244-57												
3		A.P. Prig	nano			H4-57							
18.			19.			20			21. DOE AF		if rec	uirec	1)
C.D. Kr	amer /	1.1.	/			R.	C. Roos	أربر	Ltr. N				
CD/2019/92 10/5/92 [] Approved							ed w/comme						
Signature of EDT / Date Authorized Representative Date Cognizant/Project Date [] Disapproved w/comments Originator for Receiving Organization Engineer's Manager													

INSTRUCTIONS FOR COMPLETION OF THE ENGINEERING DATA TRANSMITTAL

(USE BLACK INK OR TYPE)

l			(OUT DELICATION OF THE PARTY OF
BLOCK	TITLE		
(1)*	EDT	•	Pre-assigned EDT number.
(2)	To: (Receiving Organization)	•	Enter the individual's name, title of the organization, or entity (e.g., Distribution) that the EDT is being transmitted to.
(3) -	From: (Originating Organization)	•	Enter the title of the organization originating and transmitting the EDT.
(4)	Related EDT No.	•	Enter EDT numbers which relate to the data being transmitted.
(5)*	Proj./Prog./Dept./Div.	•	Enter the Project/Program/Department/Division title or Project/Program acronym or Project Number, Work Order Number or Organization Code.
(6)*	Cognizant Engineer	•	Enter the name of the individual identified as being responsible for coordinating disposition of the EDT.
(7)	Purchase Order No.	•	Enter related Purchase Order (P.O.) Number, if available.
(8)*	Originator Remarks	•	Enter special or additional comments concerning transmittal, or "Key" retrieval words may be entered.
(9)	Equipment/Component No.	•	Enter equipment/component number of affected item, if appropriate.
(10)	System/Bldg./Facility	•	Enter appropriate system, building or facility number, if appropriate.
(11)	Receiver Remarks	•	Enter special or additional commingings concerning transmittal.
(12)	Major Assm. Dwg. No.	•	Enter applicable dawing number of major assembly, if appropriate.
(13)	Permit/Permit Application No.	•	Enter applicable permit or permit application number, if appropriate.
(14)	Required Response Date	•	Enter the date a response is required from individuals identified in Block 17 (Signature/Distribution):
(15)*	Data Transmitted		Z Inami
	(A)* item Number	•	Enter sequential number, beginning with 1, of the information listed on EDT.
	(B)* Document/Drawing No.	•	Enter the unique identification number assigned to the document or drawing being transmitted.
	(C)* Sheet No.	•	Enter the sheet number of the information being transmitted. If no sheet number, leave blank.
	(D)* Rev. No.	•	Enter the revision number of the information being transmitted. If no revision number, leave blank.
	(E) Title or Description of Data Transmitted	•	Enter the title of the document or drawing or a brief description of the subject if no title is identified.
	(F)* impact Level	•	Enter the appropriate Impact Level (Block 15). Also, indicate the appropriate approvals for each item listed, i.e., SQ, ESQ, etc. Use NA for non-engineering documents.
	(G) Reason for Transmittal	•	Enter the appropriate code to identify the purpose of the data transmittal (see Block 16).
	(H) Originator Disposition	•	Enter the appropriate disposition code (see Block 16).
	(I) Receiver Disposition	•	Enter the appropriate disposition code (see Block 16).
(16)	Key	•	Number codes used in completion of Blocks 15 (G), (H), and (i), and 17 (G), (H) (Signature/Distribution).
(17)	Signature/Distribution		
	(G) Reason	•	Enter the code of the reason for transmittal (Block 16).
	(H) Disposition	•	Enter the code for the disposition (Block 16).
	(J) Name	•	Enter the signature of the individual completing the Disposition 17 (H) and the Transmittal.
	(K) * Signature	•	Obtain appropriate signature(s).
,	(L)* Date	•	Enter date signature is obtained.
	(M)* MSIN	•	Enter MSIN. Note: If Distribution Sheet is used, show entire distribution (including that indicated on Page 1 of the EDT) on the Distribution Sheet.
(18)	Signature of EDT Originator	•	Enter the signature and date of the individual originating the EDT (entered prior to transmittal to Receiving Organization). If the EDT originator is the cognizant engineer, sign both Blocks 17 and 18.
(19)	Authorized Representative for Receiving Organization	•	Enter the signature and date of the individual identified by the Receiving Organization as authorized to approve disposition of the EDT and acceptance of the data transmitted, as applicable.
(20)*	Cognizant Manager	•	Enter the signature and date of the cognizent manager. (This signature is authorization for release.)
(21)*	DOE Approval	•	Enter DOE approval (if required) by letter number and indicate DOE action.

^{*}Asterisk denote the required minimum items check by Configuration Documentation prior to release; these are the minimum release requirements.

•	Date Received: 10/45/92/0		ON RELEASE			Reference: WHC-CM-3-4	
		Complete fo	or all Types of				
	Purpose [] Speech or Presentation [] Full Paper (Check	[] Reference	ce al Report		de revision, volum 2-104, Rev 0	e, etc.)	
	Only one Summary suffix) Abstract	[] Thesis o [] Manual [] Brochure	r Dissertation p/Flier	List attachments	•		
	[] Visual Aid	[] Software	e/Database	Date Release Req	užnod		
	[] Speakers Bureau	[] Controlle	ed Document	Date Receise Req	411 00		
	[] Poster Session [] Videotape	[] Other			10/5/92		
	Title Vadose Zone Investigation and 216-B-3C Ponds	on of 216-B	-3A, 216-B-	3B, Unclassi	fied Category	Impact Level 3Q	
İ	New or novel (patentable) subject matter? [X]	No [] Yes	Informatio	n received from others i	n confidence, such as pr	oprietary data,	
	If "Yes", has disclosure been submitted by WHC or of No. 1 Yes Disclosure No(s).		trade secr	ets, and/or inventions? [] Yes (Identify)			
	Copyrights? [X] No [] Yes		Trademari	(6)			
	If "Yes", has written permission been granted? No Yes (Attach Permission)		[X] No	Yes (Identify)			
1	F7 F7 .as harman and and	Complete for	Speech or Pres	sentation			
N	Title of Conference or Meeting	00.110.100		Society Sponsorin	19		
(CD)	Date(s) of Conference or Meeting City/	State	Wi	Il proceedings be publish	red? [] Yes	[] No	
เบ	Title of Journal		•	Il material be handed ou	řã.,	ои []	
	"",						
C		ראברצו ז	ST FOR SIGNATOR	IES			
	CHECKLIST FOR SIGNATORIES Review Required per WHC-CM-3-4 Yes No Reviewer - Signature Indicates Approval						
ۍ.	Classification/Unclassified Controlled Nuclear Information		Name (print		<u>Signature</u>	<u>Date</u>	
500			CIII RE	actual 1	111. 1 3	idila	
}	Ĺ^		OU DET	GLIN /	4 Refles	196190	
\sim	Legal - General Counsel Applied Technology/Export Controlled] [] _2	3D Willia	mon lol	Lillanx	n-10/9/92	
_	Information or International Program	[]				, .	
	WHC Program/Project	[]				<u> </u>	
3	Communications	ijΞ	·	_*			
0	RL Program/Project [7]						
	Publication Services X		1 1/20,000	10 811		10/7/97	
}			C. Herma	ill in the	tin arm	15/1:11	
	L.	[]	ha chava inform	otion is contified	** be		
}	Information conforms to all applicable r Ye			ation is certified	INISTRATION APPROVA	I STAMD	
	References Available to Intended Audience [X		Stamp is required	before release. Release	is contingent upon reso		
	Transmit to DOE-HQ/Office of Scientific and Technical Information		mandatory comments.				
	Author/Requestor (Printed/Signature)	[X]				 	
	C.D. Kramer CD Kramen	10/1/92		A/S			
Ī	Intended Audience	•				:	
	[] Internal [] Sponsor [X] Ex			101	130		
-	Responsible Manager (Printed/Signature)	Date					
	R.C. Roos	10/1/92	Date Cancelle	d	Date Disapproved		

SUPPORTING DOCUMENT 1. Total Pages /74 3. Number 4. Rev No. Vadose Zone Investigation of 216-B-3A, 216-B-3B, WHC-SD-EN-AP-104 0 and 216-B-3C Ponds

5. Key Words

Closure, Pond, Characterization, Soil sampling, 216-B-3 Pond, Wastewater

> APPROVED FOR PUBLIC RELEASE

6. Author

C.D. Kramer Name:

Organization/Charge Code 81353 / PV24B

7. Abstract


The B-Pond system on the Hanford Site in south-central Washington State is undergoing a series of investigations designed to determine if hazardous or dangerous waste remains in the soils and/or sediments. The pond system has been classified as a Resource Conservation and Recovery Act of 1976 unit, and is undergoing closure under the act. This report summarizes the findings from three temporary boreholes constructed to sample soil beneath the 216-B-3A. 216-B-3B. and 216-B-3C Ponds. These field activities comprise Phase 3 investigations as described in 216-B-3 Pond System Closure/Postclosure Plan (DOE 1990). Samples from each borehole were analyzed for a wide variety of organic and inorganic constituents. Representative constituent concentrations indicate vadose zone soils are not contaminated with Resource Conservation and Recovery Act of 1976 regulated hazardous and/or dangerous waste.

 PUROSE AND USE OF DOCUMENT - This document was prepared for use within the U.S. Department of the gy and its contractors. sed only to perfor direct appartment of Energy contracts. direct, tegrate or under This do ot approved ment i reviewed. ic release ug

TENT STITUS whis document copy, since this transmitted in rance or prent clearance, is made available inconfidence solely use performance of work solder contacts with the Department of Energy. This document is not to a published nor contents where disseminate or used for purpless other than thied above before patent aproval for such release or use has a secured, up a request, form the Patent Counsel II s page 1987. PATENT S advance of for use. U.S. Des n secured, up request, for the Patent Counsel, U.S. Department Energy Field Office, Richtand, WA.

DISCLAIMER - This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

10. RELEASE STAMP



30 Impact Level

CONTENTS

1.0	INTRODUCTION	1 3 4
2.0	DISCUSSION OF RECENT WASTE HISTORY	7
3.0	SAMPLING ACTIVITIES 3.1 OBJECTIVE AND SCOPE 3.2 ANALYTES INVESTIGATED 3.3 DESCRIPTION OF FIELD ACTIVITIES 3.3.1 The 3A Pond 3.3.2 The 3B Pond 3.3.3 The 3C Pond	9 9 15 15 16 17
4.0	SUMMARY OF RESULTS 4.1 ORGANIC CHEMICAL RESULTS 4.1.1 Pesticides/PCBs 4.1.2 Herbicides 4.1.3 Organophosphorous Pesticides 4.1.4 Dioxins and Furans 4.1.5 Volatile Organic Compounds 4.1.6 Base/Neutral/Acid Compounds 4.1.6 Base/Neutral/Acid Compounds 4.2 INORGANIC CHEMICAL RESULTS 4.3 RADIOANALYTICAL RESULTS 4.4 GEOLOGY AT THE VADOSE BOREHOLES 4.5 SOIL PHYSICAL PROPERTIES	19 19 21 24 27 28 30 33 42 42
5.0	DISCUSSION AND COMPARISON TO DANGEROUS WASTE CRITERIA	47
6.0	CONCLUSION	54
7.0	REFERENCES	55
APP	ENDICES	
Α	B-POND PHASE 3 SOIL DATA	- i
В	ANALYTE VARIABILITY GRAPHS	-i
С	ENVIRONMENTAL PROTECTION AGENCY OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE MEMORANDUM	-i

ın

LIST OF FIGURES

1-1.	The Hanford Site and the Study Borehole Locations	2
	LIST OF TABLES	
3-1.	Inorganic Parameters	10
3-2.	Organic Parameters	11
3-3.	B-Pond Phase 3 Borehole Sample Key	12
4-2.	Pesticides/PCB Sample Result Summary 31 Regular Samples	22
4-3.	Split Sample Results for Pesticides/PCBs	23
4-4a.	Organophosphorous Pesticide Reporting 18 Regular Samples (Short	
	List)	25
4-4b.	Organophosphorous Pesticide Reporting 13 Regular Samples (Long	
	List)	26
4-5.	Internal Standard Percent-Recovery Summary	
	Dioxins and Furans (25 Samples)	27
4-6.	VOA Surrogate Percent-Recovery Summary	
	(37 Samples50 μg/Kg Spikes)	28
4-7.	Semivolatile Surrogate Percent-Recovery Summary	
	(37 Primary Laboratory Samples)	31
4-8.	Summary Statistics—Regular Samples (μg/g)	34
4-9.	Field Duplicate and Split Comparison Summary	40
4-10.	Physical Properties B-Pond Phase 3 Soil Samples	44
4-11.	Grain Size Analysis	45
5-1.	Evaluation of Inorganic Dangerous Waste Constituents in all Regular	
	Samples	49

LIST OF TERMS

BNA CBEC CDL CERCLA	base/neutral/acid concentration-based exemption criteria contractual detection limit Comprehensive Environmental Response, Compensation, and
CFR CLP CMS	Liability Act of 1980 Code of Federal Regulations contract laboratory program corrective measures study
CRDL CRQL DOE DW	contract-required detection limit contract-required quantitation limit U.S. Department of Energy dangerous waste
Ecology EHW EII	Washington State Department of Ecology extremely hazardous waste Environmental Investigation Instruction
EPA FR HSWA OSM	U.S. Environmental Protection Agency Federal Register Hazardous and Solid Waste Amendments of 1984 Office of Sample Management
PCB PID PQL	polychlorinated biphenyls photoionization detector practical quantitation limit
PUREX QC RCRA SOW	Plutonium/Uranium Extraction (Plant) quality control Resource Conservation and Recovery Act of 1976 statement of work
SQL TIC Tri-Party	sample quantitation limit tentatively identified compound
Agreement TSD VOA WAC	Hanford Federal Facility Agreement and Consent Order treatment, storage or disposal volatile organic analysis Washington Administrative Code
Westinghouse Hanford	Westinghouse Hanford Company

00

1

This page intentionally left blank.

QQ .

S

1.0 INTRODUCTION

A number of waste management units located on the Hanford Site in south-central Washington State are being physically and/or procedurally closed in accordance with applicable laws, regulations, and agreements. One unit, the 216-B-3 Pond System (B-Pond), consists of one main pond area, three expansion ponds (often referred to as lobes) and the 216-B-3-3 Ditch. This series of ponds lies immediately east of the Hanford Site's 200 East Area (Figure 1-1). The B-Pond has been considered a Resource Conservation and Recovery Act of 1976 (RCRA) treatment, storage, or disposal (TSD) unit (Ecology et al. 1989, p B-2) comprised of the following:

• Open section of the 216-B-3-3 Ditch, approximately 3,700 ft

• 216-B-3 Pond (main pond), approximately 35 acres

0

- 216-B-3A Pond (hereafter referred to as the 3A Pond), approximately 11 acres
- 216-B-3B Pond (hereafter referred to as the 3B Pond), approximately 11 acres
- 216-B-3C Pond (hereafter referred to as the 3C Pond), approximately 41 acres.


The B-Pond receives wastewater from a variety of sources in the 200 East Area. The system is fully described in the 216-B-3 Pond System Closure/Postclosure Plan (closure plan) (DOE 1990). Wastewater enters the southwest side of the main pond via the 216-B-3-3 Ditch. The system is designed to handle in excess of 28,000,000 gal/day. The discharge primarily consists of atmospheric condensate, cooling water, potable water, and steam condensate (DOE 1990, p 3-1). In 1989, over 3,000,000,000 gallons of water were discharged to B-Pond (WHC 1990). Much of this is unfiltered, untreated water originating from the Columbia River. Current discharges to B-Pond are considered nonhazardous.

Some past discharges to B-Pond are suspected to have included waste that would currently be regulated under RCRA (DOE 1990, p 1-1). Some discharges have also included radioactive wastes.

Analysis of the pond soil and sediments is being conducted to assess the possible presence and extent of hazardous waste contamination (DOE 1990, p 7-1). Initial sampling efforts examined surface soil and sediment composition. (For more detail refer to WHC 1991.) Subsequent activities have involved drilling vadose zone boreholes.

This report summarizes the findings of three subsurface (vadose zone) temporary characterization boreholes: 699-43-41H, 699-42-41B, and 699-41-41. Areas investigated include the 3A Pond, the 3B Pond, and the 3C Pond (Figure 1-1). As proposed in the closure plan, one vadose zone borehole was drilled in each lobe (DOE 1990, p 7-16).

Figure 1-1. The Hanford Site and the Study Borehole Locations.



1.1 REGULATORY BACKGROUND

The U.S. Environmental Protection Agency (EPA) and Washington State Department of Ecology (Ecology) jointly administer RCRA in the State of Washington. The EPA retains oversight authority while delegating to Ecology enforcement of a state program consistent with or more stringent than the corresponding federal program. The implementing regulations can be found in the Washington Administrative Code (WAC) 173-303, "Dangerous Waste Regulations", and Title 40, Code of Federal Regulations (CFR), Parts 260-270. Ecology's authorization includes administering TSD closures. However, the state is currently not authorized to enforce the federal Hazardous and Solid Waste Amendments of 1984 (HSWA), which includes RCRA corrective-action provisions.

The U.S. Department of Energy (DOE), EPA, and Ecology have entered into an agreement called the Hanford Federal Facility Agreement and Consent Order (Ecology et al. 1989), commonly referred to as the Tri-Party Agreement. This agreement affects environmental regulation at the Hanford Site. One of purposes of this agreement was to ensure environmental impacts associated with past activities are investigated, and appropriate response actions taken as necessary to protect human health and the environment. The agreement seeks to promote this goal in part, by identifying TSD units, identifying which units will undergo closure and promote compliance with relevant RCRA permitting requirements. The agreement also establishes "operable units" for addressing potential environmental contamination from past practices.

The B-Pond is identified as a RCRA TSD unit that will be closed in accordance with applicable laws and regulations (Ecology et al. 1989, Appendix B). The B-Pond is considered an interim status, surface impoundment disposal unit (DOE 1990, p 1-1).

Although current liquid discharges to the pond are not considered hazardous or dangerous, RCRA closure has been necessitated by the concern that B-Pond soil and sediments may "contain" hazardous or dangerous waste from past activities. Environmental media such as water, soil, or sediments may be managed as a hazardous waste when they contain a *listed* waste (EPA Office of Solid Waste and Emergency Response memorandum, Cannon to Jorling, 1989, refer to Appendix C). Generally, regulated hazardous characteristic wastes, for instance wastes that are hazardous solely due to corrosivity, are no longer regulated hazardous wastes when they loose the characteristic that caused them to be managed as such (40 CFR 261.3 (a)(2)(i)). Dilution and neutralization for instance, can render a corrosive hazardous waste as nonhazardous.

Clean closure requires the demonstration that all dangerous and/or hazardous wastes or waste constituents posing any significant hazard to human health or the environment have been removed. The Tri-Party Agreement describes three types of closure: closure as a landfill, clean closure, and procedural closure (Ecology et al. 1989, Action Plan-Section 6.3). Clean closure is the planned option for the portion of B-Pond addressed by this report: the 3A, 3B, and 3C Ponds (DOE 1990, p 1-2). If a unit no longer contains significant hazardous waste or constituents, no physical closure action may be required.

According to the WAC 173-303, a specific scheme must be followed in determining whether or not a solid waste is a regulated hazardous waste. This

(7)

scheme requires knowledge of the process by which the waste was generated and the attributes of the waste. Current Washington State designation procedures (WAC 173-303-070), require generators to check their waste per specified criteria in a specific order.

Under the "Dangerous Waste Regulations," a dangerous waste means a solid waste designated via WAC 173-303-070 through 173-303-103 as either dangerous waste (DW) or extremely hazardous waste (EHW). Those regulations use the words "hazardous waste" to mean those solid wastes designated by 40 CFR 261, and regulated as hazardous by the EPA. This document will henceforth be consistent with existing state regulations by using the term "dangerous waste" to mean waste regulated by WAC 173-303, including DW, EHW, and EPA hazardous wastes.

Normally TSD units will have all hazardous substances addressed as part of the TSD closure. However, disposal units such as B-Pond being closed in conjunction with an operable unit may have hazardous substances (including radioactive constituents) addressed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) past-practice authority (Ecology et al. 1989, Action Plan p 6-4). "Hazardous substances" are defined in CERCLA Section 101(14). When investigation shows that a unit no longer contains substantial dangerous waste or constituents, any remaining CERCLA-only materials would be addressed as part of the past-practice process designated for that operable unit (Ecology et al. 1989, Action Plan p 6-4).

The B-Pond is part of the 200-BP-11 operable unit (Ecology et al. 1989, Appendix C).

1.2 PHYSICAL AND HISTORICAL SETTING

The B-Pond lies on an arid isolated tract of land near the center of the Hanford Site. Water is supplied to the pond system through a series of lines exiting the Site's 200 East Area. Water presently flows into the approximately 35-acre main pond through the 216-B-3-3 Ditch.

The vicinity of the main pond has received liquid effluent from activities in the 200 East Area since 1945. The level of the pond and the inflow have changed over time. Originally the pond was supplied through the 216-B-3-1 Ditch. In 1964 this ditch was replaced by the 216-B-3-2 Ditch. In 1970 the 216-B-3-2 Ditch was replaced by the 216-B-3-3 Ditch. The 216-B-3-3 Ditch is currently operative. Both the 216-B-3-1 and 216-B-3-2 Ditches were radioactively contaminated and were removed from service and filled with soil to reduce potential radioactive contaminant mobility.

The three expansion ponds, the 3A, 3B, and 3C Ponds, were placed in service much later than the main pond. Flow from the main pond is directed to the 3A Pond and then either to the 3B Pond or the 3C Pond. Flow is controlled. Use of the 3A Pond commenced in October 1983 (DOE 1990, p 2-19). The 3B Pond was in service from January 1984 until May 1985. The 3C Pond became operational in 1985.

The 3A Pond is a shallow pond approximately 11 acres and 12 ft deep. It was constructed using a cut-and-fill method. In January of 1984 the dike between the 3A and the 3B Ponds and adjacent to the connecting spillway failed

0

N

WHC-SD-EN-AP-104 Rev. 0

(DOE 1990, p 2-19). Overflow from the 3A Pond was contained in the previously unused 3B Pond. Flow to B-Pond was reduced, and the 3A and 3B Ponds were removed from service for repairs. A trench approximately 30 ft wide and 5 ft deep was excavated along part of the 3A Pond bottom to increase the pond's infiltration capacity. Discharge was resumed to 3A Pond at a temporarily reduced rate in the newly excavated area. A new spillway was constructed to connect 3B Pond. Debris from the dike failure was removed from 3B Pond. A system of infiltration trenches were excavated in 3B Pond. Both ponds were fully operational by June 1984.

The 3B Pond, which is currently dry, is also approximately 11 acres. It has not been used since being removed from service in May 1985 (DOE 1990, p 2-32). After being removed from service, the area was excavated to a depth below the bottom of the former trenches. According to the closure plan, up to 7 ft of material was excavated from the pond bottom (DOE 1990, p 2-32).

The 3C Pond, approximately 41 acres in total size, has a series of eight partially filled, parallel infiltration trenches into which water from 3A Pond is usually channelled. The water in 3C Pond has never risen above the tops of the trenches, which cover a much smaller total area than the pond itself. The trenches are not usually wet along their entire length. The water level and, therefore, the area wetted longitudinally vary with time.

A contingency pond, 216-E-28, was constructed in 1987 to provide emergency overflow capability for B-Pond. This contingency pond lies north and slightly west of the main pond. The area is dry and has never been used. The contingency pond is mentioned in this report only because it was one of two sites used to generate background values for earlier comparisons (WHC 1991).

Sagebrush and native plants populate the undisturbed areas around B-Pond. Typical littoral vegetation is naturally developing along the edge of the 3A Pond and the trenches of the 3C Pond. Each of the three expansion ponds is circumscribed by graveled and/or unimproved roads. Some adjacent areas disturbed by spillway construction, etc. have been revegetated.

This page intentionally left blank.

3

0

ហ

3

2.0 DISCUSSION OF RECENT WASTE HISTORY

This section summarizes dangerous waste releases to B-Pond since October 1983 as described in the closure plan (DOE 1990). The general period of operation for the expansion ponds was as follows:

3A Pond: October 1983 -- present 3B Pond: January 1984 -- May 1985 3C Pond: May 1985 -- present.

B-Pond had two points of inflow during the period from 1983 through 1992. Water continuously flowed into the 216-B-3-3 Ditch via a pipe at the headend. In addition, midway to the main pond, flow was supplemented by effluent from the 216-A-29 Ditch. Wastewater discharged at the headend of the 216-B-3-3 Ditch since October 1983 has included raw water, sanitary (potable) water, cooling water, steam condensate, filter backwash from the water treatment plant, etc. (DOE 1990, p 3-2). No contributing source has been identified as a dangerous waste.

The unlined 216-A-29 Ditch is a separate TSD unit. It had been used as an open ditch conveying wastewater to B-Pond. In 1991 it was decommissioned and backfilled. Wastewater from the PUREX chemical sewer line had been routinely released to the 216-A-29 Ditch before entering B-Pond. The open 216-A-29 Ditch extended over 2,000 ft before discharging into the 216-B-3-3 Ditch of B-Pond.

The closure plan (Rev. 0) lists the Plutonium/Uranium Extraction (PUREX) Plant chemical sewer line as the most likely contributor of any dangerous waste to B-Pond while the expansion ponds were operable (DOE 1990, p 4-3). Documented releases were assessed (DOE 1990, p 4-6). The following chemicals were traceable components of the chemical sewer line wastewater: potassium hydroxide, sodium hydroxide, cadmium nitrate, hydrazine, nitric acid, and sulfuric acid (DOE 1990, Table 4-3). A single documented release to the PUREX chemical sewer of solution containing ammonium fluoride and ammonium nitrate occurred in July 1985 (DOE 1990, p 4-7).

The chemical sewer line wastewater was conservatively judged to be a regulated dangerous waste during some of those documented releases. Applicable designation codes are D002, WT02, U133, WT01 and D006. These constitute all dangerous waste numbers listed on Revision 3 of the Part A, Form 3, Dangerous Waste Permit Application submitted for B-Pond (DOE 1990, p 1-10). The last chemical sewer discharge suspected of being a dangerous waste occurred in 1986 (DOE 1990, Table 4-3).

Each of the above releases to the 216-A-29 Ditch was designated as a dangerous waste based on characteristics or criteria, except for those releases containing hydrazine, a "listed" discarded chemical product (U133) (DOE 1990, Table 4-3). Wastes designated DOO2 are deemed hazardous based on corrosivity; DOO6, WTO1 and WTO2 wastes are regulated because of their toxicity. These designations were not made on the average or representative flow, but were based on specific incidences when high concentrations of chemicals were documented to have been released from the chemical sewer line to the 216-A-29 ditch.

The chemical sewer line wastewater attributes were estimated based on process knowledge, and were not measured nor estimated at the point that the 216-A-29 Ditch empties into the 216-B-3-3 Ditch of B-Pond. The closure plan specifically states that these designations were "at the point the chemical sewer line enters the environment" (DOE 1990, p 4-6). Further attenuation would occur as the liquid waste stream flowed the full length of the 216-A-29 Ditch, mixed with the additional flow of the 216-B-3-3 Ditch, and dispersed in the main lobe before any flow to 3A, 3B, or 3C Ponds.

S S

C) IV

S

33

3.0 SAMPLING ACTIVITIES

A Westinghouse Hanford Company (Westinghouse Hanford) sampling plan, 216-B-3 Pond Characterization of the Hazardous Waste Inventory in the Near-Surface Soil and Sediments (WHC 1989a), in conjunction with approved modifications and procedures, has been used in the B-Pond site characterization effort. The sampling plan sets forth a phased approach toward characterizing the soils and sediments of B-Pond.

Phase 1 was an initial sampling effort assessing near-surface soil contamination within the main pond, the 216-B-3-3 Ditch, and the three expansion ponds. Phase 1 included measuring constituents in two types of background areas in the vicinity of the site. Phase 1 activities are summarized in Phase 1 Characterization of the 216-B-3 Pond System (WHC 1991).

Phase 2 is planned as an extension of the Phase 1 characterization work using data and knowledge gathered from Phase 1 and Phase 3.

Phase 3, the subject of this report, examines the vertical distribution of potential contaminants beneath the surface soil. Field activities involved drilling one vadose zone borehole in each of the expansion ponds. Soil samples were collected and submitted for chemical analyses similar to those performed in Phase 1. Additionally, some nonchemical data were collected in conjunction with the drilling effort. Each hole was logged by a qualified geologist as drilling was performed. Some samples were submitted for physical analyses, such as grain size. Gross gamma logging was also performed on each borehole.

3.1 OBJECTIVE AND SCOPE

The objective of Phase 3 characterization sampling was to collect data addressing the issue of potential vadose zone chemical contamination with dangerous waste. Efforts focused on the subsurface of the three expansion ponds. The current closure plan has proposed to address potential subsurface contamination in the main pond with the remedial activities of the operable unit, 200-BP-11. This report summarizes Phase 3 activities and findings.

This investigation was limited to the vadose zone, the portion of the earth's crust above the water table. "Soil" is meant to be understood in the context of environmental cleanup regulations. This report does not address groundwater.

3.2 ANALYTES INVESTIGATED

Although B-Pond was declared a RCRA TSD unit, current discharge to the unit is nondangerous waste. Although releases from the PUREX chemical sewer line to the 216-A-29 Ditch TSD have been documented, existence of the regulated characteristics or criteria in the downstream TSD (B-Pond) have been postulated, but not demonstrated. Substances of concern are concentrations of a potential waste residual that could cause the water, soil/(sediment), or subsoil to be managed as a dangerous waste under Ecology's "Dangerous Waste Regulations," (WAC 173-303).

Constituents and/or attributes not regulated under the "Dangerous Waste Regulations" are reported as part of the site characterization. It should not be inferred that all analytes are pertinent to determining whether or not a RCRA dangerous waste is present. For instance, the characteristic of radioactivity is not a criterion for determining whether or not a waste is a RCRA dangerous waste; however this information may be applicable to later CERCLA work at the site. With regard-to listed waste, generally detection in an environmental media such as soil or sediment is sufficient to be of regulatory concern. However, the EPA has allowed hazardous waste management to cease when the constituents are less than de minimis levels—most commonly those posing no health threat when directly ingested.

Inorganic parameters measured in Phase 3 include those listed in Table 3-1.

Analyte	EPA Method	Analyte	EPA Method
Aluminum	6010	Magnesium	6010
Ammonia	350.3	Manganese	6010
Antimony	6010	Mercury	7471
Arsenic	7060	Molybdenum	6010
Barium	6010	Nickel	6010
Beryllium	6010	Nitrate	300.0
Boron	6010	Potassium	6010
Cadmium	6010	Selenium	7740
Calcium	6010	Silicon	6010
Chloride	300.0	Silver	6010
Chromium	6010	Sodium	6010
Cobalt	6010	Sulfate	300.0
Copper	6010	Sulfide	376.1
Cyanide	9010	Thallium	7841
Fluoride	300.0	Vanadium	6010
Iron	6010	Zinc	6010
Lead	7421		

Table 3-1. Inorganic Parameters.

Split samples were analyzed and reported according to Contract Laboratory Program (CLP) protocol found in the March 1990 Statement of Work (SOW) for Inorganic Analysis. The following inorganic analytes were reported for split samples: aluminum, antimony, arsenic, barium, beryllium, cadmium, calcium, chromium, cobalt, copper, cyanide, iron, lead, magnesium, manganese, mercury, nickel, potassium, selenium, silver, sodium, thallium, vanadium, and zinc.

Organic compounds evaluated at the primary laboratory include those listed in Table 3-2.

00

O

WHC-SD-EN-AP-104 Rev. 0

Table 3-2. Organic Parameters.

Analytical Class	EPA/Other Method	Analytical Class	EPA/Other Method
Pesticides/Polychlorinated biphenyls (PCBs)	8080	Dioxins/Furans	8280
Herbicides	8150	Volatile Organic Compounds	ACD 2440 ¹
Organophosphorous Pesticides	8140	Base/Neutral/Acid (BNA) Compounds	ACD 2470 ²

Laboratory-specific, volatile organic analysis (VOA) method based on CLP protocol.
Laboratory-specific, base/neutral/acid (BNA) analysis method based on CLP protocol.

The specific chemicals reported for each of the above categories can be found in Appendix A. These lists contain only those routinely reported compounds in each class. Additional volatile and semivolatile compounds could be reported as tentatively identified compounds (TICs).

Some split samples were also analyzed and reported according to CLP protocol for the following organic analytes:

Target Compound List Volatiles (CLP SOW 2/88--Rev. 5/89)
Target Compound List Semivolatiles (CLP SOW 2/88--Rev. 5/89)
Pesticide and PCB Target Compounds (CLP SOW)

One split, sample BOOGW5, was analyzed for semivolatiles by EPA 8270.

Radioactivity measurements were also made on Phase 3 soil samples. Gross alpha, beta activity, $^{90}{\rm Sr}$, and gamma activity radiochemical analyses were conducted using EPA-900 series procedures.

A sample key showing sample identification numbers and associated field data can be found in Table 3-3.

Table 3-3. B-Pond Phase 3 Borehole Sample Key. (3 sheets)

Sample	Туре	Pondi	Depth ^a	Collection Date	Inte	rval ^b	Classification from Borehole Log
BOOFK6	Reg	3A	6.5	2/7/91	4.95	7.55	Silty Sand
800FK7	Reg	3A	8.5	2/7/91	6.9	10-2	ıı
BOOFK8	Reg	3A	10.5	2/7/91	9.6	11. <i>7</i> 5	Sand
800FK9	Reg	3A	13	2/7/91	11.8	14.0	Sandy Gravel
BOOFLO	Reg	3A	14.5	2/7/91	13.5	15.7	ii .
BOOFL1	Reg	3A	16	2/8/91	14.7	17.0	"
BOOFL2	Phys	3A	21.5	2/11/91	20.4	23	11
B00FL3	Blank	3A		2/11/91	NA		(Silica Sand Control Sample)
BOOFL4	Reg	3A	28	2/11/91	26.4	29.3	Sandy Gravel
BOOGR9	Fdup	3A	28	2/11/91	26.4	29.3	l II
800GS0	Reg	3A	31.5	2/11/91	30.5	32.6	4
800GS1	Reg	3A	36.5	2/12/91	35.55	. 37.71	Sandy Gravel/ Slightly Silty Sand/ Sand
B00GS2	Reg	3A	42	2/13/91	40.4	43.25	Sand
B00GS3	Reg	3A	46.5	2/13/91	45.45	48.0	10
800GS6	Phys	3A	52 ^C	2/14/91	51.13	54.10	Silty Sand
B00G\$4	Reg	3A	52.5	2/14/91	51.13	54.10	Sandy Silt
B00GS5	Split	3A	52.5	2/14/91	51.13	54.10	н
B00GS7	Phys	3A	54.5	2/14/91	53.0	55.6	Sandy Silt/ Sand
800GS8	Reg	3A	57	2/14/91	56	58.4	Sand
B00GS9	Reg	3A	66.5	2/15/91	65.35	67.65	Sandy Gravel
BOOGTO	Phys	3A	68.5	2/15/91	67.5	69.65	Sand
BOOGT1	Reg	3A	77	2/19/91	75.7	77.90	n
B00GT2	Phys	3A	77	2/19/91	75.7	77.90	"
800GT3	Blank	3A	# # *	2/20/91	NA		(Silica Sand Control Sample)
BOOGT4	Reg	3A	85.5	2/21/91	84.1	86.68	Sand
B00GT5	Fdup	3A	85.5	2/21/91	84.1	86.68	U
800GT6	Split	3 A	85.5	2/21/91	84.1	86,68	u
B00GT7	Reg	3A	97	2/21/91	95.7	98.3	Sandy Gravel
B00GT8	Reg	3A	102	2/22/91	101.6	102.2	Slightly Silty, Slightly Gravelly Sand
BOOGT9	Phys	3A	102	2/22/91	101.6	102.2	()
BOOGVO	Reg	3A	122	2/26/91	120.7	123.2	Sandy Gravel
B00GV1	Blank	3A		2/27/91	NA		(Sîlica Sand Control Sample)
800GV2	Reg	3A	131	2/27/91	129.9	132.05	Sandy Gravel
B00GV3	Fdup	3A	131	2/27/91	129.9	132.05	#
800GV4	Split	3A	131	2/27/91	129.9	132.05	41
B00GV5	Reg	3A	143.5	2/28/91	142.75	143.85	rı .
B00GV6	Reg	3B	1	3/4/91	0	2	Silty Sandy Gravel
B00gV7	Reg	3B	3.5	3/4/91	2.5	4.5	11
B00GV8	Reg	3B	5.5	3/4/91	4	6.55	It

Table 3-3. B-Pond Phase 3 Borehole Sample Key. (3 sheets)

Sample	Туре	Pond	Depth ^a	Collection Date	Interval b		Classification from Borehole Log
B00GV9	Blank	38		3/5/91	NA		(Silica Sand Control Sample)
BOOGNO	Reg	38	7.5	3/5/91	6.2	8.4	Sand
800GW1	Reg	3B	9.5	3/5/91	8.2	10.85	16
B00GW2	Phys	38	9.5	3/5/91	8.2	10.85	II.
B00GW3	Reg	3B	13	3/5/91	11.4	14.1	Sandy Gravei
B00GW4	Fdup	3B	13	3/5/91	11.4	14.1	11
BOOGW5	Split	3B	13	3/5/91	11.4	14.1	18
800GW6	Reg	3B	16	3/5/91	14.4	17.1	Silty Sandy Gravel
B00GW7	Phys	3B	16	3/5/91	14.4	17.1	ie ie
BOOGW8	Reg	3B	21	3/6/91	19.2	22.5	11
800GW9	Reg	38	28	3/6/91	25.9	29.6	16
B00GX0	Phys	3B	28 [.]	3/6/91	25.9	29.6	п
B00GX1	Phys	38	28	3/6/91	25.9	29.6	18
B00GX2	Reg	38	31	3/6/91	29.5	32.2	tt
B00GX3	Reg	3B	35.5	3/7/91	34.0	36.8	11
B00GX4	Reg	3B	40	3/7/91	38.8	41.4	н
B00GX5	Reg	3B	52	3/8/91	50.8	52.95	Silty Sandy Gravel/ Silty Gravel
BOOGX6	Reg	3B	61.5	3/8/91	60.0	62.6	Silty Sandy Gravel/ Sand
BOOGX7	Phys	38	61.5	3/8/91	60.0	62.6	11
BOOGX8	Reg	3B	70.5	3/8/91	69.6	71.8	Silty Sandy Gravel
800GX9	Phys	38	73	3/11/91	72.25	74.15	14
B00GY0	Blank	3B		3/12/91	NA		(Silica Sand Control Sample)
BOOGY1	Reg	3B	80.5	3/12/91	79.75	81.5	Gravelly Sand
BOOGY2	Fdup	3B	80.5	3/12/91	79.75	81.5	II .
800GY9	Split	3B	80.5	3/12/91	79. <i>7</i> 5	81.5	11
BOOGZO	Phys	3B	84.5	3/12/91	83.0	85.9	Silty Sandy Gravel
B00GZ1	Phys	38	84.5	3/12/91	83.0	85.9	11
B00GZ2	Reg	3в	90.5	3/12/91	89.	91.85	u_
B00GZ3	Reg	3B	105	3/14/91	103.9	106.35	16
800GZ4	Phys	3B	105	3/14/91	103.9	106.35	(6
B00GZ5	Phys	38	105	3/14/91	103.9	106.35	II .
800GZ6	Reg	3B	118.5	3/15/91	117.5	119.3	Silt
300GZ7	Phys	3B	118.5	3/15/91	117.5	119.3	(1
B00GZ8	Reg	3B	123.5	3/18/91	122.3	124.7	16
300H00	Reg	3C	1	3/15/91	0	2	Sandy Gravel
300н01	Reg	3C	3	3/15/91	1.5	4	11
300H02	Reg	3C	5	3/15/91	3.87	5.8	18
300H03	Reg	3C	7	3/18/91	5.93	7.95	(1
300н04	Reg	3C	9	3/18/91	7.93	9.73	н
300н05	Fdup	3C	9	3/18/91	7.93	9.73	11

Table 3-3. B-Pond Phase 3 Borehole Sample Key. (3 sheets)

Sample	Туре	Pond	Depth ^a	Collection Date	Inter	valb	Classification from Borehole Log
вооно6	Reg	3C	11.5	3/18/91	10.6	11.93	Sandy Gravel/ Sand
B00H07	Split	3C	11.5	3/18/91	10.6	11.93	u
B00H08	Phys	3C	12.5	3/19/91	11.7	13.7	Sand
B00H09	Reg	3C	16	3/19/91	15.0	17.0	Gravelly Sand
B00H10	Blank	30		3/20/91	NA		(Silica Sand Control Sample)
800H11	Reg	3C	20.5	3/20/91	19.5	21.5	Sandy Gravel
B00H12	Phys	3C	26.5	3/20/91	25.6	27.8	Gravel
B00H13	Phys	3C	26.5	3/21/91	25.6	27.8	16
B00H14	Reg	3C	30	3/21/91	29	31	Slightly Gravelly Sand
B00H15	Reg	3C	36	3/25/91	34.8	37.6	Sandy Gravel
B00H16	Reg	3C	40.5	3/25/91	39	41.8	it
B00H17	Fdup	3C	40.5	3/25/91	39	41.8	11
воон18	Reg	3C	50	3/25/91	48.8	50.8	· ·
B00H19	Reg	3C	60	3/26/91	59.3	61.1	14
800H20	Reg	3C	70.5	3/27/91	69.3	71.5	п
B00H21	Blank	3C		3/27/91	NA		(Silica Sand Control Sample)
B00H22	Phys	3C	78	3/27/91	76.9	79.4	Sandy Gravel
B00H23	Reg	3C	80	3/27/91	79.4	80.9	14
воон24	Split	3C	80	3/27/91	79.4	80.9	"

a Logbook interval midpoint rounded to the closest 1/2-ft. b Source: Project Field Logbook.
Sample collected from liners 51.6-52.1 ft below surface.

pe:
Reg = Regular sample for chemical analysis
Phys = Sample for physical analysis
Blank = Field originated, equipment "blank" silica sand sample for chemical analysis
Fdup = Field duplicate sample for chemical analysis
Split = Split sample for independent chemical analysis

3.3 DESCRIPTION OF FIELD ACTIVITIES

3.3.1 The 3A Pond

Several months before drilling, clean fill was used to construct a pad extending over a small portion of 3A Pond. This pad was located along the north shore of the pond, approximately 25 yd from the east corner.

Field sampling was initiated at the 3A Pond. The borehole, BH 3A-1, (later designated 699-43-411) penetrated the former pond bottom. The first sample submitted for chemical analysis was collected February 7, 1991. Samples were planned at 2-ft intervals for the first 10 ft below the former pond bottom and at decreasing intervals thereafter until reaching groundwater. All depths were referenced to the ground surface. The pond bottom was encountered at approximately 6.5 ft.

A cable tool drilling rig was used to drill the borehole. Drill rigs are decontaminated before use. Samples were collected using a 5-in. outside diameter stainless steel split tube with stainless steel liners. A 10-in. outside diameter, schedule 40 casing was first used, followed by 8- then 6-in. The 10-in. casing string was set at 20.4 ft. The 8-in. casing was set at 77.7 ft. Samples were collected per procedures of the Environmental Investigations and Site Characterization Manual, WHC-CM-7-7 (WHC 1989b). Samples for chemical analysis were placed in supplier-cleaned glass bottles.

Samples were screened for radioactivity using hand-held instruments. A field photoionization detector (PID) was used to monitor for organic vapors. No evidence of radioactive or organic contamination was found. Aliquots submitted to an onsite laboratory also revealed no evidence of radioactive contamination. All aliquots were found to be below applicable administrative limits for release from all radiologic controls. Applicable limits during the project were detectable readings above background with field instruments or laboratory results exceeding either 60 ρ Ci/g alpha or 200 ρ Ci/g total activity, including beta/gamma.

Gross gamma logging was performed on three separate days:

<u>DATE</u>	<u>LOG INTERVAL (FT)</u>
February 8, 1991	5-19
February 20, 1991	4–79
March 1, 1991	45-142.

Larger cobbles and boulders made drilling difficult at approximately the 100-ft level. After samples BOOGT8 and BOOGT9 were collected (101.0-102.2 ft), hardtooling was first employed. This required the addition of some raw (Columbia River) water to the borehole. Drilling improved below 105 ft, and hardtooling was discontinued. A small amount (approximately 0.5 gal) of raw water was required at 112 ft to get recovery in the core barrel. The next sample interval was 120.7-123.2 ft, sample BOOGVO.

The final sample from the 3A Pond borehole was collected February 28, 1991 from a recorded depth of 142.75-143.85 ft. Recovery in the split spoon

was estimated at only 50 percent. Observations in the field log note the sample as "very wet." The water level was measured at 142.75 ft from the surface. Later, the casing was removed, and the borehole was backfilled, abandoned, and marked according to standard procedures——Plugging and Abandoning Characterization Boreholes Environmental Investigation Instruction (EII) 6.5 (WHC 1989b).

3.3.2 The 3B Pond

A cleaned cable tool drilling rig was set up at 3B Pond in late February 1991. The borehole, BH 3B-1, (later designated 699-42-41B) was located in the center of the dry lobe. Drilling equipment was routinely cleaned per EII 5.4 (WHC 1989b) before delivery/use at the site. Likewise, direct contact sampling equipment (split tube assemblies, bowls, spoons, etc.) is specially cleaned before use per EII 5.5, 1706 KE Laboratory Decontamination of RCRA/CERCLA Sampling Equipment, (WHC 1989b).

Sampling was initiated March 4, 1991. The first sample, BOOGV6, was collected with a split tube over the 0 to 2-ft interval. Recovery of sample BOOGV6 and the next two samples was estimated at 50 percent because of the coarse gravelly nature of the soil. Finer material was found below a depth of 7 ft.

Drilling method and sampling frequency were similar to the other two boreholes. Samples were planned at 2-ft intervals for the first 10 ft and at decreasing intervals thereafter until reaching groundwater. Samples were collected as previously described for the 3A Pond, except that there was no fill material overlying the area to be investigated. All depths were referenced to the ground surface. The 10-in. casing string was set at 21.1 ft. The 8-in. casing was set at 78.2 ft. Samples were screened with field instruments for radioactivity and/or hazardous organic vapors. No evidence of radioactivity or organic vapors was found.

Gross gamma logging of the 3B Pond borehole was also performed on the following three separate days:

<u>DATE</u>	LOG INTERVAL (FT)
March 6, 1991	5-21
March 11, 1991	4-79
March 19, 1991	45-122.

The borehole was advanced by drive barrel to approximately 74 ft before it was necessary to add any water. Only I gal of raw water was added to progress drilling. This was about 6 ft above the next sample interval, 79.8 - 81.5 ft. Two samples, BOOGY1 and BOOGY2, were taken for chemical analysis from the bottom two liners at this next interval.

A sample for physical analysis, BOOGZO, was collected from an interval beginning at 83.0 ft. Although recovery in the split tube was good (est. 75 percent), there was insufficient volume for a representative grain size analysis because of the amount of cobble. Sample BOOGZI was subsequently

collected from the 5-in-diameter drive-barrel cleanout and submitted for grain size.

Hard-tool drilling was required at 95-103 ft and at 109-113 ft. Thirty gallons of raw water were used. Samples for chemical analysis potentially affected by added raw water are BOOGZ3, BOOGZ4, and BOOGZ6. In each case, several feet of soil remained above the respective intervals when the last of the water was added.

The final sample, BOOGZ8, a wet silt, was collected March 18, 1991. Final depth of the borehole was 124.7 ft. The casing was later pulled and the borehole abandoned per standard procedures (WHC 1989b, EII 6.5).

3.3.3 The 3C Pond

Sampling in 3C Pond began on March 15, 1991. The borehole, BH 3C-1, (later designated 699-41-4) was located on dry ground between trenches in the northwest quadrant of the lobe. The water surface in the adjacent trench was several feet below ground level at the borehole. The 3C Pond (a series of trenches) was in active use at the time of this investigation, similar to 3A Pond.

Drilling and sampling methods were identical to those previously described. As with boreholes drilled earlier, sampling was more frequent in the top portion of the borehole. Field monitoring of the samples showed no radioactivity or hazardous organic vapors. Five samples were collected in the first 10 ft. Samples for chemical analysis were collected using a 5-in. outside-diameter split tube sampler. The 10-in. casing string was set at 32.1 ft. An 8-in. casing was used for the remainder of the borehole.

Most of the borehole was wet. Early samples were damp, but moisture appeared to increase at about 18 ft. When drilling started at 19 ft, March 20, there was no standing water in the hole. However, some difficulty was experienced keeping material in the drive barrel. Moisture was a factor. Poor sample recovery limited planned analyses in the 20-25 ft range. On the morning of March 21, there was standing water in the hole. The starting depth was 27.8 ft. Moist conditions abated, but did not cease for the remainder of the borehole.

Gross gamma logging at the 3C Pond was performed on two days as follows:

<u>DATE</u>		<u>LOG INTERVAL (FT)</u>
March 22, March 28,		5-32 0-77.

Soil below 74 ft was noticeably wetter. Intermittent saturated zones were experienced to 80 ft. It was decided to terminate the borehole at this level because of continuing high moisture conditions. Final depth of the borehole was 80.9 ft.

The casing was removed and the borehole filled and abandoned in accordance with standard procedures (WHC 1989b, EII 6.5). As with previous sites, a brass survey marker was placed at the location.

Sample BOOGS5, originating from the borehole at the 3C Pond, was later reported by the laboratory as sample BOOGS. Based on date of submittal, analyses requested, and review of documentation associated with the sample this was determined to be simply a typographical error on the part of the laboratory and will not affect interpretation of the results.

LO

9

....

1

~>

4.0 SUMMARY OF RESULTS

4.1 ORGANIC CHEMICAL RESULTS

Organic analyses were performed on a subset of project samples in accordance with project plans. All regular samples identified below were analyzed for pesticides/PCBs, herbicides, organophosphorous pesticides, volatile organic compounds, and BNA compounds.

3A Pond: BOOFK6, BOOFK7, BOOFK8, BOOFK9, BOOFL0, BOOFL1, BOOFL4, BOOGS4,

BOOGS9, BOOGT7, BOOGV5

3B Pond: BOOGV6, BOOGV7, BOOGV8, BOOGW0, BOOGW1, BOOGW3, BOOGW8, BOOGX6,

BOOGZ2, BOOGZ6, BOOGZ8

3C Pond: B00H00, B00H01, B00H02, B00H03, B00H04, B00H06, B00H14, B00H19,

B00H23

A subset of the above were analyzed for dioxin and furan homologs. This included all samples except BOOGX6, BOOGZ2, BOOGZ6, BOOGZ8, BOOHO1, BOOHO4, BOOHO6, BOOH14, BOOH19, and BOOH23. More analyses were performed than were requested by Westinghouse Hanford. One planned dioxin analysis (sample BOOHO1 from 1.5- to 4-ft level of 3C Pond) was inadvertently omitted by the laboratory. An examination of the Sample Analysis Request forms shows the primary laboratory did not correctly forward requests/samples to their subcontracted laboratory.

Results of silica sand samples (BOOFL3, BOOGV9, BOOH10), field duplicates (BOOGW4, BOOH05, BOOGR9) and split samples (BOOH07, BOOGW5, BOOGS5) are discussed with each group summary appearing below.

Results of all regular samples analyzed for organic compounds are summarized in Table 4-1. Organic constituents of interest were generally undetected.

Nearly all results have been qualified as estimated, flagged with a "J" by Westinghouse Hanford's Office of Sample Management (OSM). The most common reason is the comparison of sample (soil) holding times before extraction to holding times applicable to water matrices. Compounds not on routine target lists may have been reported as TICs. All TICs were routinely qualified as estimated, "J", by the reporting laboratory.

Summary of Phase 3 Organic Analyses.

Table 4-1.

ŀ

Analytical Class	Protocol Used	Pondi	Number of Reg. Samples	All Analytes < Detection Limit	Remarks
Pesticides/PCB	EPA 8080	3A	11	Yes	
		3B	11	Yes	
		3C	9	Yes	
Herbicides	EPA 8150	3A	11	Yes	
		3B	11	Yes	'
		3c	9	Yes	
Organophosphorous Pesticides	EPA 8140	3A	11	Yes	List A (App. C)
		3B	11	Yes	List A, List B for 4 lowermost
		3C	9	Yes	List B (App. C)
Dioxins/Furans	Modified EPA 8280	3A	11	Yes	(More analyses than requested)
		3в	7	Yes	
		3c	3	Yes	
Volatile Organic Compounds	ACD 2440 (CLP VOA Protocol)	3A	11	No	Low level Acetone, Methylene Chlo- ride, and 4-Methyl-2-pentanone
		3B	11	No	Low level 4-Methyl-2-pentanone
		30	8	No	Low level Acetone
Base/Neutral/Acid Compounds (Semivolatiles)	ACD 2470 (CLP BNA Protocol)	3A	11	No	Multiple compounds reported
		3B	11	No	Multiple compounds reported
		3C	9	No	Multiple compounds reported

4.1.1 Pesticides/PCBs

Tables 4-2 and 4-3 summarize results of the pesticides/PCB analyses. Table 4-2 is based on the results of the 31 regular soil samples sent to the primary laboratory. Table 4-3 shows the numerical results of each of the three samples sent to the split laboratory. All regular, field duplicate, field split, and silica sand sample results are provided in Appendix A.

All pesticides and PCB results were reported as nondetectable by the laboratory, or were qualified as nondetected upon validation. Some laboratory reagent blanks at the primary laboratory contained traces of target analytes (Arochlor-1254, beta-BHC, and Lindane). Some immediately associated B-Pond soil samples also contained those analytes at very low levels--less than the valid sample quantitation limit (SQL). Consistent with established data validation protocol, OSM qualified some data as undetected at the SQL based upon results of laboratory reagent blanks. No other analytes were reported by the laboratory without an undetected ("U") laboratory qualification.

All samples, including silica sand and field duplicates, were extracted outside the 7-day criterion applicable to certain water analyses, and were thus qualified "J" by Westinghouse Hanford. All extracts were analyzed within the allotted 40 days following extraction. High surrogate recovery on sample BOOHO1 also contributed to Westinghouse Hanford's "J" qualification for all analytes of that sample, although no target compounds were found. Recovery was 193 percent, slightly outside the laboratory-reported quality control (QC) limits of 20-150 percent for a $105-\mu g/Kg$ nominal spike.

Results of each of the three silica sand and field duplicate samples were consistent with the above. All values were reported as undetected by the laboratory or were qualified as undetected at the SQL. All six samples were reported with sub-SQL concentrations of arochlor-1254, and were qualified as undetected at the SQL. Two silica sand field blanks (BOOFL3 and BOOH10) and one field duplicate (BOOGR9) reported by the laboratory with less than SQL traces of lindane were subsequently qualified as undetected at the SQL based on laboratory reagent blank results. The field duplicate BOOGR9 contained a trace of beta-BHC (0.77J μ g/Kg) that was qualified as undetected at the SQL (13 μ g/Kg). No trace of beta-BHC was found in the associated regular sample, BOOFL3; laboratory reported value, 13 U μ g/Kg.

Split samples were analyzed according to criteria set forth in the CLP for pesticide and PCB target compounds. Validated results are shown in Table 4-3. Results confirm those of the primary laboratory. Targeted compounds were undetectable in site samples. Compounds for which there were trace contamination problems at the primary laboratory were undetected in samples analyzed at the split laboratory. One split sample, BOOGS5, was also associated with a high surrogate spike recovery. This was attributed to a co-eluting interference. Seven of 12 matrix spike recoveries were outside EPA QC limits. Although all analytes were undetected, results for BOOGS5 were consequently qualified "J" by Westinghouse Hanford.

Table 4-2. Pesticides/PCB Sample Result Summary -- 31 Regular Samples.

ANALYTE	CAS #	ALL RESULTS < DETECTION LIMIT ?	DETECTION LIMIT RANGE µg/Kg	MEDIAN μg/Kg
4,41-DDE	72-55-9	Yes	25 UJ - 310 UJ	120 UJ
4,4°-DDD	72-54-8	Yes	25 UJ - 310 UJ	120 UJ
4,41-DDT	50-29 -3	Yes	25 UJ - 310 UJ	120 UJ
Aldrin	309-00-2	Yes	13 UJ - 160 UJ	62 UJ
aipha BHC	319-84-6	Yes	13 UJ - 160 UJ	62 UJ
beta BHC	319-85-7	Yes	13 UJ - 160 UJ	62 UJ
delta BHC	319-86-8	Yes	13 UJ - 160 UJ	62 UJ
gamma BHC (Lindane)	58-89-9	Yes	13 UJ - 160 UJ	62 UJ
alpha-Chlorodane	5103-71-9	Yes	130 UJ - 1600 UJ	620 UJ
gamma-Chlorodane	5103-74-2	Yes	130 UJ - 1600 UJ	620 UJ
Dieldrin	60-57-1	Yes	25 UJ - 310 UJ	120 UJ
Endosulfan I	959-98-8	Yes	13 UJ - 160 UJ	62 UJ
Endosulfan II	33213-65-9	Yes	25 UJ - 310 UJ	120 UJ
Endosulfan Sulfate	1031-07-8	Yes	25 VJ - 310 VJ	120 UJ
Endrin	72-20-8	Yes	25 UJ - 310 UJ	120 UJ
Endrin Ketone	53494-70-5	Yes	25 UJ - 310 UJ	120 UJ
Heptachlor	76-44-8	Yes	13 UJ - 160 UJ	62 UJ
Heptachlor Epoxide	1024-57-3	Yes	13 UJ - 160 UJ	62 UJ
Methoxychlor	72-43-5	Yes	130 UJ - 1600 UJ	620 UJ
Toxaphene	8001-35-2	Yes	250 ชม - 3100 บม	1200 บป
Arochlor 1016	12674-11-2	Yes	120 UJ - 180 UJ	130 UJ
Arochior 1221	11104-28-2	Yes	120 UJ - 180 UJ	130 UJ
Arochlor 1232	11141-16-5	Yes	120 UJ - 180 UJ	130 UJ
Arochlor 1242	53469-21-9	Yes	120 UJ - 180 UJ	130 UJ
Arochlor 1248	12672-29-6	Yes	120 UJ - 180 UJ	130 ชม
Arochior 1254	11097-69-1	Yes	240 UJ - 360 UJ	260 UJ
Arochlor 1260	11096-82-5	Yes	240 UJ - 360 UJ	260 UJ

 $_{\rm J}^{\rm U}$ Compound was analyzed for but not detected at the stated limit. Indicates an estimated value.

ANALYTE	CAS #	ВООНО? µg/Kg	B00GWS μg/Kg	воосs5 ^a µg/Kg	Median ^b Regular Sample µg/Kg
4,41-DDE	72-55-9	17 U	16 UJ	19 UJ	120 UJ
4,41-DDD	72-54-8	17 U 🦈	16 UJ	19 UJ	120 UJ
4,4'-DDT	50-29-3	17 U	16 UJ	19 UJ	120 UJ
Aldrin	309-00-2	8.3 UJ	8.0 ไป	9.7 UJ	62 UJ
alpha BHC	319-84-6	8.3 UJ	8.0 UJ	9.7 UJ	62 UJ
beta BHC	319-85-7	8.3 UJ	8.0 UJ	9.7 UJ	62 UJ
delta BHC	319-86-8	8.3 UJ	8-0 กา	9.7 UJ	62 UJ
gamma BHC (Lindane)	58-89-9	8.3 U	8.0 UJ	9.7 UJ	62 UJ
alpha-Chlorodane	5103-71-9	83 UJ	80 N1	97 UJ	620 UJ
gamma-Chlorodane	5103-74-2	83 UJ	80 UJ	97 UJ	620 บู
Dieldrin	60-57-1	17 U	16 น	19 UJ	120 UJ
Endosulfan I	959-98-8	8.3 U	8-0 UJ	9.7 UJ	62 ปป
Endosulfan II	33213-65-9	17 U	16 บ	19 UJ	120 UJ
Endosulfan Sulfate	1031-07-8	17 U	16 UJ	19 UJ	120 UJ
Endrin	72-20-8	17 UJ	16 U	19 UJ	120 UJ
Endrin Ketone	53494-70-5	17 U	16 U	19 UJ	120 UJ
Heptachlor	76-44-8	8.3 U	8.0 U	9.7 UJ	62 UJ
Heptachlor Epoxide	1024-57-3	8.3 U	8.0 U	9.7 UJ	62 UJ
Methoxychlor	72-43-5	83 U	80 U	97 U.J	620 ปป
Toxaphene	8001-35-2	170 ช	160 U	190 UJ	1200 UJ
Arochlor 1016	12674-11-2	83 U	80 U	97 UJ	130 ปป
Arochlor 1221	11104-28-2	83 U	80 U	97 UJ	130 UJ
Arochlor 1232	11141-16-5	83 U	80 U	97 UJ	130 UJ
Arochtor 1242	53469-21-9	83 U	80 U	97 UJ	130 UJ
Arochior 1248	12672-29-6	83 U	80 U	97 UJ	130 UJ
Arochlor 1254	11097-69-1	170 U	160 U	190 ปป	260 UJ
Arochior 1260	11096-82-5	170 U	160 บ	190 UJ	260 บ.เ

a Sample misidentified on Form 1 as "BOO-GS".
For comparison to split sample results.
U Compound was analyzed for but not detected at the stated limit.

J Indicates an estimated value. BOOHO7 and BOOGW5 qualified "UJ" for some analytes because of a minor calibration anomaly. BOOGS5 qualified "UJ" because of high surrogate and high matrix spike recoveries.

4.1.2 Herbicides

S

.

Ņ

*

Analytical results were reported for 2,4-D (CAS # 94-75-7) and 2,4,5-TP, also known as Silvex, (CAS # 93-72-1). Both herbicides were undetected in all regular site samples, field duplicates and field silica sand samples. Sample reporting limits ranged widely. Validated results ranged from 28 UJ - 4900 UJ μ g/Kg for 2,4-D, and 3 UJ - 240 UJ μ g/Kg for 2,4,5-TP. The median regular sample result for 2,4-D was 150 UJ μ g/Kg. The median regular sample result for 2,4,5-TP was 15 UJ μ g/Kg. All regular, field duplicate, field split and silica sand sample results are shown in Appendix A.

All values were qualified by Westinghouse Hanford as "J" because the preextraction holding time exceeded the 7 day criterion established for water samples. Once extracted, all samples were analyzed within the appropriate 40-day period. 2,4,5-TP was detected in one laboratory reagent blank, but no results were qualified because herbicides were undetected in all site samples.

Split samples were not analyzed for herbicides.

4.1.3 Organophosphorous Pesticides

Organophosphorous pesticides were undetected in all soil samples. All results were qualified by Westinghouse Hanford because extraction was outside the 7-day criterion applicable to certain water analyses. Once extracted, all samples were analyzed within the appropriate 40-day period.

Organopesticide analyses were subcontracted by the primary laboratory. One of the applicable contracts changed during the Phase 3 project. This resulted in an increase in the number of analytes reported for about 40 percent of the samples. All analytes were still undetected. Samples with the increased analyte list include the following:

- All samples from the borehole at the 3C Pond
- Samples BOOGX6, BOOGZ2, BOOGZ6, and BOOGZ8 from the 3B Pond
- Silica sand BOOH10
- Field duplicate B00H05.

All regular, field duplicate and silica sand sample results are shown in Appendix A.

Tables 4-4a and 4-4b summarize the reporting limits for all regular field samples and analytes. Silica sand and field duplicates were reported to similar limits. No contaminants were reported in laboratory blanks.

Split samples were not analyzed for organophosphorous pesticides.

Table 4-4a. Organophosphorous Pesticide Reporting -- 18 Regular Samples (Short List).

ANALYTE	CAS #	ALL RESULTS < DETECTION LIMIT ?	DETECTION LIMIT RANGE mg/Kg	MEDIAN mg/Kg
Dimethoate	60-51-5	Yes	0.10 UJ - 0.13 UJ	0.11 บู
Disulfoton	298-04-4	Yes	0.05 UJ - 0.06 UJ	0-05 N1
Parathion ethyl	l56-38-2	Yes	0.10 UJ - 0.13 UJ	0.11 UJ
Parathion methyl	298-00-0	Yes	0.10 UJ - 0.13 UJ	0.11 UJ
Phorate	298-02-2	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Sulfotepp	3689-24-5	Yes	0.05 UJ - 0.06 UJ	0.05 นา
Famphur	52-85-7	Yes	0.16 UJ - 0.19 UJ	0.16 UJ
Thionazin	297-97-2	Yes	0.05 UJ - 0.06 UJ	0.05 ชม
o,o,o-Triethyl phosphorothioate	126-68-1	Yes	0.03 01 - 0.03 01	מ 03.03

U Compound was analyzed for but not detected at the stated limit. J Indicates an estimated value.

9

 \Box

⊘I

Table 4-4b. Organophosphorous Pesticide Reporting -- 13 Regular Samples (Long List).

ANALYTE	CAS #	ALL RESULTS DETECTION LIMIT CONTROL C		MEDIAN mg/Kg
Azinphos methly	86-50-0	Yes	0.21 บม - 0.24 ชม	0.21 UJ
Chlorpyrifos	2981-88-2	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Chlorpyrifos methyl	5598-13-0	Yes	0.05 UJ - 0.06 UJ	0.05 นม
Coumaphos	56-72-4	Yes	0.21 UJ - 0.26 UJ	0.21 UJ
Demeton	8065-48-3	Yes	0.1 UJ - 0.12 UJ	0.1 UJ
Diazanon	333-41-5	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
DDVP (Dichlorvos)	62-73-7	Yes	0.1 UJ - 0.12 UJ	0.1 UJ
Dimethoate	60-51-5	Yes	0.1 UJ - 0.12 UJ	0.1 บม
Disulfoton	298-04-4	Yes	0.05 UJ - 0.06 UJ	0.05 บม
EPN	2104-64-5	Yes	0.05 tr - 0.06 fr	0.05 UJ
Ethion	563-12-2	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Ethoprop	13194-78-4	Yes	0.1 UJ - 0.12 UJ	0.1 UJ
Fensulfothion	115-90-2	Yes	0.1 UJ - 0.12 UJ	0.1 UJ
Fenthion	55-38-9	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Malathion	121-75-5	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Merphos	150-50-5	Yes	0.1 UJ - 0.12 UJ	0.1 ปร
Mevinphos	7786-34-7	Yes	0.1 UJ - 0.12 UJ	0.1 UJ
Monocrotophos	6923-22-4	Yes	0.21 UJ - 0.24 UJ	0.21 UJ
Naled	300-76-5	Yes	0.21 ปม - 0.24 ปม	0.21 UJ
Parathion, ethyl	56 - 38-2	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Parathion, methyl	298-00-0	Yes	0.05 UJ - 0.06 UJ	0.05 ปม
Phorate	298-02-2	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Ronnel	299-84-3	Yes	0.05 UJ - 0.06 UJ	0.05 นม
Sulfotepp	3689-24-5	Yes	0.05 UJ - 0.06 UJ	0.05 UJ
Sulprofos	35400-43-2	Yes	0.05 UJ - 0.06 UJ	0.05 นา
TEPP	21646-99-1	Yes	0.21 UJ - 0.24 UJ	0.21 UJ
Tetrachlorvinphos	22248-79-9	Yes	0.26 UJ - 0.31 UJ	0.26 UJ
Trichloronate	327-98-0	Yes	0.05 UJ - 0.06 UJ	0.05 UJ

 $[\]ensuremath{\mathsf{U}}$ Compound was analyzed for but not detected at the stated limit. $\ensuremath{\mathsf{J}}$ Indicates an estimated value.

4.1.4 Dioxins and Furans

Some Phase 3 soil samples were submitted for the analysis of total tetra through octa dioxin and furan homologs. These highly specialized analyses were planned for the first few samples from each of the vadose zone boreholes. Evidence has shown that dioxins do not readily migrate through soil and dioxins are not suspected to have been disposed of at the site. Sampling and analysis was intended to demonstrate that the vadose zone was not contaminated with such compounds.

Samples were analyzed using a modified version of SW-846 Method 8280, (Rev. 0) (EPA 1986). Dioxin analyses, like organophosphorous pesticide analyses, were subcontracted by the primary laboratory. A 10-g aliquot of each sample and laboratory blank (sodium sulfate) were spiked at the analytical laboratory before extraction with an internal standard solution containing 50 ng each of ¹³C-2,3,7,8-TCDD, ¹³C-2,3,7,8-TCDF, ¹³C-PeCDD, ¹³C-PeCDD, ¹³C-HxCDF, ¹³C-HyCDD, ¹³C-HyCDF and ¹³C-OCDD. A summary of the performance against these internal standards is shown in Table 4-5.

Table 4-5. Internal Standard Percent-Recovery Summary Dioxins and Furans (25 Samples).

	TCDD	PeCDD	HxCDD	НрСОО	OCDD	TCDF	PeCDF	HxCDF	HpCDF
AVERAGE	65.08	66.56	68.08	59.8	63.48	59.72	62.8	79.72	72.76
RANGE- Max	84	98	85	71	98	83	84	103	92
Min	37	36	44	43	44	26	49	61	55

Additional laboratory QC included blank, matrix spike, and duplicate analyses. Results were within established acceptance limits.

All soil aliquots were extracted outside the 7-day criterion applicable to certain water samples. Results shown in Appendix A were conservatively qualified "UJ" by Westinghouse Hanford because of the time between field sampling and extraction. Periods between sampling and extraction ranged from 3 weeks to 50 days. Once extracted, all samples were analyzed within the 40-day criterion established for extracts.

Detection limits were calculated and reported by the laboratory when target compounds were not found. The concentration corresponding to a signal-to-noise ratio of 2.5 was reported as the detection limit for each analyte. All results reflect these limits and are reported with "U" qualifiers in Appendix A.

The result for sample B00H01 (see Section 4.1) is missing; however, this should have minimal impact on the chemical characterization of 3C Pond vadose zone. Samples taken above and below B00H01 were not found to have any detectable dioxin or furan target compounds. (This is also consistent with samples from other areas of B-Pond.)

4.1.5 Volatile Organic Compounds

No volatile organic compounds of significance were found. However, three identifiable compounds were reported in the regular samples: methylene chloride, acetone, and 4-methyl-2-pentanone. Only methylene chloride is known to be a 40 CFR Part 261 Hazardous Constituent and WAC 173-303-9905 Dangerous Waste Constituent. All regular, field duplicate, field split, and silica sand sample results are shown in Appendix A.

Traces of three unidentified compounds were reported in sample BOOGV5. This was the deepest 3A Pond borehole sample (~143.5 ft). It was from a saturated zone. (The sample was noted as "very wet" in the field logbook. A percent moisture on the VOA aliquot was not reported.)

Samples were spiked with surrogate compounds to monitor method performance. Recoveries are summarized in Table 4-6. Performance on matrix spike and matrix spike duplicates was also reviewed as part of data validation and found to be within accepted limits. Some VOA results were qualified during data validation based on holding times and laboratory reagent blanks.

Table 4-6. VOA Surrogate Percent-Recovery Summary (37 Samples--50 μg/Kg Spikes)

SURROGATE	QC LIMITS (%)	MEAN (%)	MAXIMUM (%)	MINIMUM (%)
Toluene-d8	81-117	103.4	115.4	91.2
Bromofluorobenzene	74-121	101.1	109.2	91.0
1,2-Dichlorethane	70-121	102.0	110.7	86.9

Methylene chloride was reported in BOOFK7 (4 J μ g/Kg) and BOOFK8 (3 J μ g/Kg). These were the second and third samples, respectively, collected from the 3A Pond borehole. No other suspected traces of this analyte were identified in the 29 other regular site samples, 3 field duplicates, 3 silica sand samples, or 9 laboratory reagent blanks. Methylene chloride in each sample was reported at less than the minimum detection level reported for all other samples. Reporting limits on other samples ranged from 5 U - 8 U μ g/Kg, with 5 U μ g/Kg being the most common value.

Methylene chloride was reported by the laboratory (before Westinghouse Hanford validation) with a "J" qualifier flag. This indicates an estimated value. According to CLP protocol and given evidence of detection, some analytes may be reported by the laboratory at levels below the CLP contract detection limit and flagged as estimated. The EPA CLP Statement of Work for Organic Analysis has historically used 10 $\mu \rm g/Kg$ as a contract-required quantitation limit (CRQL) for methylene chloride in soil. This figure is based on wet weight, and must be adjusted upward based on the percent moisture for comparison to results reported on a dry-weight basis. The reporting methods used by the Phase 3 laboratories are based on this protocol. Results were reported on a dry-weight basis.

Although methylene chloride was not reported in blanks, it is a common laboratory contaminant. It can also diffuse through the septum of VOA sample containers in shipment or storage. Acetone, another common volatile solvent,

was also reported in each of the two samples reported with traces of methylene chloride. These samples contained the highest and second highest reported levels of acetone.

Acetone was reported in only 6 of the 37 validated VOA samples analyzed at the primary laboratory. Reported concentrations were 64, 55, 13, 17, 27, and 49 μ g/Kg. Five of the incidences were associated with two sampling/shipment days (from 3A Pond) and two analytical batches. Sample numbers were BOOFK7, BOOFK8, BOOFLO, BOOFL3 (silica sand blank), and BOOGR9 (field duplicate). The sixth occurrence was in sample BOOH19 from 3C Pond. Not all samples collected and shipped in common were analyzed on the same day. Eight samples shared the characteristic of having been collected/shipped and analyzed in association with a sample where acetone was reported. None of the three immediately associated laboratory blanks showed traces of acetone, although another laboratory blank during the project was reported at 26 $\mu q/Kq$. One of the eight samples was a silica sand field blank. Acetone was reported in the silica sand blank at 17 μ g/Kg. The other two silica blanks submitted during the project were not reported to contain acetone. Acetone was also not reported in BOOFL4, the regular sample associated with the field duplicate, BOOGR9.

All individual sample results for acetone are less than four times the amount reported in one of the three project silica sand blanks. All acetone results are also below the SW-846 (EPA 1986) practical quantitation limit (PQL) discussed below. Acetone is highly soluble in water. If acetone was at a quantifiable concentration and originated from percolating wastewater, there should be a positive correlation between sample moisture and acetone content. The evidence does not support correlation.

The compound 4-methyl-2-pentanone, also known as methyl isobutyl ketone, was reported by the laboratory at 3 J μ g/Kg in sample B00GV5, B00GX6, and BOOGZ2. (The "J" qualifiers have the same meaning as for methylene chloride.) The contract-required quantitation limit (CRQL) and nominal reporting limit of 4-methyl-2-pentanone is the same as methylene chloride, 10 μ q/Kq. For all other 28 regular samples, 3 field duplicates, and 3 silica sand blanks, 4methyl-2-pentanone was reported as undetected at the adjusted CRQL. Although not reported in either of the two immediately associated laboratory blanks, the compound was reported at precisely the same concentration in one of the nine laboratory VOA blanks reported for the project. This rate of occurrence (as well as concentration) is not significantly different from that found for site soil samples. A related compound, the aldol condensate 4-hydroxy-4methyl-2-pentanone, was a chronic contaminant in semivolatile analyses at the primary laboratory. (All occurrences of that compound were qualified as undetected TICs caused by prolific laboratory contamination. Because of this they are not shown in Appendix A, but concentrations frequently exceeded 20,000 μ g/Kg in many semivolatile analyses.)

The validation procedure used to produce the data listed in Appendix A qualifies data based only on laboratory blanks. Appendix A data have <u>not</u> been qualified based on results of project silica sand field samples. Consistent with EPA validation guidance, the procedure employed to evaluate laboratory blanks uses a 10X rule for evaluating common laboratory contaminants, including acetone. Results less than 10X the concentration in an associated blank are qualified as undetected at the reported concentration.

Frequently instrument capabilities alone are not the primary limitation of measuring low-level organic compounds. Other aspects of the procedure, such as sample preparation and handling, are important parts of the measurement system. For instance, a single VOA aliquot of sample BOOH19 was collected and shipped for analysis. It was divided by the laboratory and analyzed in triplicate as a regular, matrix spike, and matrix spike duplicate sample. Acetone was measured at 49 and 47 $\mu g/Kg$ respectively in two portions, yet undetectable (11 U $\mu g/Kg$) in the third.

In recognition of such factors, EPA has established practical quantitation limits (PQLs) for those methods used to determine whether a solid waste is a hazardous waste within the definition of Section 3001 of RCRA. Practical quantitation limits are estimates of the lowest concentrations that can be reliably measured by a given analytical procedure. Washington State "Dangerous Waste Regulations" (WAC 173-303) reference EPA's SW-846 (EPA 1986) manual in setting analytical protocol standards. The EPA has published 5 $\mu \rm g/Kg$ as a PQL for methylene chloride in soil measured by SW-846 method 8240. The corresponding PQLs for acetone and 4-methyl-2-pentanone are 100 and 50 $\mu \rm g/Kg$ (EPA 1986). EPA recognizes that PQLs are highly matrix dependent and may not always be achievable. Again, these figures are based on wet weight and must be adjusted when compared to results reported on a dry-weight basis.

Although not currently discussed in the "Dangerous Waste Regulations" (WAC 173-303), regulations under other authority such as Washington State's "Model Toxics Control Act" (WAC 173-340) reference EPA's PQLs in establishing de facto de minimis regulatory limits (see WAC 173-340-707 Analytical Considerations). Other factors, including toxicity, are also considered.

The EPA is not known to have issued any general rules on environmental media de minimis levels of 40 CFR Part 261 Appendix VIII hazardous constituents. It has historically been EPA's policy that such levels are determined on a site-specific basis (57 FR 958 et seq.). The EPA's proposed RCRA Corrective Action rules (55 FR 30798 et seq.) give an example of a soil methylene chloride concentration meeting the criteria for a media action level. This action level is a conservative health-based level based on ingestion of contaminated soil. The toxicity of methylene chloride is such that the proposed action level is 90 mg/Kg (equivalent to 90,000 μ g/Kg). Likewise, conservative health-based concentration action levels for acetone and 4-methyl-2-pentanone are 8000 mg/Kg and 4000 mg/Kg, respectively.

4.1.6 Base/Neutral/Acid Compounds

Phase 3 soil samples showed no semivolatile target compounds at concentrations above their respective CRQL. Only two target compounds were reported in site samples, benzoic acid and diethylphthalate. Each occurrence was qualified as estimated, "J", by the laboratory because both had less than CRQL concentrations. Both were also reported in at least one laboratory blank, although not the one "associated" with those particular analyses according to the employed data validation procedure. All regular, field duplicate, field split, and silica sand sample results are shown in Appendix A.

Surrogate compounds were used to monitor method performance. All surrogate recoveries were within acceptable limits. A performance summary for

all regular, duplicate, and silica sand samples submitted to the primary laboratory is shown in Table 4-7. All matrix spike and duplicate recoveries met QC specifications.

Table 4-7.	Semivolatile (37 Primary	Percent-Recovery Samples).	Summary

Surrogate	Nitrobenzene -d5	1,1'-Biphenyl, 2-Fluoro	Terphenyl-d14	Phenol-d6	2-Fluoro phenol	2,4,6-Tribromo phenol
Spike added (µg/Kg)	100	100	100	200	200	200
Mean percent- recovery	57.2	65.8	83.1	54.6	51.8	52.2
Standard deviation	17.2	20.4	14.8	16.1	13.3	17.4
QC limits %	23 - 120	30 - 115	18 - 137	24 - 113	25 - 121	19 - 122

While benzoic acid is not listed as a RCRA Appendix VIII- or WAC 173-303-9905 Dangerous Waste constituent, benzoic acid was reported in 9 of the 37 samples, (regular, field duplicate, and silica sand samples). In each case, it was reported at less-than-one-fifth of the nominal less-than reporting limit of 5000 $\mu \rm g/Kg$. Seven occurrences were associated with samples extracted February 24, 1991. All of the samples were from the upper 28 ft of the 3A Pond borehole. The remaining two occurrences were associated with samples extracted March 7, 1991. These were the first two samples from the 3B borehole. Neither immediately associated batch blank was reported with traces of benzoic acid, nor were other site samples in the batches. However, one of seven laboratory blanks reported with Phase 3 samples did contain benzoic acid, estimated at 1500 J $\mu \rm g/Kg$, which is below the CRQL. This concentration is greater than that estimated in the nine validated samples.

Diethylphthalate was reported in only three regular samples and one split sample. Diethylphthalate appears on both the RCRA Appendix VIII and WAC 173-303-9905 list. All occurrences of diethylphthalate were qualified as estimated, flagged with a "J", because of low concentration. All occurrences were less than half the less-than reporting limit of 1000 $\mu \rm g/Kg$. Reported concentrations were 170 J, 210 J, and 370 J $\mu \rm g/Kg$. One of the independently analyzed split samples was reported at 95 J $\mu \rm g/Kg$. That sample was collected simultaneously to with the regular sample reported at 210 J $\mu \rm g/Kg$ by the primary laboratory. Sample numbers and location are as follows:

- BOOFK7 (3A Pond-8.5 ft)
- BOOGS4 (3A Pond-52.5 ft)
- B00GZ2 (3B Pond-90.5 ft)
- Split BOOGS5 (3A Pond-52.5 ft).

No evidence of the phthalate compound was found in the associated laboratory blanks; however traces were suspected in two of the seven blanks at the primary laboratory, (a higher rate than the samples). The phthalate compound was reported at 670 J and 540 J μ g/Kg in those laboratory reagent blanks. As a result, some samples were qualified undetected at the CRQL. None of the three split laboratory blanks or three silica sand samples showed traces of this particular phthalate, though both groups contained other

phthalates. Phthalates are commonly found at low levels as field or laboratory contaminants.

The EPA CLP SOW for organic analyses has traditionally defined an acceptable semivolatile analytical method blank as one containing a concentration less than or equal to the CLP CRQL, except for target compound phthalate esters. An acceptable blank may contain a concentration of less than or equal to 5X times the target compound phthalates. This reflects the widespread use of phthalate compounds and the difficulty of avoiding sample cross-contamination bias. The key issue of whether a particular single isolated sample is representative must be considered.

The fact that both the regular sample, BOOGS4, and its associated split, BOOGS5 were reported with traces of diethylphthalate suggests at least some of the occurrences may have had a field origin (true or artificial). Although the compound sinks in water, phthalate esters are readily sequestered by or adsorbed on organic residues and solid surfaces in environmental water systems. This should lead to accumulation in the near-surface sediments and subsequent long-term low-level release if wastewater disposal activities are the true source of diethylphthalate. Introduced spurious contamination from a common field source is also a possible source, which would cause such samples to actually be unrepresentative of site conditions.

The few and isolated nature of the occurrences, low concentration, and apparent lack of decreasing concentration with depth suggest that the occurrences are an artifact of the measurement system and not a reflection of site conditions. Although trends with depth are opposite of a pond sediment source, the values are too low to be considered reliable indicators of contamination. The overall measurement system is simply not capable of reliably characterizing the mean diethylphthalate concentration at such minute levels. From a single split spoon of soil, the sample standard deviation calculated using the two independently analyzed samples, BOOGS4 and BOOGS5, is 81.3 μ g/Kg. A 90-percent one-sided small sample confidence interval for the true mean of the location encompasses zero. Based only on the demonstrated reproducibility at this one location for which two, supposedly positive, independent analyses were performed, one cannot reliably consider the concentration of diethylphthalate different from zero.

Semivolatile results, in contrast to the Phase I study results, showed frequent TICs, averaging approximately 13 per sample for the primary laboratory and slightly more than 3 per sample for the split laboratory. In addition, laboratory batch blanks averaged approximately 14 TICs per blank at the primary laboratory; no TICs were seen for blanks at the split laboratory. Most of the TICs were either unidentifiable or only generically identifiable compounds. The large number of TICs reported by the primary laboratory for both samples and blanks suggest that their occurrence must be interpreted with some skepticism.

The majority of TICs were rejected on validation because identical compounds occurred at similar concentrations in the immediately associated laboratory batch blanks. Nevertheless, some TICs remained after validation. A surprisingly similar number of TICs were present in the average validated sample results from the primary and split laboratories—slightly less than four and slightly greater than three, respectively, after validation. Silica sand field blanks were <u>not</u> considered in the employed validation procedure.

They were submitted only to the primary laboratory. On average, they contained four validated TICs per sample.

One compound identified as a validated TIC is listed on the RCRA Appendix VIII or WAC 173-303-9905 Dangerous Waste Constituents List. The identified compound is dimethylhydrazine (CAS # not reported by laboratory). Three occurrences, (B00FL1, B00GR9, and B00FK9), were associated with a single analytical batch; however, B00FK9 was flagged to indicate the analyte was found in an associated laboratory reagent blank. The laboratory did not specifically report this compound in the identified associated laboratory blank, (lab ID 910225-170). The laboratory has not been able to produce a definitive explanation for this apparent anomaly. Application of validation criteria to TICs resulted in rejection of this particular TIC in sample B00FK9, but not B00FL1 or B00GR9--even though all were supposedly in the same analytical batch. Reported concentrations and qualifiers were 600 JY- and 460 J- μ g/Kg, respectively. No other Phase 3 samples contained this compound.

4.2 INORGANIC CHEMICAL RESULTS

 \Box

All inorganic results with attached data qualifiers are listed in Appendix A. The results are summarized by two tables. Calculated statistics can be confirmed using values listed in Appendix A. Further comparisons of these results are made in Section 5.

All regular samples are summarized in Table 4-8. Values are summarized by showing the total number of samples analyzed, number of less-than-detection-limit values, median, mean, upper 90-percent limit of the mean, standard deviation, percent coefficient of variation, and range for each lobe. A standard deviation, upper confidence limit, and percent-coefficient of variation were not calculated for analytes that were rarely or never at detectable concentrations. For those analytes that were undetected in a minority of samples, analytes were assumed, for summary calculation purposes, to have values equal to their reported "less-than" values. Concentration qualification flags are shown for the minimum and maximum values of each lobe.

		Number	of Samples			Upper 90%	Standard	Percent		Range	
Analyte	Pond	Total	< Detection Limit	Median	Mean	Limit	Deviation	Coefficient of Variation	Minimum	Maximu	m
Aluminum	3A	20	0	6100	6160	6584	1427	23	3800	960)
	3B	20	0	6000	6975	7866	3001	43	4500	1700)
	3C	15	0	6000	5987	6333	998	17	4600	830)
Ammonia	3A	21	21	<0.001	<0.001	NC	NC	NC	0.001	u 0.00	l U
	3B	17	17	<0.001	<0.001	NC	NC	NC	0.001	u 0.00	l U
	3C	15	15	<0.001	<0.001	NC	NC	NC	0.001	u 0.00	l u
Antimony	34	20	16	<5.2	<5.8	NC	HC HC	NC	4.6	U 1	
	3B	20	20	<5.1	<5.1	NC	NC	NC	4.9		3 U
	3C	15	15	<5.2	<5.2	NC	нс	NC	4.8	U 5.	3 U
Arsenic	3A	21	0	1.5	1.74	1.97	0.805	46	0.79	4.	,
	3B	20	1	<1.35	<2.25	2.90	2.171	96		u 7.	
	3C	11	0	1.7	1.46	1.76	0.713	49	0.65	2.	
Barium	3A	20	0	71.5	71.1	74.1	10.2	14	53	9	
	3B	20	. 0	78	77.6	80.7	10.4	13	62	9	5
	3C	15	0	73	80.5	90.6	29.3	36	50	170)
Beryllium	3A	20	0	0.35	0.36	0.38	0,073	20	0.23	0.5	5
	38	20	0	0.35	0.38	0.42	0.130	34	0.29	0.8	
	3C	15	0	0.30	0.31	0.33	0.058	19	0.21	0.4	
Boron	3A	20	6	<4.6	<4.52	5.55	3.46	77	0.39	U 9.	
	38	20	0	7.0	6.99	7.57	1.98	28	3.7	1;	?
	3c	15	2	<7.7	<7.37	8.89	4.38	59	0.42	U 14	

Table 4-8. Summary Statistics--Regular Samples ($\mu g/g$). (5 sheets)

Table 4-8. Summary Statistics--Regular Samples ($\mu g/g$). (5 sheets)

		Number	of Samples				04 - 1 - 1	Percent		Ran	ge	
Analyte	Pond	Total	< Detection Limit	Median	Mean	Upper 90% Limit	Standard Deviation	Coefficient of Variation	Minimum		Maximum	
Cadmium	3A	20	4	<0.66	<0.78	0.90	0.42	54	0.28	IJ	1.6	
	38	20	1	<0.98	<1.06	1.19	0.44	41	0.31	U	1.8	
	3C	15	0	1.7	1.72	1.89	0.50	29	1.0		2.5	
Calcium	34	20	0	8000	8305	9055	2524	30	3400		14000	
	38	20	0	7250	7415	7994	1949	26	3000		13000	
	3C	15	0	6800	7193	7686	1419	20	5300		11000	
Chloride	3A	21	21	<20	<18.2	NC	HC	NC	1	U	20	U
	3B	20	20	<20	<20	NC	NC	NC	20	U	20	U
	3c	15	15	<20	<20	NC	NC	NC	20	U	20	U
Chromium	3A	20	0	7.55	8,17	9.35	3.98	49	3.1		16	
	38	20	0	10.35	12.0	13.6	5.39	45	5.1		25	
	3C	15	0	7.30	9.23	11.2	5.64	61	4.1		27	
Cobalt	3A	20	0	11	12.0	12.6	2.04	17	7.0		15	
	3B	20	0	13	12.2	12.8	2.07	17	7.3		15	•
	3C	15	0	13	12.4	13.1	1.94	16	8.1		16	
Copper	3A	20	0	16	18.3	20.5	7.31	40	10		45	
	38	20	0	19	19.4	20.7	4.44	23	13		33	
	3C	15	0	17	17.4	18.6	3.40	20	13		26	
Cyanide	3A	11	10	<1	<0.9	NC	NC	NC	0.12	j	1	
	3B	11	11	<1	<0.7	NC	NC	HC .		υJ	1	UJ
	3C	9	8	<0.1	<0.4	NC	NC	NC		ΠΊ	1	IJ

	!
	İ
	ļ
J	į
J	
U	
U	
U	
	l

Summary Statistics--Regular Samples ($\mu g/g$).

(5 sheets)

Table 4-8.

·		Number	of Samples			Upper 90%	Standard	Percent	R	ange	
Analyte	Pond	Total	< Detection Limit	Median	Mean	Limit	Deviation	Coefficient of Variation	Minimum	Maximum	
fluoride	3A	21	9	<2	<1.5	NC	NC	NC	0.6	2.2	
	3 B	20	13	<2	<2.1	NC	NC	NC	2 U	3	
	3c	15	12	<2	<2.0	NC	NC	NC	2 U	2.2	
Iron	3A	20	0	26000	24700	2.58E+04	3813	15	16000 J	29000	
*****	3B	20	0	26000	25500	2.65E+04	3269	13	17000	30000	J
	3c	15	0	25000	25200	2.64E+04	3590	14	17000	31000	
									İ		
Lead	3A	21	0	3.83	4.89	5.97	3.722	76	2.1	18	
	3B	20	0	3.15	5.24	6.58	4.535	87	2.2	20	
	3C	11	0	2.5	4.99	8.43	8.316	167	1.8	30	
Magnesium	3A	20	0	4900	5035	5385	1178	23	3800	8700	
	3B	20	0	4500	4785	5142	1201	25	3600	8400	
	3C	15	0	4500	4513	4711	569	13	3700	5800	
Manganese	34	20	0	340	334	350	54.3	16	250 J	440	
	3B	20	0	310	322	335	42.5	13	270	410	t
	3C	15	0	300	313	329	44.3	14	250	400	
Mercury	3A	21	21	<1.0	<1.0	NC	NC NC	NC	1.0 U	1.0	U
,	3B	20	20	<1.0	<1.0	NC	NC NC	NC	1.0 U	1.0	U
	3C	7	7	<1.0	<1.0	NC	NC NC	NC NC	1.0 U	1.0	<u>u</u>
Molybdenum	3A	20	15	<1.05	<1.18	NC	NC	NC	0.96 ป	2.4	
	3B	20	8	<1.2	<1.25	1.34	0.30	24	0.99 ປ	2.0	
	3C	15	11	<1.0	<1.18	NC	NC	NC	0.97 U	2.2	

Summary
StatisticsRegular
Samples
$(\mu g/g)$.

(5 sheets)

Table 4-8.

		Number	of Samples			I 009	Canada a d	Percent	Rar	nge	
Analyte	Pond	Total	< Detection Limit	Median	Mean	Upper 90% Limit	Standard Deviation	Coefficient of Variation	Minimum	Maximum	
Nickel	3A	20	0	10	10.9	12.2	4.26	39	5.9	24	
	3в	20	0	11	11.3	12.2	3.01	27	8.2	21	
	3c	15	0	10	10.6	11.6	2.87	27	6.8	18	
Nitrate		21	21	<20	<18.2	NC	NC	NC	1 UJ	20	UJ
	3B	20	20	<20	<20	NC	NC	NC	20 UJ	20	UJ
	3C	15	15	<20	<20	NC	NC	NC	20 UJ	20	IJ
pH (Field)	3A	21	0	7.	7.0	7.2	0.42	6	6	7.6	
pii (t teta)	38	20	0	7.5	7.3	7.4	0.30	4	7	8	
	30	15	0	7.5	7.5	7.6	0.40	5	7	8.1	
Potassium	3A	20	O	820	905	1007	345	38	530	1800	
101033100	3B	20	0	780	1013	1181	566	56	660	3000	
	3C	15	0	860	863	925	179	21	550	1100	
Selenium	3A	12	12	<0.54	<0.70	NC	NC	NC	0.49 U	1.1	UD
Setemon	3B	11	11	<0.52	<0.53	NC	NC NC	NC	0.50 U	0.61	U
	3C	6	6	<0.52	<0.52	NC	NC	NC	0.51 U	0.52	U
Silicon	3A	20	0	445	437.0	478	137	31	270	860	
SILICON	3B	20	0	300	326.5	347	70	21	240	450	
	3c	15	0	300	326.7	349	66	20	250	460	
		1									
Silver	3A	20	12	<0.64	<0.75	NC	NC	NC	0.56 U	1.5	
	3в	20	20	<0.61	<0.62	NC	NC	NC	0.58 ປ	0.70	U
	3C	15	15	<0.62	<0.62	NC	NC	NC	0.58 U	0.64	U

Summary Statistics—Regular Samples ($\mu g/g$).

(5 sheets)

		Number	of Samples			Upper 90%	Standard	Percent	Ra	ange
Analyte	Pond	Total	< Detection Limit	Median	Mean	Limit	Deviation	Coefficient of Variation	Minimum	Maximum
Socium	3A	20	٥	280	349	404	186	53	170	810
	3B	20	0	405	402	445	146	36	180	710
	3C	15	0	435	479	520	117	24	270	730
Sulfate	34	21	2	<20	<18.4	NC	NC	NC	1 U	24
	38	20	5	<20	<22.7	NC	NC	NC	20 U	39
	3c	15	1	<20	<20.4	NC	NC	NC	20 U	26
Sulfide	34	11	11	<0.1	<0.1	NC	NC	NC	0.1 U	0.1 U
<u> </u>	3B	11	10	<0.1	<0.1	NC	NC	NC	0.1 U	0.1
	30	9	9	<0.1	<0.1	NC	NC	NC	0.1 U	0.1 U
Thallium	3A	12	12	<1.0	<1.04	NC	NC	NC	0.97 U	1.1 U
	38	11	11	<1.0	<1.04	NC	NC	NC	1.0 U	1.2 U
	3C	6	6	<1.0	<1.00	NC	NC	NC	1.0 U	1.0 U
Vanadium	3A	20	0	67.5	64.5	68.4	13.3	21	38	86
	3B	20	0	70.5	66.2	70.6	14.9	22	34	87
	3C	15	0	68	66.9	71.1	12.1	18	38	85
Zinc	3A	20	0	49.5	47.8	49.8	6.64	14	34	60
	3B	20	0	47	46.6	47.9	4.67	10	39	56
	3C	15	0	47	46.3	48.5	6.50	14	34	57

NC Not calculated, most or all values undetected. See Appendix A data. D Dilution.
U Analyte was not detected at the stated limit.
J The associated value is an estimated quantity.

Field duplicates are summarized in Table 4-9. Field duplicate samples aid in evaluating short-term variability of the measurement system processes and of the inherent media variability itself. They provide a second estimate of the representative concentration associated with a particular interval, and thereby allow an estimate of variability within the given measurement system. For the purposes of the Table 4-9 summary, all statistics were calculated only where pairs of values were uncensored by a reporting limit. The following two methods of summarizing variability were used:

- The average sample variance between regular/field duplicate pairs. (The square root of the variance is the standard deviation.)
- The average percent coefficient of variation between regular/field duplicate pairs.

Variability above the detection limit is also graphically displayed in Appendix B for regular/field duplicate and regular/split sample pairs uncensored by a reporting limit. Most analytes show no definitive trend between variability and concentration for results from a single laboratory; however, this is not the case when split samples are considered. This suggests that the coefficient of variation may be the preferred parameter to consider when making interlaboratory comparisons. These comparisons incorporate sources of variability between measurement systems as well as within single-laboratory systems.

Split samples provide an independent analysis to corroborate results of the primary laboratory. Table 4-9 summarizes the average "bias" of the reportable primary laboratory results by assuming that the split laboratory provides the true value. The standard deviation of the bias and number of pairs considered in the calculations are listed. The statistical significance was evaluated by determining if a 95%, two-sided confidence interval around the average also encompassed zero. The interval was based upon the t-distribution, number of bias estimates and their variability. Analyte concentrations were generally lower at the split laboratory than the primary laboratory. Therefore, decisions based on projections from the primary laboratory values should be more conservative and thus be more protective of human health and the environment. If the site is considered sufficiently clean based on these higher values, overestimation of constituents is irrelevant. However, if values suggest that dangerous waste is be present, further evaluation may be in order.

A mean bias and comparison calculations were not made when all values were reported at an undetected censored limit by either laboratory. When values were not censored at a reporting limit, they were considered in the comparisons. Alternatively for arsenic, beryllium, chromium, potassium, sodium, and gross alpha, computations were also made considering all censored concentrations equivalent to the reporting limit, (example $1.0\ U=1$). The alternate results are shown in brackets. In the case of sodium, one undetected split was reported at a much higher limit and therefore unduly affected this type of comparison. No comparisons are possible for analytes not measured at both the primary and split laboratories.

6
ble
4
4-9.
l
rield Duplicate and Spilt Comparison
۵
ç
l p
គ
7 E
<u>ه</u>
770
0
P
=
ទ
큐
a
Sol
ā
=
]
ĮĘ
]
١

	<u> </u>	Field Duplicate:	Regular Sample I	Pairs	Regular	Minus Associated	Field Split	Sample
Analyte (#g/g)	Computed on x Sample Pairs	Average Variance (\$ ²)	Standard Deviation (S)	Average Percent Coefficient of Variation	Mean Bias #9/9	Standard Deviation of Bias	Computed on x Sample Pairs	Statistically Significant? (a=.05)
Aluminum	7	250714.3	500.71	6.50	4082.86	1163.50	7	Υ
Ammonia	-	NC	NC	NC	NA	NA NA		•
Antimony	-	NC	NC	NC	NC	NC	•	-
Arsenic	6	1.503	1.226	19.9	1.426 [1.14]	2.37 [2.04]	5 [7]	N [N]
Barium	7	126.6	11.25	11.4	28.4429	13.33	7	Υ
Beryllium	7	0.0	0.02	6.20	0.07 [-0.04]	0.11 [0.31]	4 [7]	(N) N
Boron	6	1.7	1.32	10.6	NA	NA	•	-
Cadmium	7	0.3	0.51	26.8	NC	NC	•	-
Calcium	7	1465714.3	1210.67	11.4	2761.43	978.48	7	Y
Chloride		NC	NC	NC	NA	NA	-	-
Chromium	7	12.4	3.52	27.3	14.17 [11.04]	6.17 [5.50]	3 [7]	N [Y]
Cobalt	7	0.2	0.48	3.09	5.25	2.74	6	Y
Copper	7	3.4	1.85	9.01	9.943	3.25	7	Y
Cyanide	·	NC	NC	NC	NC	NC	-	j -
Field pH	7	0.0	0.0	0.0	NA .	NA	-	
Fluoride		NC	NC	NC	NA	NA	-	-
Iron	7	2214285.7	1488.05	4.34	14927.1	3962.73	7	Y
Lead	7	8.995	2.999	12.2	2.2	5.45	6	N
Magnesium.	7	189285.7	435.07	8.85	2645.71	816.37	7	Y
Manganese	7	464.3	21.55	5.38	145.6	48.27	7	Y
Мегсигу		NC	NC	NC	NC	NC	-	-
Molybdenum	3	0.3	0.57	31.5	NA	НА	-	-
Nickel	7	26.9	5.18	20.3	5.62	2.43	6	Y
Nitrate	-	NC	NC	NC	NA	NA	-	-
Potassium	7	8114.3	90.08	8.76	389.75 [351.28]	74.59 [205.7]	4 [7]	(Y) Y
Selenium		NC	нс	NC	NC	NC	-	-
Silicon	7	3828.6	61.88	12.9	NA	NA	-	•

Analyte (µg/g)	Computed on X Sample Pairs	Average Variance (S ²)	Standard Deviation (S)	Average Percent Coefficient of Variation	Mean Bias µg/g	Minus Associated I Standard Deviation of Bias	Computed on x Sample Pairs	Statistically Significant? (α=.05)
Silver	-	NC	NC	NC	NC	NC	-	-
Sodium	7	3785.7	61.53	11.6	272.14 [151.1]	177.58 [299.35]	5 [7]	Y [H]
Súlfate	2	18.5	4.30	13.3	NA	NA	-	-
Sulfide		NC	NC	NC	NA	NA	-	•
Thallium	•	NC	NC	NC	NC	NC	-	•
Vanadium	7	13.0	3.61	4.17	45.029	14.53	7	Y
Zinc	7	8.6	2.93	4.32	25.829	5.35	7	Y
RADIONUCLIDE DATA (pCi/g)								
Gross Alpha	7	1.21	1.100	NC	-2.7 [-1.4]	1.38 [1.7]	3 [6]	H (N)
Gross Beta	7	18.78	4.334	NC	-18.35	12.88	6	Ą
Strontium-90	3	1.60	1.263	NC	NC	NC	•	-
Gamma: Cs-137	2	0.015	0.121	HC	NA	NA	•	-
Gamma: Pa-234m	2	1056,25	32.500	NC	NA	NA	• 1	-
Gamma: Th-234	2	1.49	1.220	NC	HA	NA	•	-

a "U" flagged, less-than values excluded except for bracketed alternate figures computed under the assumption undetected values are equal to the reporting limit, (See text).
NC Not calculated, most or all values undetected--see Appendix A data.
NA Not available.

4.3 RADIOANALYTICAL RESULTS

Radioanalytical work included field screening techniques and both onsite and offsite laboratory determinations. All samples were handled as nonradioactive based on field screening and onsite analyses. Offsite analyses included gross alpha, gross beta, gamma, and ⁹⁰Sr determinations. The primary laboratory reported EPA 900.0 was used for alpha, beta and gamma, and EPA 906 for ⁹⁰Srdeterminations. Several samples were submitted to the split laboratory for radiologic analyses. These particular analyses were subcontracted to another laboratory. Methods were identified only by the laboratory-specific procedure numbers PRO-032-15 for total alpha or beta determinations, PRO-042-5 for gamma scans, and PRO-032-25 for strontium-90 assays.

The above parameters are not believed to be regulated under current and applicable RCRA regulations. Unvalidated radiological data are presented in Appendix A for information only. Field duplicate and split summaries are presented at the end of Table 4-9. The results of the gamma spectra analyses were not comparable between the two project laboratories. Different radionuclides were reported by the two measurement systems.

Gross gamma borehole logging did not reveal any obvious anomalies. Without radionuclide-specific detection capabilities, it is not possible to judge whether any areas of slightly elevated gross counts are caused by radionuclide contamination or localized natural background differences.

4.4 GEOLOGY AT THE VADOSE BOREHOLES

The geology at the three boreholes consisted of mixed sands, sandy gravels, and gravelly sands typical of the Hanford formation in this area. Lithologic descriptions of the three boreholes were recorded in the project borehole logs. A general classification associated with each sample has been listed in the sample key, Table 3-4.

Soil from the 3A Pond borehole was somewhat sandier and had less gravels than soil from the other locations reflecting the fining westward character of the Hanford formation in the B-Pond area. The water table at the 3A Pond borehole was in a sandy gravel, probably still in the Hanford formation, while at the 3B Pond borehole, a saturated silt lens at 116.5 ft most likely marks the top of the Ringold formation. The 3C Pond borehole did not penetrate deep enough to pass through the Hanford formation into the Ringold, which also underlies this area.

Undisturbed surface soil surrounding the B-Pond system is predominately eolian-deposited material. It lacks the cobble and coarse gravels common to the flood-deposited Hanford formation. Earlier Phase I sampling collected one class of background samples from the upper foot of soil in sagebrush areas surrounding the B-Pond system. Other background samples collected, as part of the same study, were from the surface of an adjacent unused contingency pond excavation. These two groups of samples were treated separately in the Phase I analysis when it became evident that the values of the combined set differed significantly from a normal distribution.

4.5 SOIL PHYSICAL PROPERTIES

Characterization work at the three boreholes included a suite of physical properties testing. Samples collected for physical properties testing were not those analyzed for chemical constituents. Testing was performed at an onsite laboratory. Determinations included specific gravity, percent moisture content, grain size distribution by sieve analysis, hydraulic conductivity, and porosity. Deviation from basic theoretical relationships showed moisture retention curve results were not satisfactory.

Six samples were collected from the borehole at the 3A Pond; 11 at the 3B Pond; and 3 at the 3C Pond. Test requests were not the same for each sample, particularly where similar lithologies were present at several sample horizons. Table 4-10 shows physical properties data for the three boreholes. Some determinations were not performed because the samples were unsuitable. Table 4-11 shows sieve data results. A hydrometer analysis was performed for most samples on fractions passing through a number 200 sieve. This additional data was not included in Table 4-11.

Specific gravity of all samples was well within expected values, ranging from 2.69 to 2.82 g/cm³. Sieve analysis data showed grain size distributions typical of the Hanford formation in this area. Most samples were classified as sandy gravels and were poorly sorted showing a fairly wide range in grain size. Porosity ranged from 20.50 to 37.71 percent. These values are relatively high, but well within the range for the sandy gravels of the Hanford formation, which are relatively uncompacted and uncemented.

Moisture content varied widely between physical property samples and was not correlated with depth of the sample. Moisture contents of 15 to 18 percent in the 3A Pond borehole indicate saturated or nearly saturated sediments at intermediate depths. This borehole was drilled over a filled area on the edge of the 3A Pond. At the 3B Pond borehole, moisture contents were generally lower, between 2.44 and 7.16 percent above the water table and 20.88 percent in the sample taken at the water table. The 3B Pond has not been used for wastewater disposal since 1985. Moisture content in physical samples from the 3C Pond borehole ranged from 1.07 to 9.6 percent.

Hydraulic conductivity values determined in the laboratory reflect the generally coarsening grain size of the Hanford formation from northwest to southeast at the B-Pond area. The 3A Pond borehole, drilled in the northwest, has the finer grain sizes and the lower measured hydraulic conductivity values, around 3 to 5 cm/sec. Hydraulic conductivity measurements on samples from the 3B Pond borehole to the southeast are higher, around 1E-4 to 1E-3 cm/sec. One measurement of 3E-8 was obtained on the clay silt sample taken at the water table from 3B Pond. No measurements were made on the single 3C Pond sample submitted for this determination because the sample was unsuitable.

Table 4-10. Physical Properties B-Pond Phase 3 Soil Samples.

Sampte	Pond	Intervai	Specific 3 Gravity g/cm ³	Moisture (percent)	Hydraulic Conductivity cm/sec	Porosity (percent)
BOOFL2	3A	20.4 - 23	NR	7.19	NR	NR
BOOGS6	3A	51.13 - 54.10	2.81	17.13	4.3 E-5	36.14
800GS7	3A	53.0 - 55.6	2.81	15.4	1.1 E-5	33.46
BOOGTO	3A	67.5 - 69.65	2.81	NR	4.8 E-5	30.32
BOOGT2	3A	75.7 - 77.90	2.72	18.01	NR	NR
BOOGT9	3A	101.6 - 102.2	NR	4.44	NR	NR
B00GW2	3B	8.2 - 10.85	2.82	7.16	9.8 E-4	32.13
BOOGW7	38	14.4 - 17.1	2-81	3.9	7.6 E-4	25.14
800GX0	38	25.9 - 29.6	2.82	2.99	2.36 E-4	23.56
BOOGX1 ^a	3B	25.9 - 29.6	NR	NR	NR	NR
B00GX7	38	60 - 62.6	No test- sample uncompacted	5.35	No test~ sample uncompacted	No test- sample uncompacted
B00GX9	3в	72.25 - 74.15	2.75	4.02	NR	20.50
B00GZ0	3B	83.0 - 85.9	2.76	3.03	5.4 E-3	29.87
B00GZ1	3в	83.0 - 85.9	2.74	NR	NR	NR
800GZ4	3B	103.9 - 106.35	2.76	2.44	NR	22.64
BOOGZ5	3B	103.9 - 106.35	2.75	3.92	NR	NR
B00GZ7	3B	117.5 - 119.3	2.69	20.88	3.0 E-8	35.76
800H08	3C	11.7 - 13.7	No test- sample uncompacted	9.6	No test- sample uncompacted	No test- sample uncompacted
B00H12	3C	25.6 - 27.8	2.81	1.07	NR	37.71
в00H13 ^b	3C	25.6 - 27.8	NR	NR	NR	NR
B00H22	3¢	76.9 - 79.4	NR	5.24	NR	No test- sample uncompacted

a Sample only submitted for moisture-retention analysis.

Sample only submitted for grain-size analysis.

NR Not requested

Cumulative Percent Passed Sieve Size Opening in Inches or Number of Mesh per Inch															
Sample	Pond	Depth	2.5	2	1.5	1	3/4	1/2	3/8	#4	#10	#40	#60	#100	#200
BOOFL2	3A	21.5	100	92.6	82.9	64.4	58	48.7	44.2	37.1	29.5	10.9	7.3	5.5	4.1
B00GS6	3A	52	100	100	100	100	100	100	100	100	99.1	62.7	23.5	11.6	7
BOOGS7	3A	54.5	100	100	100	100	100	100	100	100	100	80.7	60.3	43.7	29.7
BOOGT2	3A	77	100	100	100	100	100	100	100	100	99.8	91.9	79.3	59.4	31.4
BOOGW2	3B	9.5	100	100	100	100	97	94.9	92.1	86.3	81.5	60.8	34.1	15.7	7.8
BOOGW7	3B	16	100	100	100	100	100	100	93.1	83.1	68.1	31.1	16.1	9.9	6.6
800GX7	3B	61.5	100	100	100	100	100	97.7	96.8	93.3	87.3	24.4	12.7	8.4	5.2
BOOGX9	3B	73	100	100	100	92.1	85	76.4	70.4	60.9	51.7	28.4	22.3	18.3	14.3
BOOGZO	3 B	84.5	100	100	100	100	98	88.2	81.3	66.8	52.3	29.3	23.3	18.9	14.2
B00GZ1	3B	84.5	100	100	96.3	89.6	85.7	80.9	77.9	71.5	61.5	29.4	21.4	16.4	11.7
BOOGZ4 ^b	3B	105	100	100	81.7	67.2	61.9	54.9	48.1	37.6	NR	NR	NR	NR	NR
BO0G25	3в	105	100	97.6	94.1	83.7	77.5	69.8	65.5	56.8	46.9	28.4	23.1	19	14.5
20062 7	3B	118.5	100	100	100	100	100	100	100	100	100	98.9	98.1	93.3	74.9
воонов	3C	12.5	100	100	92.8	86.6	81.5	76.4	73.5	68.8	63.1	13.9	8	5.8	4.2
воон12	3C	26.5	100	57.1	52.3	39	29.3	19.5	15.2	9.8	6.6	2.7	1.9	1.4	1.1
воон13	3C	26.5	100	88.5	83.6		62		43	32.2	22.8	12.3	9.7	7.9	5.8
B00H22	3C	78	100	100	92.9	75.4	67.3	57.2	49.2	38.2	28	12.8	9.8	7.6	5.7

 $_{
m b}^{
m a}$ Washed fine grading also performed for most samples on material finer than No. 200 sieve. $_{
m b}^{
m c}$ Sieve analysis not requested but performed to no. 4 for specific gravity determination.

Table 4-11. Grain Size Analysis^a.

WHC-SD-EN-AP-104 Rev.

This page intentionally left blank.

5.0 DISCUSSION AND COMPARISON TO DANGEROUS WASTE CRITERIA

The demonstration of clean closure requires that no 40 CFR Part 261 Appendix VIII constituents remain in the soils, vadose zone, or groundwater above regulatory agency recommended limits (EPA 1989). These limits include consideration of water quality standards and criteria, health-based limits based on published reference doses or carcinogenic potency factors, or sitespecific agency-approved health advisories (52 FR 8706). The scope of analytical requirements may be reduced from all Appendix VIII constituents when it is reasonable to exclude some based on knowledge of past activities at the unit. In consideration of the potential effect of a waste on human health or the environment, EPA's proposed corrective action rules (55 FR 30798) expand the meaning of the term hazardous constituents to include those identified in 40 CFR Part 264 Appendix IX, commonly known as the Groundwater Monitoring List. Washington State's "Dangerous Waste Constituents List" (WAC 173-303-9905) includes additional constituents not found on the 40 CFR Part 261 Appendix VIII list. Clean closure will require that concentrations of such constituents pose no substantial threat to human health or the environment when left unmanaged.

For several years, two published statements have provided the fullest interpretation of EPA policy currently available concerning requirements applicable to units undergoing clean closure. Those two accounts are in the Federal Register (FR) starting at 52 FR 8704 and again starting at 53 FR 9944. The EPA has been working on issuance of a clean closure guidance document, however it is not known to be available at this time. It is anticipated that many aspects will reflect policy expressed in the proposed RCRA Corrective Action Rule issued July 27, 1990, (55 FR 30798). Recent legal rulings regarding the "mixture" and "derived-from" rule have led EPA to propose a concentration-based exemption criteria (CBEC) that would fundamentally change the application of RCRA Subtitle C (see 57 FR 21450). The proposal will also affect soil contaminated with listed waste, which is currently considered hazardous by the "contained-in" policy.

Surface impoundments containing unremoved regulated hazardous waste cannot remain open to receive nonhazardous waste (54 FR 33388). The 3A Pond, 3B Pond, and 3C Pond have been classified part of a RCRA TSD unit; however, no waters, sediments, or soils have demonstrated characteristics or criteria of a dangerous waste. A dangerous waste must meet one or more of the characteristics or criteria described in WAC 173-303.

Compounds listed on the Part A permit as being occasionally discharged into the B-Pond system include common acids and bases. Such chemicals are no longer hazardous when they lose the characteristic that caused them to be a hazard. In the case of corrosivity, a waste is regulated when the pH is less than or equal to 2 or greater than or equal to 12.5. In the case of solids, regulated status is determined on the solution derived by mixing with an equal weight of water. Both field pH data and pH reported in conjunction with BNA analyses at the split laboratory showed pH within criteria. Also, as evidenced by the aquatic life and vegetation at the unit, the soils would not be expected to exceed these criteria.

Cadmium nitrate was known to have been discharged at least twice since 1983 (during the operation of the B-Pond expansion ponds) to a TSD unit

feeding B-Pond (DOE 1990, Table 4-3). In sufficient concentration, this compound may cause a waste to be sufficiently toxic for regulation as a dangerous waste. Earlier Phase 1 studies did not indicate elevated total cadmium concentrations in surface sediments/soils of 3A, 3B, or 3C Ponds (WHC 1991). Phase 3 results found average concentrations at the 3A, 3B, and 3C Ponds boreholes to be <0.78, <1.06, and 1.72 μ g/g, respectively. These figures are well below those found at sagebrush sites and contingency-pond Phase 1 backgrounds. Phase 1 background tolerance limits were established at 8.23 and 9.58 μ g/g, respectively. No estimate of interlaboratory variability between the laboratories used for Phase 1 and Phase 3 analysis is available. A common cadmium range for soil is 0.1 - 7 μ g/g (Shields 1988, p 101). Cadmium was undetected in all seven inorganic split samples. All values were reported $\leq 1.0 \mu$ g/g.

Several compounds designated in the closure plan as having been disposed of at B-Pond include elements such as sodium and potassium, the compound ammonium, or the common anions nitrate, fluoride, and sulfate. These constituents are not listed hazardous waste constituents. They may cause a waste to be regulated as a dangerous waste only when present in extreme (i.e. toxic or deleterious) concentrations or as indicators of specific listed wastes. Phase 3 data demonstrates this is not the case for vadose zone soils in the 3A, 3B, and 3C Ponds.

Table 5-1 lists Phase 3 inorganic analytes that are listed in Washington State's "Dangerous Waste Constituents List" (WAC 173-303-9905). Concentrations are compared, where available, to two criteria: Phase 1 thresholds and concentrations meeting criteria for action levels under EPA's proposed RCRA Subpart S (Corrective Action for Solid Waste Management Units at Hazardous Waste Management Facilities--55 FR 30798). Each lobe is characterized by a mean concentration assumed to have a normal distribution of error. (Statistics are based on all regular samples; field and laboratory QC samples were not included in calculating averages or maximum values.) An upper 90 percent confidence limit is compared to Phase I threshold values. Thresholds were based on Phase I surface samples from areas of natural vegetation surrounding the TSD or an unused excavated dry contingency-pond area. For several constituents all Phase 1 samples for each background were undetected at concentrations greater than the contractual detection limit (CDL). In those cases the respective detection limits were given, as footnoted. Though the representative value is clearly defined by regulation and guidance as the average (40 CFR 260.10, or SW-846 Ch. 9, [EPA 1986]), a conservative comparison of the maximum reported regular sample value is also compared to EPA's example soil action levels.

Waste Constituents

Table 5-1.

										
Analyte	Pond	Frequency of Non- detects	Mean	Upper 90% Limit	Maximum Observation	Phase 1 Threshold Concentrations #9/9	Propose RCRA Corrective Action Level- Soil mg/Kg	Typical Soil Range ^a (ppm)	Mean Upper Limit Above Both Phase 1 Thresholds?	Maximum Above EPA Example Soil Action Level?
Antimony	3A	16/20	<5.8	NC	14	<10.0 ^D	30	0.6 - 10		NO
	3B	20/20	<5.1	NC	5.8 U					КО
	3C	15/15	<5.2	NC	5.3 U					NO
Arsenic	3A	0/21	1.74	1.97	4.2	4.91 / 7.59	80	0.1 - 40	МО	NO
	3B	1/20	<2.25	2.90	7.2				NO	NO
	3C	0/11	1.46	1.76	2.5		-		NO	NO
Barium	3A	0/20	71.1	74.1	91	NCC	4000	100 - 3500		NO
	3B	0/20	77.6	80.7	96					но
	3C	0/15	80.5	90.6	170					NO
Beryllium	3A	0/20	0.36	0.38	0.53	<0.5 ^b	0.2	0.1 - 40		YES
	38	0/20	0.38	0.42	0.88					YES
	3C	0/15	0.31	0.33	0.41					YES
Cadmium	3A	1/20	<0.78	0.90	1.6	8.23 / 9.58	40	0.01 - 7	NO	NO
	3B	1/20	<1.06	1.19	1.8				NO	MO
	3C	0/15	1.72	1.89	2.5				но	NO
l										
Chromium	3A	0/20	8.17	9.35	16	12.86 / 8.78	400	5 - 3000	Ю	HO
	3B	0/20	12.0	13.6	25		(as Cr VI)		YES	NO
	3C	0/15	9.23	11.2	27				МО	NO
Cyanide	3A	10/11	<0.9	NC	1 UJ	<0.5 ^b	2000	AK		NO
	3B	11/11	<0.7	NC	1 UJ					NO
	3C	8/9	<0.4	NC	1 UJ					NO
Lead	3A	0/21	4.89	5.97	18	15.16 / 7.13	HA	2 - 200	NO	
	3B	0/20	5.24	6.58	20				NO	
	3C	0/11	4.99	8.43	30				NO	

Evaluation of Inorganic Dangerous Waste Constituents in all Regular Samples.

Table 5-1.

Analyte	Pond	Frequency of Non- detects	Hean	Upper 90% Limit	Maximum Observation	Phase 1 Threshold Concentrations #9/9	Propose RCRA Corrective Action Level- Soil mg/Kg	Typical Soil Range ^a (ppm)	Mean Upper Limit Above Both Phase 1 Thresholds?	Maximum Above EPA Example Soil Action Level?
Mercury	3A	21/21	<1.0	NC	1.0 U	<0.2 ^b	20	0.01 - 0.8		NO
	3B	20/20	<1.0	NC	1.0 U					NO
	3C	7/7	<1.0	NC	1.0 U					NO
Mickel	34	0/20	10.9	12.2	24	12.3 / 22.0	2000	5 - 1000	NO	МО
	3B	0/20	11.3	12.2	21				МО	NO
	3C	0/15	10.6	11.6	18				NO	HO
Selenium	3A	12/12	<0.70	NC	1.1 UD	<1.0 ^b	NA NA	0.1 - 2		
	3B	11/11	<0.53	NC	0.61 บ					
	3C	6/6	<0.52	NC	0.52 บ					
Silver	34	12/20	<0.75	NC	1.5	<1.0 ^b	200	0.01 - 5		NO
	3B	20/20	<0.62	NC	0.70 U					NO
	3C	15/15	<0.62	NC	0.64 U					NO
Thallium	3A	12/12	<1.04	NC	1.1 U	<1.0 ^b	NA	0.1 - 0.8		
	3B	11/11	<1.04	NC	1.2 U					
	3C	6/6	<1.00	NC	1.0 U					

a Source: Shields 1988 except for thallium from WHC 1991.
All Phase 1 samples less than the stated contract detection limit--no threshold calculated.
C Threshold not calculated for total barium. All Phase 1 background values <105 μg/g.
55 FR 30798
NA Not applicable.
NC Not calculated.

Action levels are established for hazardous constituents for which data are sufficient to establish protective health— or environmental—based limits. "The Agency believes that it will very rarely be necessary to set action levels at background," (55 FR 30820). Action levels for soil generally assume exposure through consumption of soil contaminated with the hazardous constituent. Exposure assumptions are given in the proposed rule, and are based on a residential use pattern, including long-term direct contact and soil ingestion by children.

Action levels serve as rebuttable conservative presumptions that further study is necessary. Concentrations would "typically be measured on the surface (generally the upper two feet of earth)," (55 FR 30819). The EPA intends to use these levels as a presumption that a corrective measures study (CMS) may be necessary for contaminated deep soils, too. The permittee may attempt to rebut this presumption by demonstrating that there is no threat to human health and the environment from such deep soil contamination, either through direct contact or migration to aquifers or surface water.

Concentrations below capabilities of approved measurement methods designed to determine whether or not a sample contains a given dangerous waste constituent are presumed to be adequately protective of human health and the environment, i.e. satisfy the intent of regulation. Mercury, selenium, thallium, and cyanide were below contractual quantitation limits for all Phase 3 samples. Antimony and silver concentrations in all regular samples from the boreholes of 3B and 3C Ponds were also undetected at the stated limits. Likewise, all Phase 1 background measurements for all these analytes were below their respective reporting limits.

Antimony was detected in 4 of the 20 regular Phase 3 samples. The median sample value was undetectable (typically < 6 ppm). For comparison, the March 1990 EPA CLP Statement of Work CRDL for antimony in soil and sediment is 12 ppm. The maximum antimony concentration found in any single Phase 3 sample (14 μ g/g), an extreme of the data set, was only slightly above a referenced typical natural range (0.6 - 10 ppm) and less than half the level EPA has proposed as protective of human health and the environment (30 mg/Kg). (No Phase 1 TSD or background soil sample was found at or above the CDL of 10.0 μ g/g.) All Phase 3 split and field duplicate samples were consistent with the associated regular samples; each reported antimony as undetected.

Several other elements of Table 5-1 deserve mention. Beryllium was not found in any Phase 1 site or background samples at or above 0.5 μ g/g, the CDL. This Phase 3 sampling had lower reporting limits. All regular Phase 3 samples were reported as detects, but values were similar. The vast majority were less than 0.5 μ g/g. Split sample results suggested no significant primary laboratory bias. The EPA example action level of 0.2 mg/Kg (55 FR 30798) is frequently exceeded. Concentrations found in the vadose zone samples are entirely within the range of natural concentrations expected in the area based upon ranges found in the Characterization and Use of Soil and Groundwater Background for the Hanford Site (WHC-MR-0246, Rev 1).

Chromium Phase 1 threshold concentrations were frequently exceeded in the vadose zone. The highest average was found beneath the least used pond, the 3B Pond. The pond area used longer, the 3C Pond, had an intermediate concentration, and the oldest and most used of the expansion ponds, the 3A Pond, had the lowest average chromium concentration. This casts doubt on the premise

that wastewater disposal deposited hazardous concentrations of chromium to the land. The highest reported concentration (27 μ g/g) was in the lowest 3C Pond sample (~80 ft); the associated split (8.5 J μ g/g) was also the highest of seven splits. The Phase 3 data imply a slight natural increase in concentration with depth at B-Pond, contrary to the pond and near-surface sediments being a hazardous waste. Naturally occurring typical soil ranges have been referenced at 5-3000 ppm (Shields 1988).

High chromium concentrations in a waste may cause it to be regulated because of toxicity. Chromium is considered more toxic when present as Cr(VI). This is why the action level of Table 5-1 is based on Cr(VI). Chromium is most stable as Cr(III). It is most commonly found in oxidation states 0, III, and VI.

Chromium was analyzed simultaneously with numerous other elements that showed a positive bias against the split laboratory results. A possible interelement correlation may exist because of common measurement system factors, (for example: digestion conditions). Comparisons between laboratories are confounded by left-censored data at the reporting limit. Using only samples that each laboratory found above their respective reporting limits (as if a random sample), insufficient information is available to contradict a null hypothesis of no significant bias; however, most samples at the split laboratory are undetected while corresponding primary laboratory samples are reported much higher. Under the assumption that the true nondetect split sample concentrations equal the reporting limit, the primary positive bias estimate would be minimized. The average bias in this case would be about $11~\mu g/g$, which is substantial when compared to the average reported concentrations.

Although validation did not detect accuracy problems via review of laboratory blanks or matrix spike recoveries, the validation did not consider field silica sand samples. A review of the seven silica sand blanks shows two of the seven were reported positive for Cr; one at 1.3, the other at 7.2 μ g/g. The remainder were <1 μ g/g. Silica sand was not submitted to the split laboratory. However, all 11 Phase 1 values of similar silica sand were <1 μ g/g.

The data suggest a potential positive bias in the concentrations reported by the primary laboratory. These factors should be considered in comparing Phase 1 to Phase 3 chromium concentrations. Nevertheless, the important point is not to promote more study but identify if there is a potential threat to human health or the environment. Acceptance of an inflated characteristic concentration will not change the conclusion of "no threat." The reported concentrations are more than an order of magnitude below limits the EPA has quoted as protective trigger levels for further investigation (upper 90 percent limit = 13.6 $\mu \rm g/g$ total Cr vs. 400 $\mu \rm g/g$ all Cr[VI]). Washington State has determined similar levels to be protective of human health and the environment. The state has promulgated environmental regulations setting "Method A" chromium cleanup levels for industrial soil at 500 $\mu \rm g/Kg$ (WAC 173-340-745). The most critical path is considered to be via inhalation. The level is based on exposure assumptions of breathing contaminated dust at the sites where hazardous chromium compounds were formerly released to the environment.

No designated, listed wastes are known to have been directly discharged to the B-Pond system while the expansion lobes were in service. Hydrazine is the sole designated, listed waste known to have been potentially discharged indirectly to the B-Pond system during operation of any of the B-Pond expansion ponds (DOE 1990). Five releases of this compound were documented to a TSD unit supplying B-Pond, the 216-A-29 Ditch--the latest in 1986 (DOE 1990). Hydrazine is a strong oxygen scavenger and will react with oxygen in water to form NH,OH and nitrogen gas. It was not specifically addressed in Phase 3 because it was not expected to be present at the expansion ponds because of the extreme dilution and relatively age of the releases. Furthermore, no SW-846 (EPA 1986) method is specified to measure this constituent in soil. Air is the typical medium of concern for this compound. Several studies were found addressing the fate of hydrazine in aquatic environments. In one study, river and pond water were adjusted to the same dissolved oxygen level and temperature, and 5 mg/L of hydrazine was added. Hydrazine residues in river water containing substantial amounts of organic matter were 22.6 percent, 96 percent, and 100 percent degraded after approximately one hour, one day, and two days, respectively. In the pond water, residues were 20 percent, 74 percent, 80 percent, and 81.6 percent degraded after approximately one hr, one day, two days, and three days, respectively (Slonim and Gisclard 1976). Hydrazine has been used experimentally in vitro as medication for sickle cell disease (HSDB 1992). It has been found to be a natural product of nitrogen fixation by azotobacter algae (HSDB 1992). It has also been measured in cigarette smoke (HSDB 1992^T).

Most Appendix VIII (40 CFR 261) and Dangerous Waste (WAC 173-303) constituents are organic compounds. All investigated organic analytes were undetectable at representative site soil concentrations.

There is no indication that any investigated pesticide, PCB, herbicide, organophosphorous pesticide, dioxin, or furan is present in the vadose zone soil at the borehole sites. Several volatile and semivolatile target compounds were occasionally reported at concentrations less than PQL and/or contract required detection limit (CRDL). Tentatively identified volatile and semivolatile compounds were also noted in site samples, but performance on field duplicates, split, and silica sand samples suggests such occurrences are not representative of site soils.

¹ SilverPlatter Software Copyright (C), SilverPlatter International N. V. 1992

6.0 CONCLUSION

The B-Pond Phase 3 vadose zone investigation does not indicate hazardous levels of waste constituents exist in the vadose zone of the 216-B-3A, 216-B-3B, or 216-B-3C Ponds. Furthermore, results do not suggest dangerous, listed wastes exist in detectable, but dilute concentrations in the vadose zone. Nondangerous waste by definition, does not meet the statutory criteria of a "dangerous" or "hazardous" waste. Based on characteristics (ignitability, corrosivity, reactivity, toxicity) or criteria (carcinogenic, persistent, toxic), no compounds, organic or inorganic, were found in sufficient representative concentrations to cause the investigated vadose soils to be reasonably regulated as a dangerous waste.

 \bigcirc

S

7.0 REFERENCES

- ASTM, 1986, Annual Book of ASTM Standards, D1426-D, American Society of Testing and Materials, Philadelphia, Pennsylvania.
- Comprehensive Environmental Response, Compensation, and Liability Act of 1980, 42 USC 9601 et seq.
- DOE, 1990, 216-B-3 Pond System Closure/Postclosure Plan, DOE/RL 89-28 Rev. 0, U.S. Department of Energy, Richland, Washington.
- Ecology, EPA, and DOE, 1989, Hanford Federal Facility Agreement and Consent Order, 2 vols., as amended, Washington State Department of Ecology, U.S. Environmental Protection Agency, and the U.S. Department of Energy, Olympia, Washington.
- EPA, 1986, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, Third Edition, U.S. Environmental Protection Agency, Washington, D.C.
- EPA, 1989, Guidance on Demonstrating Equivalence of Part 265 Clean Closure with Part 264 Requirements, OSWER Policy Directive 9476.00-18, May 12, 1989, U.S. Environmental Protection Agency, Washington, D.C.
- HSDB, 1992, *Hazardous Substances Data Bank*, National Library of Medicine, Bethesda, Maryland.
- Resource Conservation and Recovery Act of 1976, 42 USC 6901, et seq.
- Shields, E.J., 1988, *Pollution Control Engineer's Handbook*, ISBN 0-934165-02-9, Revised and Expanded Edition, compiled by E.J. Shields, Cahners Publishing Co., Des Plains, Illinois.
- Slonim, A.R. and J. B. Gisclard, "Hydrazine Degradation in Aquatic Systems," Bulletin of Environmental Contamination Toxicology 16(a): 301-9 (1976).
- WAC 173-303, 1989, "Dangerous Waste Regulations," Washington Administrative Code, as amended.
- WAC 173-340, 1990, "The Model Toxics Control Act Cleanup Regulations," Washington Administrative Code, as amended.
- WHC, 1989a, 216-B-3 Pond Characterization of the Hazardous Waste Inventory in the Near-Surface Soils and Sediments, WHC-SD-EN-AP-016, Rev. 1, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1989b, Environmental Investigations and Site Characterization Manual, WHC-CM-7-7, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1990, Westinghouse Hanford Company Effluent Discharges and Solid Waste Management Report for Calendar Year 1989: 200/600 Areas, WHC-EP-0141-2, Westinghouse Hanford Company, Richland, Washington.

- WHC, 1991, Phase 1 Characterization of the 216-B-3 Pond System, WHC-SD-EN-AP-042, Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- 40 CFR 260, "Hazardous Waste Management System General," Code of Federal Regulations, as amended.
- 40 CFR 261, "Identification and Listing of Hazardous Waste," Code of Federal Regulations, as amended.
- 40 CRF 265, "Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities," *Code of Federal Regulations*, as amended.
- 40 CFR 264, "Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities," *Code of Federal Regulations*, as amended.
- 52 FR 8704, 1987, "Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities; Final Rule." Federal Register, Vol. 52, pp. 8704-8707, (March 19).
- 53 FR 9944, 1988, "Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities; Clarification," *Federal Register*, Vol. 53, p. 9944, (March 28).

M

S

41

CV!

~

- 54 FR 33388, 1989, "Delay of Closure Period for Hazardous Waste Management Facilities; Final Rule 40 CFR 264, 265, 270." Federal Register, Vol. 54, pp. 33376-33388, (August 14).
- 55 FR 30798, 1990, "Corrective Action for Solid Waste Management Units (SWMUs) at Hazardous Waste Management Facilities; Proposed Rule," *Federal Register*, Vol. 55, p 30798, (July 27).
- 55 FR 30820, 1990, "Corrective Action for Solid Waste Management Units (SWMUs) at Hazardous Waste Management Facilities; Proposed Rule," Federal Register, Vol. 55, p 30820, (July 27).
- 57 FR 958, 1992, "Land Disposal Restrictions for Newly Listed Wastes and Contaminated Debris; Proposed Rule," Federal Register, Vol. 57, p 958, (January 9).
- 57 FR 21450, 1992, "Hazardous Waste Management System: Identification and Listing of Hazardous Waste; Proposed Rule," Federal Register, Vol. 57, p 21450, (May 20).

APPENDIX A

B-POND PHASE 3 SOIL DATA

This page intentionally left blank.

M

-

CONTENTS

Introduction
Reasons for Westinghouse Hanford Qualification Pesticides/Polychlorinated Biphenyls
Reasons for Westinghouse Hanford Company Qualification——Herbicides A-13
Reasons for Westinghouse Hanford Company QualificationOrganophosphorous Pesticides
Reasons for Westinghouse Hanford Company Qualification—Dioxins and Furans
Reasons for Westinghouse Hanford Company QualificationVolatile Organics
Reasons for Westinghouse Hanford Company QualificationSemivolatile Organic (Base/Neutral/Acid) Compounds
Reasons for Westinghouse Hanford Company Qualification—Analytes by Inductively Coupled Plasma (Aluminum—Zinc)
Reasons for Westinghouse Hanford Company Qualification——Analytes by Atomic Absorption Spectroscopy
Reasons for Westinghouse Hanford Company Qualification—Miscellaneous Analytes
References

LIST OF TABLES

A-1.	B-Pond Phase 3 Pesticide/PCBs
A-2.	B-Pond Phase 3 Herbicide Data
A-3.	B-Pond Phase 3 Organophosphorous Pesticides
A-4.	B-Pond Phase 3 Dioxins & Furans
A-5.	Volatile Organic Compounds
A-6.	B-Pond Phase 3 Semivolatiles
A-7.	B-Pond Phase 3 Semivolatile Tentatively Identified Compounds A-54
A-8a.	Analytes by Inductively Coupled Plasma, Aluminum-Calcium A-60
A-8b.	Analytes by Inductively Coupled Plasma, Chromium-Molybdenum A-64
A-8c.	Analytes by Inductively Coupled Plasma, Nickel-Zinc A-68
A-9.	Analytes by Atomic Absorption Spectroscopy
A-10.	Miscellaneous Analytes
A-11.	List of Radioactivity Data ($ ho$ Ci/g)Unvalidated
A-12.	Gamma Energy Analysis Unvalidated, Raw Data

LIST OF TERMS

AAS	atomic absorbtion spectroscopy
CLP	contract laboratory program
CRQL	contract-required detection limit
ICP	inductively coupled plasma
MS	matrix spike
MSD	matrix spike duplicate
PCB	polychlorinated biphenyl
TIC	tentatively identified compound
Westinghouse	·
Hanford-OSM	Westinghouse Hanford Company-Office of Sample Management

00

This page intentionally left blank.

C

•0

3

Introduction

Each table in Appendix A typically is several pages long. Samples will be listed along one axis and analytes along the other. Where analytes are listed along the left-hand margin, results from a single group of samples will be visible for several pages before the end of the analyte list is reached. An analyte list appears in the same order for another set of samples until all results are reported and the table ends. In other tables, each analyte is listed along the top of a table and all samples are listed along the left-hand margin for several pages until all are reported and the table ends.

Data appearing in this appendix have been validated by the Westinghouse Hanford Company Office of Sample Management (Westinghouse Hanford-OSM). The primary exceptions are radiological characterization data, which are presented as is for information only. Validation is a systematic review of laboratory performance and execution of protocol that may qualify data based on holding time, matrix spike (MS), matrix spike duplicate (MSD) analysis, surrogate recovery, analytical blank performance, calibration, or any other method-specific requirements. As a result of data validation, qualification flags placed by the reporting laboratory may be replaced, supplemented or deleted. Westinghouse Hanford validation procedures can be found in WHC-CM-5-3 (WHC 1990). Many sample results were qualified according to holding time criteria established for water samples. This represents a conservative approach to validation. It is questionable if these time periods, especially in the case of extraction for organics, for soil matrices affect quality.

Several common concentration flags appear in the following tables. These include:

- "U" The analyte was undetected. (The associated number represents an upper bound estimate of an undetected analyte, usually a concentration corresponding to an established sample quantitation limit.)
- "J" The associated value is an estimated quantity. (This may be caused by any of a wide number of factors. It should alert the user that the associated value may have a slightly wider than usual potential for error.)

The above two flags may be combined and/or appear in conjunction with other qualifiers. The meaning of other flags will be listed at the end of each multipage table, as necessary. Results of inorganic constituents from the primary laboratory were reported to Westinghouse Hanford as "< x μ g/g" when undetected. For consistency in this report, these inorganic constituents reported by the primary laboratory are presented as the equivalent "x U μ g/g". The CLP "Q" (quality) flags and "M" (method) flags reported on contract laboratory program (CLP) Form 1 are not shown for split samples because this information was not reported in the same format for those samples analyzed by SW-846 (EPA 1986) methods at the primary laboratory. Concentration or "C" flags are shown. One laboratory-reported concentration flag appearing ONLY with CLP inorganic split sample results is a "B" flag. This indicates when

the corresponding inorganic sample result is above an instrument detection limit but below the CLP contract-required detection limit (CRQL).

After each table, a brief summary of the reasons for Westinghouse Hanford data qualification will appear. Only concentration qualifiers added or altered by Westinghouse Hanford-OSM as a result of data validation will be addressed—not explanations for displayed standard laboratory—reported qualifiers. The explanation will first address samples analyzed at the primary laboratory—regular, field duplicate, and silica sand samples—then, if applicable, the split samples analyzed at an independent laboratory. Split samples were validated to criteria consistent with employed CLP procedure, except for radiological analyses, as already mentioned.

Most tables list some additional information about each reported field sample. Terms used to describe sample type include Regular (Reg), Field Duplicate (FDup), Field Split (Split), and clean Silica Sand (Blank) as described in the attached report. The terms 3A, 3B, and 3C Pond refer to the 216-B-3A Pond, 216-B-3B Pond, and 216-B-3C Pond, respectively. Sample depths are given as depth from the surface at the borehole to a midpoint of the sampled interval. ALL DEPTHS ARE LISTED IN FEET UNLESS SPECIFIED OTHERWISE.

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#	B00FK6	BOOFK7	800FK8	B00FK9	800FLO	BOOFL1	BOOFL3	B00FL4	800GR9	800GS4
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup	Reg
	POND	3A									
	ДЕРТН	6.5	8.5	10.5	13	14.5	16		28	28	52.5
alpha BHC	319-84-6	14 UJ	13 UJ	13 UJ	13 UJ	13 UJ	14 UJ	12 UJ	13 UJ	13 UJ	16 UJ
beta BHC	319-85-7	14 UJ	13 UJ	13 UJ	13 UJ	13 UJ	14 UJ	12 UJ	13 UJ	13 UJ	16 UJ
delta BHC	319-86-8	14 UJ	13 UJ	13 UJ	13 U.J	13 UJ	14 UJ	12 UJ	13 UJ	13 UJ	16 UJ
gamma BHC (Lindane)	58-89-9	14 UJ	13 UJ	13 UJ	13 UJ	13 UJ	14 UJ	12 UJ	13 UJ	13 UJ	16 UJ
Heptachlor	76-44-8	14 UJ	13 UJ	13 UJ	13 UJ	13 UJ	14 UJ	12 UJ	13 UJ	13 UJ	16 UJ
Aldrin	309-00-2	14 UJ	13 UJ	13 UJ	13 ປ.	13 ປJ	14 UJ	12 UJ	13 UJ	עט 13	16 UJ
Heptachlor Epoxide	1024-57-3	14 UJ	13 UJ	13 UJ	13 UJ	13 มJ	14 UJ	12 UJ	13 UJ	13 UJ	16 UJ
Endosulfan I	959-98-8	14 UJ	13 UJ	13 UJ	13 UJ	13 UJ	14 UJ	12 UJ	13 UJ	13 UJ	16 U.J
Dieldrin	60-57-1	27 UJ	27 UJ	25 U.J	26 UJ	26 UJ	27 UJ	24 UJ	25 ม	25 มู	31 UJ
4,4'-DDE	72-55-9	27 UJ	27 UJ	25 มู	26 UJ	26 UJ	27 UJ	24 UJ	25 UJ	25 UJ	31 UJ
Endrin	72-20-8	27 UJ	27 UJ	25 ปม	56 N1	26 กา	27 UJ	24 UJ	25 UJ	25 ยม	31 UJ
Endosulfan II	33213-65-9	27 ปม	27 UJ	25 UJ	26 UJ	26 UJ	27 UJ	24 UJ	25 VJ	25 ปป	31 UJ
4,4'-DDD	72-54-8	27 U.J	27 UJ	25 ปม	26 UJ	26 UJ	27 UJ	24 UJ	25 UJ	25 UJ	31 UJ
Endosulfan Sulfate	1031-07-8	27 UJ	27 UJ	25 ປປ	26 UJ	26 UJ	27 UJ	24 UJ	25 UJ	25 UJ	31 UJ
4,4'-DDT	50-29-3	27 UJ	27 UJ	25 UJ	26 UJ	26 UJ	27 UJ	24 UJ	25 UJ	25 UJ	31 UJ
Methoxychlor	72-43-5	140 ยม	130 UJ	130 UJ	130 UJ	130 ยม	140 UJ	120 UJ	130 มม	130 UJ	160 UJ
Endrîn Ketone	53494-70-5	27 UJ	27 UJ	25 UJ	26 UJ	26 N1	27 UJ	24 UJ	25 UJ	25 UJ	31 UJ
alpha-Chlorodane	5103-71-9	140 UJ	130 UJ	130 UJ	130 UJ	130 UJ	140 ปป	120 บม	130 UJ	130 UJ	160 UJ
gamna-Chlorodane	5103-74-2	140 UJ	130 UJ	130 UJ	130 UJ	130 UJ	140 UJ	120 UJ	130 UJ	130 UJ	160 UJ

(Page 1 of 8)

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#	800FK6	B00FK7	800FK8	800FK9	BOOFLO	B00FL1	BOOFL3	BOOFL4	BOOGR9	B00GS4
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup	Reg
	POND	3A	3A	3A	3A	3A	3A	3A	3A	3A	34
	DEPTH	6.5	8.5	10.5	13	14.5	16		28	28	52.5
Toxaphene	8001-35-2	270 UJ	270 UJ	250 U.J	260 UJ	590 N1	270 UJ	240 UJ	250 UJ	250 UJ	310 UJ
Arochlor 1816	12674-11-2	140 UJ	140 UJ	130 UJ	130 UJ	130 UJ	140 UJ	120 UJ	130 UJ	130 UJ	160 UJ
Arochlor 1221	11104-28-2	140 UJ	140 UJ	130 UJ	130 UJ	130 UJ	140 UJ	120 UJ	130 UJ	130 UJ	160 UJ
Arochlor 1232	11141-16-5	140 UJ	140 UJ	130 UJ	130 UJ	130 UJ	140 UJ	120 UJ	130 UJ	130 UJ	160 UJ
Arochlor 1242	53469-21-9	140 UJ	140 ผม	130 UJ	130 UJ	130 UJ	140 UJ	120 UJ	130 UJ	130 UJ	160 UJ
Arochlor 1248	12672-29-6	140 UJ	140 UJ	130 ม.	130 ບຸງ	130 UJ	140 UJ	120 UJ	130 UJ	130 UJ	160 UJ
Arochlor 1254	11097-69-1	280 UJ	280 UJ	260 มJ	260 UJ	260 UJ	280 UJ	240 บม	560 NY	260 UJ	320 UJ
Arochlor 1260	11096-82-5	280 UJ	280 UJ	260 UJ	260 UJ	260 UJ	280 มม	240 UJ	260 UJ	260 มม	320 UJ

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#		B00GS5	B00GS9	B00GT7	B00GV5	B00GV6	B00GV7	800GV8	B00GV9	B00GW0	B00GW1
		TYPE	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
		POND	3A	3A	3A	3A	3B	3B	3B	3B	38	38
	· · · · · · · · · · · · · · · · · · ·	DEPTH	53	66.5	97	143.5	1	3.5	5.5		7.5	9.5
												i
alpha BHC	319-84-6		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	90 NY	60 NT	65 N1
beta BHC	319-85-7		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 IJ	90 n1	90 NI	62 UJ
delta BHC	319-86-8		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	90 N1	90 N1	65 NT
gamma BHC (Lindane)	58-89-9		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	60 กา	60 N1	62 UJ
Heptachlor	76-44-8		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	60 NY	90 N1	62 มม
Aldrin	309-00-2		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 มม	13 UJ	60 NY	60 NY	62 UJ
Heptachlor Epoxide	1024-57-3		9.7 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	13 UJ	90 n n	60 NY	62 UJ
Endosulfan I	959-98-8		9.7 UJ	13 UJ	1 3 UJ	13 UJ	13 UJ	13 UJ	13 UJ	90 NY	60 กา	62 UJ
Dieldrin	60-57-1		19 UJ	26 มู	25 UJ	26 ปม	25 UJ	25 มม	25 UJ	120 UJ	120 UJ	120 UJ
4,41-DDE	72-55-9	7	19 UJ	26 UJ	25 UJ	26 UJ	25 UJ	25 มู	25 UJ	120 UJ	120 UJ	120 UJ
Endrin	72-20-8		19 UJ	26 UJ	25 UJ	26 UJ	25 UJ	25 UJ	25 UJ	120 UJ	120 UJ	120 UJ
Endosulfan II	33213-65-9	··········	19 UJ	26 UJ	25 ปม	26 UJ	25 UJ	25 UJ	25 U.J	120 UJ	120 UJ	120 UJ
4,41-DDD	72-54-8		19 UJ	26 UJ	25 UJ	26 UJ	25 UJ	25 UJ	25 UJ	120 UJ	120 UJ	120 UJ
Endosulfan Sulfate	1031-07-8		19 UJ	26 UJ	25 UJ	26 UJ	25 ปร	25 U.J	25 UJ	120 UJ	120 UJ	120 UJ
4,41-DDT	50-29-3		19 U.J	26 UJ	25 UJ	26 UJ	25 UJ	25 UJ	25 UJ	120 UJ	120 UJ	120 UJ
Methoxychlor	72-43-5		97 UJ	130 UJ	130 UJ	130 UJ	130 บม	130 UJ	130 UJ	600 มา	900 nn	620 UJ
Endrin Ketone	53494-70-5	·····	19 UJ	26 UJ	25 UJ	26 UJ	25 UJ	25 UJ	25 UJ	120 UJ	120 UJ	120 UJ
alpha-Chlorodane	5103-71-9		97 UJ	130 UJ	130 UJ	- 130 UJ	130 បរ	130 UJ	130 UJ	900 nn	600 NJ	620 UJ
gamma-Chlorodane	5103-74-2		97 UJ	130 UJ	130 UJ	130 ปร	130 UJ	130 UJ	130 บ.เ	600 N1	900 nT	620 UJ

lable A-1.	B-Pona	rnase 3	resticide/PUBS.	(μg/Kg)

ANALYTE	CAS#	800GS5	B00GS9	BOOGT7	B00GV5	B00GV6	B00GV7	B00GV8	BO0GV9	B00GH0	B006W1
	ТҮРЕ	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
	POND	3A	3A	3A	3A	3B	3B	3B	3B	3в	3B
	DEPTH	53	66.5	97	143.5	1	3.5	5.5		7.5	9.5
	2004 75 2	400 !!!	2/0.44	350 444	2/0.111	250	250 114	250 111	1200 111	1200 UJ	1200 111
Toxaphene	8001-35-2	190 UJ	260 UJ	250 UJ	260 UJ	250 UJ	250 UJ	250 UJ	1200 UJ	1200 03	1200 UJ
Arochlor 1016	12674-11-2	97 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	120 UJ	120 UJ	120 UJ
Arochior 1221	11104-28-2	97 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	120 UJ	120 UJ	120 UJ
Arochlor 1232	11141-16-5	97 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	120 UJ	120 UJ	120 UJ
Arochlor 1242	53469-21-9	97 U.J	130 UJ	130 มม	130 UJ	130 UJ	130 UJ	130 UJ	120 บป	120 UJ	120 บJ
Arochlor 1248	12672-29-6	97 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 UJ	130 มม	120 UJ	120 UJ	120 UJ
Arochlor 1254	11097-69-1	190 U.i	560 n1	260 UJ	260 UJ	260 UJ	260 NI	260 UJ	240 UJ	260 UJ	240 UJ
Arochlor 1260	11096-82-5	190 UJ	260 UJ	260 UJ	260 UJ	260 UJ	260 UJ	260 UJ	240 UJ	260 UJ	240 UJ

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#	800GW3	B00GW4	800GW5	B00GW8	B00GX6	800GZ2	B00GZ6	800GZ8	вооноо	вооно1
	ТҮРЕ	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg	Reg
<u> </u>	POND	3B	38	3B	38	38	3B	38	3B	3c	3c
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
atpha BHC	319~84-6	62 UJ	95 n1	8.0 กา	62 UJ	63 N1	63 N1	140 UJ	92 UJ	120 UJ	130 UJ
beta BHC	319-85-7	62 UJ	62 UJ	8.0 N1	62 UJ	63 N1	63 UJ	140 UJ	92 UJ	120 UJ	130 UJ
delta BHC	319-86-8	62 UJ	62 UJ	8.0 มม	62 UJ	63 UJ	63 UJ	140 UJ	92 UJ	120 UJ	130 UJ
gamma BKC (Lindane)	58-89-9	62 UJ	62 UJ	8.0 บป	62 UJ	63 N1	63 UJ	140 UJ	92 UJ	120 UJ	130 ປຸ
Heptachlor	76-44-8	62 UJ	62 นม	8.0 U	62 UJ	63 N1	63 UJ	140 UJ	92 UJ	120 UJ	130 UJ
Aldrin .	309-00-2	62 UJ	62 UJ	8.0 UJ	62 UJ	63 UJ	63 N1	140 UJ	92 UJ	120 UJ	130 มม
Heptachlor Epoxide	1024-57-3	65 N1	62 UJ	8.0 U	62 UJ	63 NT	63 NT	140 UJ	95 N1	120 UJ	130 มู
Endosulfan I	959-98-8	62 UJ	62 UJ	8.0 UJ	62 UJ	63 UJ	63 UJ	140 UJ	92 UJ	120 ປປ	130 บม
Dieldrin	60-57-1	120 UJ	120 UJ	16 U	120 UJ	130 UJ	130 UJ	290 UJ	180 UJ	250 บม	250 UJ
4,4'-DDE	72-55-9	120 ปป	120 UJ	16 UJ	120 ปม	130 UJ	130 บม	290 UJ	180 UJ	250 UJ	250 มม
Endrin	72-20-8	120 UJ	120 UJ	16 U	120 UJ	130 UJ	130 ม	590 N1	180 UJ	250 UJ	250 UJ
Endosulfan II	33213-65-9	120 ปม	120 UJ	16 U	120 UJ	130 บู	130 UJ	290 UJ	180 UJ	250 UJ	250 UJ
4,41-DDD	72-54-8	120 UJ	120 UJ	16 UJ	120 ชม	130 UJ	130 UJ	290 UJ	180 UJ	250 UJ	250 UJ
Endosulfan Sulfate	1031-07-8	120 UJ	120 UJ	16 UJ	120 UJ	130 UJ	130 UJ	290 UJ	180 UJ	250 บม	250 ปม
4,41-DDT	50-29-3	120 UJ	120 UJ	16 UJ	120 UJ	130 UJ	130 UJ	290 UJ	180 UJ	250 UJ	250 UJ
Methoxychlor	72-43-5	620 UJ	620 UJ	80 U	620 ปม	630 UJ	630 UJ	1400 UJ	920 UJ	1200 UJ	1300 UJ
Endrin Ketone	53494-70-5	120 UJ	. 120 บม	16 U	120 UJ	130 UJ	130 UJ	290 UJ	180 บม	250 UJ	250 UJ
alpha-Chlorodane	5103-71-9	620 UJ	620 UJ	80 กา	620 UJ	630 กา	630 UJ	1400 UJ	920 UJ	1200 UJ	1300 UJ
gamma-Chlorodane	5103-74-2	620 UJ	620 UJ	80 UJ	620 UJ	630 UJ	630 UJ	1400 UJ	920 UJ	1200 UJ	1300 UJ

(Page 5 of 8)

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#	B00GW3	800GH4	BOOGW5	800GW8	BOOGX6	800GZ2	B00GZ6	B00GZ8	B00H00	B00H01
	ТҮРЕ	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg	Reg
	POND	38	38	3в	38	38	3B	3B	3B	3c	3c
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
	······										
Toxaphene	8001-35-2	עט 1200	1200 UJ	160 U	1200 UJ	1300 UJ	1300 ยม	2900 UJ	1800 UJ	2500 UJ	2500 UJ
Arochlor 1016	12674-11-2	120 UJ	120 UJ	80 U	120 UJ	130 UJ	130 UJ	140 UJ	180 UJ	130 ม	130 UJ
Arochior 1221	11104-28-2	120 UJ	120 UJ	80 ย	120 UJ	130 UJ	130 UJ	140 UJ	180 UJ	130 บม	130 UJ
Arochlor 1232	11141-16-5	120 ปม	120 UJ	80 U	120 ປຸ	130 UJ	130 UJ	140 UJ	180 UJ	130 UJ	130 บม
Arochlor 1242	53469-21-9	120 ניט	120 UJ	80 U	120 UJ	130 UJ	130 ປມ	140 UJ	180 UJ	130 ปม	130 UJ
Arochlor 1248	12672-29-6	120 UJ	120 UJ	80 U	120 UJ	130 UJ	130 UJ	140 UJ	180 UJ	130 UJ	130 UJ
Arochlor 1254	11097-69-1	240 UJ	240 UJ	16 0 U	240 UJ	260 UJ	560 N1	280 UJ	360 UJ -	260 UJ	260 NJ
Arochlor 1260	11096-82-5	240 UJ	240 UJ	160 U	240 ปม	260 UJ	260 ปม	280 UJ	360 UJ	260 มม	260 UJ

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#	B00H02	вооноз	вооно4	B00H05	B00H06	вооно7	воон14	B00H10	воон19	B00H23
	TYPE	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	POND	3C	3C	3c	3C	3c	3C	3C	3C	3C	3C
	DEPTH	5	7	9	9	11.5	11.5	30		60	80
alpha BHC	319-84-6	160 มม	63 UJ	130 UJ	63 นา	130 UJ	8.3 UJ	130 UJ	90 n1	130 UJ	77 UJ
beta BHC	319-85-7	160 ม	63 UJ	130 UJ	63 UJ	130 UJ	8.3 บม	130 UJ	60 N1	130 UJ	77 UJ
delta BHC	319-86-8	160 ยม	63 UJ	130 UJ	6 3 UJ	130 UJ	8.3 UJ	130 UJ	60 นา	130 UJ	77 UJ
gamma BHC (Lindane)	58-89-9	160 UJ	63 มา	130 UJ	63 UJ	130 UJ	8.3 U	130 UJ	90 A1	130 ใบป	77 U.J
Hept achlor	76-44-8	160 UJ	63 UJ	130 UJ	63 UJ	130 UJ	8.3 U	130 UJ	90 N1	130 บูม	77 UJ
Aldrin	309-00-2	160 UJ	FN 29	130 UJ	63 UJ	130 UJ	8.3 UJ	130 UJ	60 tiJ	130 UJ	77 UJ
Heptachlor Epoxide	1024-57-3	160 UJ	63 N1	130 UJ	63 N1	130 UJ	8.3 U	130 UJ	60 N1	130 UJ	77 UJ
Endosulfan I	959-98-8	160 UJ	63 UJ	130 UJ	63 มา	130 UJ	8.3 U	130 UJ	60 N1	130 UJ	77 UJ
Dieldrin	60-57-1	310 UJ	130 บม	250 บม	130 บม	250 UJ	17 U	260 UJ	120 UJ	260 NJ	150 UJ
4,41-DDE	72-55-9	310 UJ	130 UJ	250 ม	130 UJ	250 UJ	17 U	260 UJ	120 UJ	260 NJ	150 UJ
Endrin	72-20-8	310 UJ	130 UJ	250 UJ	130 UJ	250 UJ	17 UJ	260 UJ	120 UJ	260 ^ใ ม ม ์	150 UJ
Endosulfan II	33213-65-9	310 UJ	130 UJ	250 มม	130 UJ	250 UJ	17 U	260 UJ	120 UJ	260 UJ	150 UJ
4,4'-DDD	72-54-8	310 UJ	130 UJ	250 UJ	130 UJ	250 UJ	17 U	260 UJ	120 UJ	260 มม	150 UJ
Endosulfan Sulfate	1031-07-8	310 UJ	130 UJ	עט 250	130 UJ	250 UJ	17 U	260 ยม	120 UJ	260 มม	150 UJ
4,4'-DDT	50-29-3	310 UJ	130 ม	250 UJ	130 UJ	250 UJ	17 U	260 UJ	120 UJ	260 UJ	150 UJ
Methoxychlor	72-43-5	1600 UJ	630 UJ	1300 UJ	630 NT	1300 UJ	83 U	1300 UJ	600 m	1300 UJ	770 UJ
Endrin Ketone	53494-70-5	310 UJ	130 UJ	250 ปม	130 UJ	250 UJ	17 U	260 UJ	120 UJ	260 NI	150 UJ
alpha-Chlorodane	5103-71-9	1600 UJ	630 NJ	1300 UJ	630 N1	1300 UJ	83 UJ	1300 UJ	600 NI	1300 ยม	770 UJ
gamma-Chlorodane	5103-74-2	1600 UJ	630 UJ	1300 UJ	630 N1	1300 UJ	83 UJ	1300 UJ	600 M	1300 UJ	770 U.

Table A-1. B-Pond Phase 3 Pesticide/PCBs. (μ g/Kg)

ANALYTE	CAS#	вооно2	B00H03	вооно4	вооно5	B00H06	800H07	B00H14	воон10	B00H19	B00H23
	TYPI	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	PONI	3c	3c	3C	3c	30	3C	3C	3c	3C	3C
	DEPT	1 5	7	9	9	11.5	11.5	30		60	80
Toxaphene	8001-35-2	3100 UJ	1300 บม	2500 UJ	1300 UJ	2500 UJ	170 U	2600 UJ	1200 UJ	2600 UJ	1500 บ.ม
Arochlor 1016	12674-11-2	160 UJ	130 UJ	130 UJ	130 UJ	130 UJ	83 U	130 UJ	120 UJ	130 บ.	150 บJ
Arochlor 1221	11104-28-2	160 UJ	130 ยม	130 ยม	130 ยม	130 UJ	83 U	130 UJ	120 UJ	130 UJ	עט 150
Arochlor 1232	11141-16-5	160 UJ	130 UJ	130 UJ	130 UJ	130 UJ	83 U	130 UJ	120 UJ	130 UJ	150 UJ
Arochlor 1242	53469-21-9	160 บม	130 UJ	130 UJ	130 UJ	130 UJ	83 U	130 UJ	120 UJ	130 UJ	150 บ.เ
Arochlor 1248	12672-29-6	160 UJ	130 UJ	130 U.I	130 UJ	130 UJ	83 U	130 UJ	120 UJ	130 UJ	150 มม
Arochlor 1254	11097-69-1	320 UJ	260 N1	260 UJ	260 บา	260 UJ	170 U	260 มม	240 UJ	260 UJ	300 NI
Arochlor 1260	11096-82-5	320 UJ	260 UJ	260 UJ	260 UJ	260 UJ	170 U	560 N1	240 UJ	260 UJ	300 N1

U The analyte was undetected at the stated limit. J The associated value is an estimated quantity.

Reasons for Westinghouse Hanford Qualification-Pesticides/Polychlorinated Biphenyls

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--All samples were flagged as estimated, "J". All samples extracted outside 7-day criteria established for water. (All samples were analyzed within 40 days of extraction.)

LABORATORY BLANK--Arochlor-1254, beta-BHC, and lindane were detected in laboratory blanks. This resulted in an undetected qualification, "U", of one or more of those analytes detected at similar concentrations in the following:

BOOFK6	BOOGS4	BOOGW1	B00H02
BOOFK7	BOOGS9	BOOGW3	B00H03
BOOFK8	BOOGT7	BOOGW4	B00H04
BOOFK9	BOOGV5	BOOGW8	B00H05
BOOFLO	BOOGV6	BOOGX6	B00H06
BOOFL1	BOOGV7	B00GZ2	B00H10
BOOFL3	BOOGV8	B00GZ6	B00H14
BOOFL4	BOOGV9	B00GZ8	B00H19
BOOGR9	BOOGWO	B00H01	B00H23

SURROGATE RECOVERY--Recovery was high for sample BOOHO1. All pesticide/PCB constituents were undetected but qualified as "UJ" for BOOHO1.

<u>Split Samples</u>:

SURROGATE RECOVERY—Recovery was high for sample BOOGS5. All pesticide/ PCB constituents were undetected but qualified as "UJ" for BOOGS5.

MS/MSD--Recovery was high for sample BOOGS5. All pesticide/PCB constituents were undetected but qualified "UJ" per OSM guidelines.

Table A-2. B-Pond Phase 3 Herbicide Data. (μ g/Kg)

			APPROXIMATE		HERI	BICIDES	
SAMPLE	TYPE	POND	DEPTH (ft)	2,4	4-0	2,4,5	-TP
B00FK6	Reg	3A	6.5	100	UJ	10	UJ
BOOFK7	Reg	3A	8.5	100	กา	10	นา
BOOFK8	Reg	3A	10.5	100.		10	กา
BOOFK9	Reg	3A	13	100	กา	10	กา
B00FL0	Reg	3A	14.5	100	na .	10	บม
BOOFL1	Reg	3A	16	100	กๆ	10	ΠΊ
BOOFL3	Blank	3A		500	บา	50	กา
BOOFL4	Reg	3A	28	500	กา	50	UJ
B00GR9	Fdup	3A	28	500	เก	50	กา
B00GS4	Reg	3A	52.5	500	n1	50	ΓÜ
B00GS9	Reg	3A	66.5	500	ÜJ	50	UJ
B00GT7	Reg	3A	97	100	ΠΊ	10	UJ
B00GV5	Reg	3A	143.5	150	นา	15	UJ
800GV6	Reg	38	1	150	ΛΊ	15	ПJ
B00GV7	Reg	3B	3.5	150	ΠΊ	15	N1
800GV8	Reg	3B	5.5	151	บป	15.1	UJ
B00GV9	Blank	3B		150	IJ	15	กา
B00GW0	Reg	38	7.5	28	นา	3	กา
B00GW1	Reg	3B	9.5	29	ΠΊ	3	L1
B00GW3	Reg	3B	13	150	เก	15	กา
800GW4	Fdup	3B _	13	148	na .	14.8	บง
B00GW8	Reg	3в	21	30	เก	3	กา
B00GX6	Reg	3B	61.5	152	LU LU	15.2	υJ
B00GZ2	Reg	3B	90.5	154	บา	15.4	กา
BOOGZ6	Reg	38	118.5	100	กา	10	กา
B00GZ8	Reg	3в	123.5	4900	บง	490	UJ
вооноо	Reg	3C	1	100	นา	10	กา
B00H01	Reg	3C	3	100	UJ .	10	นา
800H02	Reg	3C	5	98	นา	10	UJ
вооноз	Reg	3C	7	960	กา	96	ប្ស
800H04	Reg	3C	9	990	นา	99	ΩĴ
вооно5	Fdup	3C	9	960	กา	96	n1
вооно6	Reg	3 c	11.5	980	ΠΊ	98	นา
воон14	Reg	3C	30	2400	Λη	240	UJ
800110	Blank	3C		990	UJ	99	นา
воон19	Reg	3C	60	990	បរ	99	UJ
B00H23	Reg	3C	80	100	กา	10	υJ

U The analyte was undetected at the stated limit. J The associated value is an estimated quantity.

Reasons for Westinghouse Hanford Company Qualification--Herbicides

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--All samples were flagged as estimated, "J". All samples extracted outside 7-day criteria established for water. (All samples were analyzed within 40 days of extraction.)

Split Samples:

None.

\$ CM

9

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

ANALYTE	CAS#	BOOFK6	B00FK7	800FK8	B00FK9	B00FL0	BOOFL1	800FL3	800FL4	800GR9
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup
	POND	3A								
	DEPTH	6.5	8.5	10.5	13	14.5	16		28	28
Azinphos-methly	86-50-0	NT	NT	нт	NT	NT	NT	NT	NT	NT
Chlorpyrifos	2981-88-2	TH	NT	NT	NT	NT	NT	NT	MT	NT
Chlorpyrifos methyl	5598-13-0	нт	TH	· NT	NT	NI	NT	NT	NT	NT
Coumaphos	56-72-4	NT	NT	NТ	нт	ИT	NT	NT	NT	HT
Demeton	8065-48-3	NT	ИŢ	NT	NT	ИT	NT	NT	HT	NT
Diazanon	333-41-5	NT	ИT	ТИ	NT	NT	NT	NT	NT	ИТ
DDVP (Dichlorvos)	62-73-7	NT	NT	NT	ЯT	NT	NT	NT	NT	NT
Dimethoate	60-51-5	0.11 UJ	0.11 UJ	0.11 บม	0.11 UJ	0.11 UJ	0.11 บม	0.10 ปม	0.10 UJ	0.10 ม
Disulfoton	298-04-4	0.06 UJ	0.06 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.06 กา	0.05 UJ	0.05 UJ	0.05 UJ
EPN	2104-64-5	ИT	NT	NT	NT	nt	NT	NT	MT	NT
Ethion	563-12-2	ТМ	ТH	нт	NT	NT	NT	NT	NT	NT
Ethoprop	13194-78-4	NT	NT	NT	NT	NT	NT	NT	NT	NT
Famphur	52-85-7	0.17 บู	0.17 UJ	0.16 ยม	0.16 UJ	0.16 UJ	0.17 นม	0.15 UJ	0.16 UJ	0.16 UJ
Fensulfothion	115-90-2	NT	ŅΤ	NT						
Fenthion	55-38-9	NT	NT	NT	ŊТ	NT	NT	NT	TM	TH
Malathion	121-75-5	NT	TM	NТ	NT	NT	NT	NT	NT	NT
Merphos	150-50-5	NT								
Mevinphos	7786-34-7	NT	NT	ТИ	NT	NT	Tu	NT	NT	ТМ
Monocrotophos	6923-22-4	NT	NT	NT	NT	NT	ТŅ	NT	NT	NT

(Page 1 of 8)

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

ANALYTE	CAS#	B00FK6	BOOFK7	BOOFK8	800FK9	BOOFLO	B00F1.1	B00FL3	BOOFL4	BOOGR9
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup
	POND	3A	3A	3A						
	DEPTH	6.5	8.5	10.5	13	14.5	16		28	28
Naled	300-76-5	KT	- HT	нт	NT	NT	NT	NT	ИT	NT
Parathion ethyl	156-38-2	0.11 UJ	0.11 UJ	0.11 UJ	0.11 UJ	0.11 UJ	0.11 UJ	0.10 มม	0.10 UJ	0.10 UJ
Parathion methyl	298-00-0	0.11 UJ	0.11 UJ	0.11 UJ	0.11 UJ	0.11 UJ	0.11 UJ	0.10 UJ	0.10 UJ	0.10 UJ
Phorate	298-02-2	0.06 UJ	0.06 NI	0.05 UJ	0.05 UJ	LU 20.0	0.06 UJ	0.05 UJ	0.05 UJ	0.05 UJ
Ronnel	299-84-3	ИТ	ИT	NT	NT	NT	TM	HT	NT	NT
Sulfotepp	3689-24-5	0.06 UJ	0.06 UJ	0.05 นม	0.05 UJ	0.05 UJ	LU 30.0	0.05 UJ	0.05 UJ	0.05 นม
Sulprofos	35400-43-2	NT	NT	NT	NT	NT	NT	ИТ	TK	NT
TEPP	21646-99-1	NT	NT	ŅŤ	NT	нт	NT	NT	NT	NT
Tetrachlorvinphos	22248-79-9	NT	NT	NT	NT	NT	NT	NT	NT	NT
Thionazin	297-97-2	0.06 UJ	0.06 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.06 UJ	0.05 UJ	0.05 นม	0.05 UJ
Trichloronate	327-98-0	NT	NT	Ти	NT	NT	NT	NT	NT	NT
o,o,o-Triethylphos phorothicate	126-68-1	0.03 UJ	0.03 UJ	0.03 UJ	0.03 UJ	0.03 N1	0.03 UJ	0.025 UJ	0.03 UJ	0.03 UJ

B00GS4 B00GS9 BOOGT7 B00GV5 B00GV6 B00GV7 B00GV8 B00GV9 B00GW0 ANALYTE CAS# Blank TYPE Reg Reg Reg Reg Reg Reg Reg Reg 3A 3A 3A 3A 3B 3B 3B 3B 3B POND DEPTH 53 66.5 97 143.5 3.5 5.5 7.5 Azinphos methly 86-50-0 NT NT NT NT NT NT NT NT NT Chlorpyrifos 2981-88-2 NT NT NT NT NT MT NT NT NT 5598-13-0 NT NT NT NT NT Chlorpyrifos methyl NT MT NT NT 56-72-4 NT NT NT NT NT NT NT NT NT Coumaphos 8065-48-3 NT MT NT NT NT NT Demeton ИT NT Diazanon 333-41-5 NT HT NT NT NT NT 62-73-7 NT NT DDVP (Dichlorvos) NT NT NT NT 60-51-5 0.13 UJ 0.11 UJ 0.10 UJ 0.11 UJ 0.10 UJ 0.10 UJ 0.10 UJ 0.10 UJ 0.11 UJ Dimethoate 0.05 UJ 0.05 UJ 0.06 UJ 0.05 UJ 0.05 UJ 0.05 UJ 0.05 UJ 0.06 UJ 298-04-4 0.06 UJ Disulfoton 2104-64-5 ИT NT NT NT NT NT NT MT NT NT 563-12-2 NT NT NT Ethion NT NT NT 13194-78-4 NT NT NT MT NT NT NT NT Ethoprop 0.16 UJ 0.15 UJ 0.16 UJ 52-85-7 0.19 UJ 0.16 UJ 0.16 UJ 0.17 UJ 0.16 UJ 0.16 UJ Famphur 115-90-2 NT NT NT Fensul fothion NT NT NT NT NT Fenthion 55-38-9 NT NT NT NT NT NT NТ 121-75-5 Malathion NT NT NT NT НT MT NT NT 150-50-5 NT NT NT NT NT NT NT NT Merphos 7786-34-7 NT Mevinphos NT HT HT NT NT NT NT NT

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

(Page 3 of 8)

Monocrotophos

NT

NT

6923-22-4

NT

NT

NT

NT

WHC-SD-EN-AP-104

MT

NT

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

CAS# BOOGS4 BOOGS9 BOOGT7 BOOGV5 BOOGV6 BOOGV7 BO

ANALYTE	CAS#	B00GS4	B00GS9	BOOGT7	B00GV5	B00GV6	B00GV7	800GV8	B00GV9	800GW0
	ТҮРЕ	Reg	Blank	Reg						
	POND	3A	3A	3A	3A	38	3в	3B	3в	3в
	DEPTH	53	66.5	97	143.5	1	3.5	5.5		7.5
Naled	300-76-5	NT	. NT	NT	NT	NT	NT	NT	NT	NT
Parathion ethyl	l56-38-2	0.13 UJ	0.11 UJ	0.10 UJ	0.11 UJ	0.10 UJ	0.10 UJ	0.10 UJ	0.10 UJ	0.11 UJ
Parathion methyl	298-00-0	0.13 UJ	0.11 UJ	0.10 บม	0.11 UJ	0.10 UJ	0.10 UJ	D.10 UJ	0.10 UJ	0.11 UJ
Phorate	298-02-2	0.06 UJ	0.05 มม	0.05 UJ	0.06 เม	0.05 UJ	0.05 UJ	0.05 81	0.05 UJ	0.06 UJ
Ronnei	299-84-3	NT	NT	NT	NT .	ИT	NT	NT	NT	HT
Sulfotepp	3689-24-5	0.06 ม	0.05 เป	0.05 มม	0.06 UJ	0.05 มม	0.05 UJ	0.05 ชม	0.05 นม	0.06 UJ
Sulprofos	35400-43-2	NT	NT	NT	NT	NT	NT	NT	NT	NT
TEPP	21646-99-1	NT	NT	NT	RT	NT	HT	NT	NT	NT
Tetrachlorvinphos	22248-79-9	NT	NT	NT	NT	TM	NT	NT	NT	NT
Thionazin	297-97-2	0.06 มา	0.05 UJ	0.05 UJ	0.06 ม	0.05 UJ	0.05 UJ	0.05 มม	0.05 UJ	0.06 บม
Trichloronate	327-98-0	ТИ	NT	NT	NT	NT	NT	HT	NT	NT
o,o,o-Triethylphos phorothicate	126-68-1	0.03 UJ	0.03 UJ	0.03 กา	0.03 ม	0.03 UJ	0.03 UJ	0.03 UJ	0.025 UJ	0.03 UJ

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

ANALYTE	CAS#	800GW1	B00GN3	B00GW4	B00GH8	B00GX6	B00GZ2	B00GZ6	B00GZ8	вооноо
	ТҮРЕ	Reg	Reg	Fdup	Reg	Reg	Reg	Reg	Reg	Reg
	POND	3в	3B	3в	38	3B	3в	38	3B	3c
	DEPTH	9.5	13	13	21	61.5	90.5	118.5	123.5	1
Azinphos methly	86-50-0	NT	ИТ	TH	. NT	0.21 UJ	0.21 UJ	0.24 UJ	0.24 UJ	0.21 UJ
Chlorpyrifos	2981-88-2	NT	NT	TH	HT	0.05 UJ	0.05 UJ	0.06 UJ	0.06 UJ	0.05 UJ
Chlorpyrifos methyl	5598-13-0	NT	NT	NT	NT	0.05 UJ	0.05 UJ	0.06 UJ	0.06 UJ	0.05 UJ
Coumaphos	56-72-4	NT	NT_	NT	NТ	0.21 UJ	0.21 นม	0.26 UJ	0.24 UJ	0.21 UJ
Demeton	8065-48-3	NT	ИT	TK	NT	0.1 UJ	0.1 UJ	0.12 UJ	0.12 UJ	0.1 บม
Diazanon	333-41-5	NT	NT	нт	NT	0.05 UJ	0.05 บม	0.86 UJ	0.06 UJ	0.05 UJ
DDVP (Dichlorvos)	62-73-7	NT	NT	NT	דא	0.1 UJ	0 .1 UJ	0.12 บม	0.12 UJ	0.1 ปร
Dimethoate	60-51-5	0.10 UJ	0.10 UJ	0.10 UJ	0.10 UJ	0.1 UJ	0.1 UJ	0.12 UJ	0.12 UJ	0.1 UJ
Disulfoton	298-04-4	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.06 UJ	0.06 UJ	0.05 UJ
EPN	2104-64-5	ти	NT	NТ	TH	0.05 บ.เ	0.05 บม	0.06 UJ	0.06 UJ	0.05 นม
Ethion	563-12-2	NT	MT	NT	NT	0.05 UJ	0.05 UJ	0.06 UJ	0.06 NT	0.05 บม
Ethoprop	13194-78-4	nt -	TH	דא	' MT	0.1 บม	0.1 UJ	0.12 UJ	0.12 UJ	0.1 UJ
Famphur	52-85-7	0.16 UJ	0.16 นม	0.16 UJ	0.16 UJ	TK	NT	NT	NT	ИT
Fensulfothion	115-90-2	NT	NT	NT	TM	0.1 UJ	0.1 UJ	0.12 UJ	0.12 UJ	0.1 ปม
Fenthion	55-38-9	NT	NT	ТИ	NT	0.05 UJ	0.05 UJ	0.06 UJ	0.06 NI	0.05 UJ
Malathion	121-75-5	NT	NT	ТИ	ИŢ	0.05 ปป	0.05 บู	0.06 UJ	0.06 NI	0.05 UJ
Merphos	150-50-5	нт	NT	NT	Ти	0.1 UJ	0.1 UJ	0.12 UJ	0.12 UJ	0.1 บม
Mevinphos	7786-34-7	TN	ИТ	NT	NT	0.1 UJ	0.1 UJ	0.12 UJ	0.12 UJ	0.1 ปม
Monocrotophos	6923-22-4	NT	TM	NT	NT	0.21 UJ	0.21 UJ	0.24 UJ	0.24 UJ	0.21 UJ

(Page 5 of 8)

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

ANALYTE	CAS#	800GW1	B00GW3	B00GN4	B00GW8	800GX6	B00GZ2	B00GZ6	800GZ8	вооноо
	ТҮРЕ	Reg	Reg	Fdup	Reg	Reg	Reg	Reg	Reg	Reg
	POND	3в	3B	3в	3B	3B	38	3B	3в	3C
	DEPTH	9.5	13	13	21	61.5	90.5	118.5	123.5	1
Naled	300-76-5	NT	NT	NT	NT	0.21 UJ	0.21 UJ	0.24 UJ	0.24 UJ	0.21 UJ
Parathion ethyl	l56-38-2	0.10 UJ	0.10 ปม	0.10 UJ	0.10 UJ	0.05 UJ	0.05 UJ	0.06 N1	0.06 UJ	0.05 UJ
Parathion methyl	298-00-0	0.10 UJ	0.10 UJ	0.10 UJ	0.10 UJ	רט 0.05	0.05 UJ	0.06 UJ	0.06 UJ	0.05 UJ
Phorate	298-02-2	0.05 เม	0.05 UJ	0.05 UJ	0.05 UJ	U. 20.0	0.05 UJ	0.06 UJ	0.06 UJ	0.05 UJ
Ronnel	299-84-3	NT	TH	нт	NT	0.05 ม	0.05 UJ	0.06 UJ	0.06 UJ	0.05 UJ
Sulfotepp	3689-24-5	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.06 UJ	0.06 UJ	0.05 เม
Sulprofos	35400-43-2	NT	NT	NT	ТМ	0.05 UJ	0.05 UJ	0.06 UJ	0.06 N1	0.05 UJ
TEPP	21646-99-1	NT	HT	NT	NT	0.21 UJ	0.21 มม	0.24 UJ	0.24 UJ	0.21 UJ
Tetrachlorvinphos	22248-79-9	NT	NT	NT	HT	0.26 UJ	0.26 UJ	0.30 UJ	0.31 UJ	0.26 UJ
Thionazin	297-97-2	0.05 มม	0.05 UJ	0.05 UJ	0.05 UJ	NT	NT	НT	NT	NТ
Trichloronate	327-98-0	NT	NT	ητ	NT	0.05 UJ	0.05 UJ	0.06 NJ	0.06 มา	0.05 UJ
o,o,o-Triethylphos phorothicate	126-68-1	0.03 UJ	0.03 UJ	0.03 UJ	0.03 UJ	NT	TM	NT	NT	NT

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

ANALYTE	CAS#	вооно1	вооно2	800H03	вооно4	вооно5	800H06	воон14	B00H10	B00H19	B00H23
	ТҮРЕ	Reg	Reg	Reg	Reg	Fdup	Reg	Reg	Blank	Reg	Reg
	POND	3C	3C	3C	3C	3C	3C	3C	3C	3C	3C
	DEPTH	3	5	7	9	9	11.5	30		60	80
											:
Azinphos methly	86-50-0	0.21 UJ	0.21 UJ	0.21 UJ	0.21 UJ	0.21 UJ	0.22 UJ	0.21 UJ	0.20 UJ	0.21 UJ	0.21 UJ
Chlorpyrifos	2981-88-2	0.05 UJ	0.05 ÙJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 มม	0.05 ม	0.05 UJ	0.05 บม	0.05 UJ
Chlorpyrifos methyl	5598-13-0	0.05 UJ	0.05 บู	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 นม	0.05 UJ	0.05 บม
Coumaphos	56-72-4	0.21 UJ	0.21 UJ	0.21 UJ	0.21 ມູ	0.21 UJ	0.22 UJ	0.21 UJ	0.20 ยม	0.21 UJ	0.21 UJ
Demeton	8065-48-3	0.1 UJ	0.1 UJ	0.1 UJ	0.1 บม	0.1 UJ	0.11 UJ	0.11 เม	0.1 UJ	0.1 บม	0.1 บม
Diazanon	333-41-5	0.05 UJ	0.05 UJ	0.05 UJ	0.05 ปม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ
DDVP (Dichlorvos)	62-73-7	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ	0.11 UJ	0.11 UJ	0.1 UJ	0.1 เม	0.1 UJ
Dimethoate	60-51-5	0.1 UJ	0.1 UJ	0.1 UJ	0.1 ม	0.1 เม	0.11 UJ	0.11 UJ	0.1 UJ	0.1 ม	0.1 บ.เ
Disulfoton	298-04-4	0.05 UJ	0.05 เม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 ยม	0.05 UJ	0.05 UJ
EPN	2104-64-5	0.05 บม	0.05 NJ	0.05 มม	0.05 มม	0.05 มม	0.05 UJ	0.05 UJ	0.05 มม	0.05 มม	0.05 UJ
Ethion	563-12-2	0.05 UJ	0.05 UJ	0.05 UJ	0.05 ยม	0.05 UJ	0.05 บม	0.05 UJ	0.05 ยม	0.05 UJ	0.05 UJ
Ethoprop	13194-78-4	0.1 เม	0.1 บม	0.1 UJ	0.1 UJ	0.1 UJ	0.11 UJ	0.11 UJ	0.1 ปม	0.1 UJ	0.1 UJ
Famphur	52-85-7	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Fensulfothion	115-90-2	0.1 UJ	0.1 UJ	0.1 UJ	0.1 ม	0.1 UJ	0.11 UJ	0.11 UJ	0.1 UJ	0.1 UJ	0.1 UJ
Fenthion	55-38-9	0.05 UJ	0.05 มม	0.05 ขม	0.05 ปม	0.05 เม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ
Malathion	121-75-5	0.05 UJ	0.05 UJ	0.05 UJ	0.05 บม	0.05 UJ	0.05 บ.เ	0.05 นม	0.05 UJ	0.05 UJ	0.05 ยม
Merphos	150-50-5	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ	0.11 UJ	0.11 UJ	0.1 UJ	0.1 บม	0.1 UJ
Mevinphos	7786-34-7	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ	0.1 UJ	0.11 UJ	0.11 UJ	0.1 UJ	0,1 UJ	0.1 UJ
Monocrotophos	6923-22-4	0.21 UJ	0.21 UJ	0.21 UJ	0.21 UJ	0.21 เม	0.22 UJ	0.21 UJ	0.20 UJ	0.21 UJ	0.21 UJ

(Page 7 of 8)

4 - 4

Table A-3. B-Pond Phase 3 Organophosphorous Pesticides. (mg/Kg)

ANALYTE	CAS#	вооно1	800H02	вооно3	вооно4	вооно5	вооно6	в00н14	B00H10	B00H19	B00H23
	ТҮРЕ	Reg	Reg	Reg	Reg	Fdup	Reg	Reg	Blank	Reg	Reg
	РОИО	3C									
	DEPTH	3	5	7	9	9	11.5	30		60	80
Nated	300-76-5	0.21 UJ	0.21 UJ	0.21 เม	0.21 ม	0.21 UJ	0.22 บม	0.21 ม	0.20 UJ	0.21 UJ	0.21 UJ
Parathion ethyl	156-38-2	0.05 UJ	0.05 UJ	0.05 NJ	0.05 ผม	0.05 บม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ
Parathion methyl	298-00-0	0.05 ปม	0.05 UJ	0.05 มา	0.05 ยม	0.05 UJ	0.05 UJ	0.05 มม	0.05 UJ	0.05 UJ	0.05 UJ
Phorate	298-02-2	0.05 UJ	0.05 นม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 NJ	0.05 UJ
Ronnel	299-84-3	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 ชม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 บม
Sulfotepp	3689-24-5	0.05 มม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 นม	0.05 UJ	0.05 UJ	0.05 UJ
Sulprofos	35400-43-2	0.05 UJ	0.05 มม	0.05 ขม	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 UJ	0.05 บม
TEPP	21646-99-1	0.21 ปม	0.21 UJ	0.21 UJ	0.21 UJ	0.21 ปป	0.22 UJ	0.21 UJ	0.20 UJ	0.21 UJ	0.21 UJ
Tetrachlorvinphos	22248-79-9	0.26 UJ	0.26 UJ	0.26 UJ	0.26 UJ	0.26 UJ	0.28 UJ	0.26 UJ	0.25 UJ	0.26 UJ	0.27 UJ
Thionazin	297-97-2	NT	NT	NT	NT	NT	TM	HT	HT	NT	NT
Trichloronate	327-98-0	0.05 UJ	0.05 บม	0.05 UJ	0.05 UJ	0.05 บป	0.05 UJ	0.05 มา	0.05 UJ	0.05 UJ	0.05 UJ
o,o,o-Triethylphos phorothicate	126-68-1	NT	NT.	NT	NT	HT	NT	ТМ	NT	NT	דא

NT Not a target analyte for this sample, see text. U The analyte was undetected at the stated limit.

J The associated value is an estimated quantity.

Reasons for Westinghouse Hanford Company Qualification--Organophosphorous Pesticides

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--All samples were flagged as estimated, "J". All samples extracted outside 7-day criteria established for water. (All samples were analyzed within 40 days of extraction.)

Split Samples:

None.

Table A-4. B-Pond Phase 3 Dioxins & Furans. (ng/g)

ANALYTE SAMPLE ID	B00FK6	BOOFK7	B00FK8	B00FK9	B00FL0	BOOFL1	B00FL3	BOOFL4	B00GR9
ТҮРЕ	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup
POND	3A	3A	3A	.3A	3A	3A	3A	3A	3A
DEPTH	6.5	∜ 8.5	10.5	· 13	14.5	16		28	28
Total tetrachlorinated dibenzo-p-dioxins	0.062 UJ	0.060 ม	0.056 UJ	0.11 ขม	0.071 UJ	0.068 UJ	0.042 UJ	0.056 UJ	0.051 UJ
Total pentachlorinated dibenzo-p-dioxins (PeCDD)	0.13 UJ	0.17 นม	0.13 UJ	0.10 UJ	0.16 บม	0.22 UJ	0.15 มม	0.16 UJ	0.084 UJ
Total hexachlorinated dibenzo-p-dioxins (MxCDD)	0.12 UJ	0.18 UJ	0.13 UJ	0.40 UJ	0.17 ปป	0.15 UJ	0.11 UJ	0.15 UJ	0.18 UJ
Total heptachlorinated dibenzo-p-dioxins (HpCDD)	0.15 UJ	0.21 ม	0.19 UJ	0.19 UJ	0.16 UJ	0.23 UJ	0.17 UJ	0.15 UJ	0.27 UJ
Total octachlorinated dibenzo-p-dioxins (OCDD)	0.13 ม	0.21 ປປ	0.13 บู	0.11 บม	0.16 UJ	0.17 UJ	0.15 UJ	0.15 UJ	0.21 UJ
Total tetrachlorinated dibenzo-furans (TCDF)	0.11 ปร	0.077 UJ	0.058 UJ	0.085 UJ	0.071 UJ	0.079 UJ	0.061 เม	0.055 มม	0.047 UJ
Total pentachlorinated dibenzo-furans (PeCDF)	0.039 N1	0.053 UJ	0.046 UJ	0.058 UJ	0.047 UJ	0.050 UJ	0.036 UJ	0.049 UJ	0.058 UJ
Total hexachlorinated dibenzo-furans (HxCDF)	0.11 ปม	0.11 UJ	0.085 UJ	0.14 UJ	0.11 UJ	0.11 UJ	0.072 UJ	0.13 UJ	0.10 UJ
Total heptachlorinated dibenzo-furans (HpCDF)	0.13 UJ	0.17 นม	0.11 UJ	0.13 UJ	0.13 UJ	0.19 UJ	0.13 UJ	0.23 UJ	0.14 មរ
Total octachlorinated dibenzo-furans (OCDF)	0.069 UJ	0.19 UJ	0.077 UJ	0.096 UJ	0.12 บJ	0.14 VJ	0.059 UJ	0.11 UJ	0.20 UJ

Table A-4. B-Pond Phase 3 Dioxins & Furans. (ng/g)

ANALYTE SAMPLE ID	B00GS4	B00GS9	B00GT7	B00GV5	B00GV6	800GV7	B00GV8	B00GV9	800GW0
TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg
POND	3A	3A	3A	3A	38	3B	3B	3B	3B
DEPTH	52.5	; 66.5	97	143.5	1	3.5	5.5		7.5
	!		l	<u>_</u> _					<u>-</u>
Total tetrachlorinated dibenzo-p-dioxins (TCDD)	0.17 ม	0.12 UJ	0.063 UJ	0.086 UJ	0.070 UJ	0.044 UJ	0.036 UJ	0.048 UJ	0.032 UJ
Total pentachlorinated dibenzo-p-dioxins (PeCDD)	0.30 UJ	0.35 UJ	0.21 UJ	0.20 UJ	0.16 UJ	0.12 UJ	0.087 UJ	0.11 UJ	0.057 UJ
Total hexachlorinated dibenzo-p-dioxins (HxCDD)	0.29 UJ	0.25 UJ	0.14 UJ	0.28 UJ	0.19 บม	0.15 UJ	0.15 บม	0.14 ยม	0.098 UJ
Total heptachlorinated dibenzo-p-dioxins (HpCDD)	0.24 UJ	0.27 UJ	0.13 UJ	0.14 UJ	0.19 UJ	0.12 UJ	0.11 UJ	0.13 UJ	0.11 UJ
Total octachlorinated dibenzo-p-dioxins (OCDD)	0.23 UJ	0.27 UJ	0.12 UJ	0.090 UJ	0.25 UJ	0.15 UJ	0.12 UJ	0.067 UJ	0.13 UJ
Total tetrachlorinated dibenzo-furans (TCDF)	0.14 UJ	0.14 UJ	0.058 UJ	0.084 UJ	0.051 UJ	0.038 UJ	0.033 UJ	0.038 UJ	0.033 UJ
Total pentachlorinated dibenzo-furans (PeCDF)	0.069 NN	0.067 UJ	0.057 UJ	0.052 ยม	0.082 UJ	0.035 UJ	0.036 บม	0.051 UJ	0.046 UJ
Total hexachlorinated dibenzo-furans (HxCDF)	0.084 UJ	0.15 UJ	0.086 UJ	0.072 UJ	0.10 UJ	0.094 UJ	0.093 UJ	0.095 UJ	0.073 UJ
Total heptachlorinated dibenzo-furans (HpCDF)	0.15 UJ	0.14 UJ	0.23 UJ	0.12 UJ	0.14 UJ	0.097 เม	0.093 UJ	0.14 UJ	0.084 UJ
Total octachlorinated dibenzo-furans (OCDF)	0*030 N1	0.19 UJ	0.12 UJ	0.13 ปม	0.21 บม	0.10 UJ	0.13 UJ	0.13 UJ	0.066 UJ

Table A-4. B-Pond Phase 3 Dioxins & Furans. (ng/g)

ANALYTE SAMPLE ID		BOOGW1	B00GW3	800GW4	800GW8	вооноо	B00H02	вооноз
	TYPE	Reg	Reg	Fdup	Reg	Reg	Reg	Reg
	POND	3B	3B	3B	38	3 C	3C	3 C
D	EPTH	9.5	13	13	21	1	5	7
Total tetrachlorinated dibenzo-p-dioxins (TCDD)		0.041 UJ	0.047 UJ	0.031 UJ	0.044 UJ	0.10 บม	0.16 UJ	0.12 UJ
Total pentachlorinated dibenzo-p-dioxins (PeCDD)		0.080 UJ	0.12 ชม	0.090 UJ	0.13 มม	0.15 บม	0.12 บม	0.38 UJ
Total hexachlorinated dibenzo-p-dioxins (HxCDD)		0.11 UJ	0.12 UJ	0.087 UJ	0.16 UJ	0.20 UJ	0.22 UJ	0.17 บู
Total heptachlorinated dibenzo-p-dioxins (HpCDD)		0.15 UJ	0.14 UJ	0.11 บม	0.13 UJ	0.24 UJ	0.27 UJ	0.17 UJ
Total octachlorinated dibenzo-p-dioxins (OCDD)		0.15 UJ	0.096 UJ	0.14 UJ	0.11 บง	0.23 ปม	0.32 UJ	0.15 UJ
Total tetrachlorinated dibenzo-furans (TCDF)		0.035 UJ	0.039 UJ	0.050 UJ	0.052 บม	0.062 UJ	0.077 UJ	0.067 UJ
Total pentachlorinated dibenzo-furans (PeCDF)		0.047 UJ	0.038 UJ	0.045 UJ	0.035 มม	0.19 UJ	0.10 บม	0.11 UJ
Total hexachlorinated dibenzo-furans (HxCDF)		0.11 UJ	0.088 UJ	0.066 UJ	0.11 UJ	0.23 มม	0.15 UJ	0.18 มม
Total heptachlorinated dibenzo-furans (HpCDF)		0.10 บม	0.10 UJ	0.079 มม	0.082 UJ	0.53 มม	0.19 มม	0.32 UJ
Total octachlorinated dibenzo-furans (OCDF)		0.094 UJ	0.16 บม	0.11 UJ	0.13 UJ	0.14 UJ	0.23 UJ	0.12 UJ

 $\mbox{\bf U}$ The analyte was undetected at the stated limit. $\mbox{\bf J}$ The associated value is an estimated quantity.

Reasons for Westinghouse Hanford Company Qualification--Dioxins and Furans

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--All samples were flagged as estimated, "J". All samples extracted outside 7-day criteria established for water. (All samples were analyzed within 40 days of extraction.)

Split Samples:

None.

M

S

N

O

11 U

5 U

11 U

5 B

11 U

5 U

11 U

6 U

10 U

5 U

11 UJ

5 UJ

11 U

5 U

13 U

7 U

Table A-5. Volatile Organic Compounds. ($\mu g/Kg$)

(Page 1 of 8)

Bromodichloromethane

Vinyl Acetate

108-05-4

75-27-4

11 ป

6 U

11 U

6 U

Table A-5. Volatile Organic Compounds. (μ g/Kg)

											
ANALYTE	CAS#	BOOFK6	B00FK7	BOOFK8	B00FK9	BOOFLO	BOOFL1	BOOFL3	BOOFL4	BOOGR9	800GS4
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup	Reg
	POND	3A	3A	3A	3A	3A	3A	3A	3A	3A	3A
	DEPTH	6.5	8.5	10.5	13	14.5	16		28	28	52.5
	ANALYSIS DATE	2/20/91	2/20/91	2/20/91	2/22/91	2/22/91	2/20/91	2/22/91	2/28/91	2/22/91	2/20/91
	MOISTURE (%)	12	10.9	5.3	6.7	6.8	11.2	0.0	4.9	5.3	23.2
1,2-Dichloropropane	78-87-5	6 U	6 U	5 U	5 U	5 U	6 U	5 U	5 ปม	5 U	7 U
cis-1,3-Dichloropropene	10061-01-5	6 U	6 U	5 บ	5 U	5 U	6 U	5 U	5 UJ	5 U	7 U
Trichloroethene	79-01-6	6 U	6 U	5 U	5 U	5 U	6 U	5 U	5 UJ	5 บ	7 U
Dibromochloromethane	124-48-1	6 U	6 U	5 U	5 U	5 ป	6 U	5 U	5 UJ	5 U	7 U
1,1,2-Trichloroethane	79-00-5	6 U	6 บ	5 บ	5 U	5 U	6 U	5 U	5 UJ	5 U	7 U
Benzene	71-43-2	6 U	6 U	5 U	5 ป	5 U	6 U	5 U	5 UJ	5 U	7 U
trans-1,3-Dichloropropene	10061-02-6	6 U	6 U	5 U	5 U	5 U	6 U	5 บ	5 บม	5 U	7 U
Bromoform	75-25-2	6 U	6 U	5 ป	5 ข	5 U	6 8	5 U	5 UJ	5 U	7 U
4-Methyl-2-pentanone	108-10-1	11 U	11 U	11 U	11 U	11 U	11 U	10 U	11 บม	11 ປ	13 U
2-Hexanone	591-78-6	11 U	11 U	11 U	11 U	11 U	11 U	10 U	11 UJ	11 U	13 U
Tetrachloroethene	127-18-4	6 U	6 บ	5 บ	5 U	5 บ	6 U	5 U	5 UJ	5 บ	7 U
1,1,2,2-TetrachLoroethane	79-34-5	6 U	6 U	5 U	5 U	5 บ	6 U	5 U	5 UJ	5 U	7 U
Toluene	108-88-3	6 U	6 U	5 U	5 U	5 U	6 U	5 U	5 UJ	5 ป	7 U
Chlorobenzene	108-90-7	6 U	6 U	5 บ	5 u	5 U	6 U	5 U	5 UJ	5 U	7 U
Ethylbenzene	100-41-4	6 U	6 U	5 U	5 U	5 ti	6 U	5 ย	5 UJ	5 U	7 U
Styrene	100-42-5	6 U	6 U	5 U	5 U	5 U	6 U	5 บ	5 UJ	5 U	7 U
Xylene (total)	1330-20-7	6 U	6 U	5 ป	5 U	5 ป	6 U	5 U	5 UJ	5 U	7 U

5 U

5 U

10 U

5 U

Table A-5. Volatile Organic Compounds. (μ g/Kg)

B00GV5

Reg

3A

143.5

800GV6

Reg

3B

800GV7

Reg

3B

3.5

800GV8

Reg

38

5.5

BOOGV9

Blank

3B

BOOGWO

Reg

3B

7.5

B00GH1

Reg

3B

9.5

BOOGT7

Reg

3A

97

(Page 3 of 8)

1,1,1-Trichloroethane

Carbon Tetrachloride

Bromodichloromethane

Vinyl Acetate

ANALYTE

CAS#

71-55-6

56-23-5

108-05-4

75-27-4

TYPE

POND

DEPTH

B00GS5

Split

52.5

3A

B00GS9

66.5

5 U

5 U

11 U

5 U

6 U

6 U

12 U

6 U

Reg

3A

į

5 ป

5 U

10 U

5 U

5 U

5 U

11 U

5 U

5 U

5 U

10 U

5 U

5 U

5 U

11 U

5 U

5 U

5 U

10 U

5 U

5 U

5 U

10 U

5 U

5 U

5 U

10 U

5 U

Table A-5. Volatile Organic Compo	ounds. (µg/Kg)
-----------------------------------	----------------

						·	(1-37-3	·			
ANALYTE	CAS#	B00GS5	B00GS9	BOOGT7	BOOGV5	B00GV6	B00g v7	B00GV8	B00GV9	800GN0	B00GW1
	TYPE	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
	POND	3A	3A	3A	3A	38	38	38	3в	38	3в
	DEPTH	52.5	66.5	97	143.5	1	3.5	5.5		7.5	9.5
	ANALYSIS DATE	2/26/91	2/28/91	2/28/91	3/4/91	3/11/91	3/11/91	3/11/91	3/11/91	3/11/91	3/11/91
	MOISTURE (%)	19	.7.3	4.0	NA	5.0	4.0	5.0	0.0	0.0	3.1
			,								
1,2-Dichloropropane	78-87-5	6 U	5 U	5 U	5 บ	5 ย	5 U	5 บ	5 U	5 U	5 U
cis-1,3-Dichloropropene	10061-01-5	6 U	5 U	5 ย	5 ช	5 น	5 U	5 U	5 U	5 บ	5 บ
Trichloroethene	79-01-6	6 U	5 U	5 ป	5 บ	5 ป	5 U	5 U	5 U	5 บ	5 U
Dibromochloromethane	124-48-1	6 U	5 U	5 ป	5 U	5 U	5 บ	5 U	5 บ	5 บ	5 U
1,1,2-Trichloroethane	79-00-5	6 U	5 U ;	5 U	5 ป	5 U	5 บ	5 U	5 บ	5 U	5 U
Benzene	71-43-2	6 ⁻ U	5 U	5 ນີ	5 U	5 ປ	5 ม	5 U	5 บ	5 U	5 U
trans-1,3-Dichloropropene	10061-02-6	6 U	5 U	5 U	5 U	5 บ	5 บ	5 U	5 U	5 U	5 U
Bromoform	75-25-2	6 U	5 ป	5 U	5 U	5 U	5 ป	5 U	5 U	5 U	5 ป
4-Hethyl-2-pentanone	108-10-1	12 U	11 U	10 U	3 1	11 U	10 U	11 U	10 U	10 U	10 U
2-Hexanone	591-78-6	12 U	-11 U	10 U	10 U	11 U	10 U	11 U	10 υ	10 U	10 U
Tetrachloroethene	127-18-4	6 U	5 U	5 U	5 U	5 บ	5 U	5 U	5 U	5 U	5 U
1,1,2,2-Tetrachloroethane	79-34-5	6 U	5 บ	5 U	5 U	5 บ	5 U	5 U	5 U	5 U	5 U
Toluene	108-88-3	6 U	5 ប	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Chlorobenzene	108-90-7	6 U	5 ប	5 U	5 U	5 U	5 U	5 U	5 บ	5 U	5 U
Ethylbenzene	100-41-4	6 U	5 U	5 U	5 U	5 U	5 U	5 U	5 บ	5 บ	5 U
Styrene	100-42-5	6 U	5 U	5 U	5 ช	5 ป	5 U	5 U	5 U	5 U	5 U
Xylene (total)	1330-20-7	6 U	5 u	5 U	5 U	5 U	5 U	5 บ	5 U	5 ປ	5 U

(Page 4 of 8)

Table A-5. Volatile Organic Compounds. (μ g/Kg)

ANALYTE	CAS#	800GW3	B00GH4	B00GW5	B00GW8	B00GX6	B00GZ2	B00GZ6	B00G28	800H00	B00H01
	TYPE	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg	Reg
	POND	3B	3в	3в	3в	3B	3в	3B	3B	3C	3 C
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
	ANALYSIS DATE	3/11/91	3/11/91	3/12/91	3/11/91	3/21/91	3/21/91	3/21/91	3/22/91	3/21/91	3/21/91
	MOISTURE (%)	3.0	3.0	3	3.1	5.4	5.0	16.7	34.5	3.9	4.8
			4								ļ
Chloromethane	74-87-3	10 U	10 U	10 U	10 U	11 U	11 U	13 U	15 U	10 U	11 U
Bromomethane	74-83-9	10 U	10 U	10 U	10 U	11 ม	11 U	13 U	15 U	10 U	11 U
Vinyl Chloride	75-01-4	10 U	10 U	10 U	10 U	11 U	11 U	13 ປ	15 U	10 U	11 U
Chloroethane	75-00-3	10 U	10 U	10 U	10 U	11 U	11 U	13 U	15 U	10 U	11 ປ
Methylene Chloride	75-09-2	5 U	5 บ	44 U	5 บ	5 U	5 U	6 U	8 U	5 U	5 U
Acetone	67-64-1	10 U	10 U	19 U	10 U	11 U	11 U	13 U	15 U	10 U	11 U
Carbon Disulfide	75-15-0	5 U	5 น	5 U	5 U	5 ป	5 U	6 ม	8 U	5 บ	5 U
1,1-Dichloroethene	75-35-4	5 บ	5 U	5 U	5 U	5 U	5 บ	6 ม	8 U	5 U	5 U
1,1-Dichloroethane	75-34-3	5 U	5 บ	5 U	5 ປ	5 บ	5 ป	6 U	8 U	5 U	5 U
1,2-Dichloroethene (total)	540~59-0	5 U	5 U	5 U	5 U	5 ປ	5 บ	6 U	8 U	5 U	5 บ
Chloroform	67-66-3	5 U	5 ប	5 บ	5 U	5 U	5 บ	6 U	8 บ	5 ข	5 ป
1,2-Dichloroethane	107-06-2	5 U	5 U	5 U	5 U	5 U	5 บ	6 U	8 U	5 U	5 U
2-Butanone	78-93-3	10 U	10 U	10 ປ	10 U	11 U	11 ป	13 ປ	15 U	10 U	11 U
1,1,1-Trichloroethane	71-55-6	5 U	5 U	5 U	5 U	5 ប	5 U	6 U	8 U	5 U	5 บ
Carbon Tetrachtoride	56-23-5	5 U	5 บ	5 U	5 U	5 U	5 ป	6 บ	8 U	5 บ	5 U
Vinyl Acetate	108-05-4	10 U	10 U	10 U	10 U	11 U	11 U	13 U	15 U	10 U	11 U
Bromodichloromethane	75-27-4	5 U	5 บ	5 ช	5 U	5 ป	5 U	6 บ	8 U	5 ป	5 ม

(Page 5 of 8)

Table A-5. Volatile Organic Compounds. ($\mu g/Kg$)

ANALYTE	CAS#	800GW3	800GW4	B00GW5	воосыв	B00GX6	B00GZ2	B00GZ6	B00628	B00H00	вооно1
	ТҮРЕ	Reg	Fdup	Split	Reg						
	POND	3B	38	38	38	3в	3B	3B	38	3c	30
- <u>-</u>	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
	ANALYSIS DATE	3/11/91	3/11/91	3/12/91	3/11/91	3/21/91	3/21/91	3/21/91	3/22/91	3/21/91	3/21/91
	MOISTURE (%)	3.0	₂ 3.0	3	3.1	5.4	5.0	16.7	34.5	3.9	4.8
			,						;		
cis-1,3-Dichloropropene	10061-01-5	5 ป	5 U	5 U	5 U	5 U	5 U	6 U	8 ប	5 U	5 บ
Trichloroethene	79-01-6	5 U	5 ข	5 U	5 U	5 U	5 U	6 U	8 U	5 U	5 U
Dibromochloromethane	124-48-1	5 U	5 ປ	5 ប	5 บ	5 U	5 U	6 U	8 U	5 U	5 U
1,1,2-Trichloroethane	79-00-5	5 ប	5 U	5 U	5 U	5 U	5 U	6 U	8 U	5 บ	5 U
Benzene	71-43-2	5 U	5 U	5 U	5 U	5 ม	5 U	6 U	8 U	5 U	5 U
trans-1,3-Dichloropropene	10061-02-6	5 U	5 ប	5 บ	5 บ	5 U	5 U	6 U	8 U	5 U	5 U
Bromoform	75-25-2	5 บ	5 U	5 U	5 U	5 บ	5 U	6 U	8 U	5 ป	5 U
4-Hethyl-2-pentanone	108-10-1	10 U	10 ປ	10 U	10 U	3 J	3 J	13 U	15 U	10 U	11 U
2-Hexanone	591-78-6	10 U	10 ม	10 U	10 U	11 U	11 U	13 U	15 U	10 ບ	11 U
Tetrachloroethene	127-18-4	5 U	. 5 U	5 U	5 บ	5 U	5 U	6 U	8 U	5 U	5 U
1,1,2,2-Tetrachloroethane	79-34-5	5 ប	5 U	5 U	5 U	5 U	5 U	6 U	8 U	5 U	5 U
Toluene	108-88-3	5 U	5 ย	5 U	5 U	5 U	5 บ	6 U	8 U	5 บ	5 U
Chlorobenzene	108-90-7	5 U	5 U	5 U	5 υ	5 บ	5 U	6 U	8 U	5 U	5 U
Ethylbenzene	100-41-4	5 ช	5 U	5 U	5 U	5 U	5 U	6 U	8 U	5 ป	5 U
Styrene	100-42-5	5 บ	5 บ	5 U	5 U	5 U	5 U	6 U	8 U	5 U	5 U
Xylene (total)	1330-20-7	5 U	5 U	5 U	5 U	5 U	5 บ	6 U	8 U	5 U	5 U

(Page 6 of 8)

Table A-5. Volatile Organic Compounds. (μq/Kq)

B00H02 вооноз ANALYTE B00H04 B00H07 B00H14 B00H19 CAS# B00H05 B00H06 B00H10 B00H23 TYPE Reg Reg Reg Fdup Reg Split Reg Blank Reg Reg 3C 3C POND 3ε 3C 3C 3C 3C 30 3€ 3C DEPTH 7 9 11.5 11.5 30 60 80 ANALYSIS DATE 3/21/91 3/28/91 3/22/91 3/22/91 3/22/91 3/26/91 4/2/91 3/28/91 4/2/91 4/2/91 MOISTURE (%) 4.8 5.0 4.3 5.6 8.7 NA NA 6.1 22.3 Chloromethane 74-87-3 11 U 10 U 11 U 10 U 11 U 11 U 11 U 10 U 11 U 13 U Bromomethane 74-83-9 11 U 10 U 11 U 11 U 10 U 11 U 11 U 10 U 11 U 13 U Vinyl Chloride 75-01-4 11 U 10 U 11 U 10 U 11 U 11 U 11 U 10 U 11 U 13 U Chloroethane 75-00-3 10 U 11 U 11 U 10 U 11 U 11 U 11 U 10 U 11 U 13 U Methylene Chloride 75-09-2 5 U 5 U 5 ย 5 U 5 U 31 U 5 U 5 U 5 U 6 U Acetone 67-64-1 15 U 10 U 11 U 10 U 11 U 20 U 11 U 10 U 49 13 U Carbon Disulfide 5 U 75-15-0 5 U 5 U 5 U 5 U 6 U 5 U 5 U 5 U 6 U 5 U 5 U 5 U 1.1-Dichloroethene 75-35-4 5 U 5 U 5 U 5 11 5 II 6 U 6 U 1.1-Dichloroethane 75-34-3 5 U 5 U 5 U 5 U 5 U 6 U 5 U 5 U 5 U 6 U 5 U 5 U 5 U 1,2-Dichloroethene (total) 540-59-0 5 U 5 U 6 U 5 U 5 U 5 U 6 U 67-66-3 5 U 5 U 5 U 5 U 5 U Chloroform 5 U 6 U 5 U 5 U 6 U 1,2-Dichloroethane 107-06-2 5 U 5 U 5 U 5 U 5 U 6 U 5 ป 5 U 5 U 6 U 78-93-3 11 U 10 U 11 U 10 U 11 U 11 U 10 U 13 U 2-Butanone 11 U 11 U 1,1,1-Trichloroethane 71-55-6 5 U 5 U 5 U 5 U 5 U 6 U 5 U 5 U 5 U 6 U Carbon Tetrachloride 5 U 56-23-5 5 U 5 U 5 U 5 U 6 4 5 U 5 U 5 U 6 U

11 U

5 U

5 U

10 U

5 t

5 U

11 U

5 U

5 U

11 U

6 U

6 U

11 U

5 U

5 U

10 U

5 U

5 U

11 U

5 U

5 U

13 U

6 U

6 U

10 U

5 U

5 U

11 U

5 U

5 U

._ _ _ .

Bromodichloromethane

1,2-Dichloropropane

108-05-4

75-27-4

78-87-5

Vinyl Acetate

(Page 7 of 8)

Table	A-5.	Volatil	e Organ	ic Comp	ounds.	(μg/Kg)	
Ī	B00H02	800H03	B00H04	B00H05	ROOHOG	800807	Ē

ANALYTE	CAS#	B00H02	вооноз	B00H04	вооно5	B00H06	B00H07	B00H14	B00H10	B00H19	B00H23
Mince											
	TYPE	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	POND	3c 3c	3C	3C							
	DEPTH	5	7	9	9	11.5	11.5	30		60	80
	ANALYSIS DATE	3/21/91	3/28/91	3/22/91	3/22/91	3/22/91	3/26/91	4/2/91	3/28/91	4/2/91	4/2/91
	MOISTURE (%)	4.8	NA	5.0	4.3	5.6	6	8.7	AA	6.1	22,3
			,					i			
cis-1,3-Dichloropropene	10061-01-5	5 ป	5 U	5 ນ	5 ប	5 U	6 U	5 บ	5 U	5 U	6 U
Trichloroethene	79-01-6	5 U	5 U	5 U	5 U	5 U	6 U	5 U	5 U	5 บ	6 U
Dibromochloromethane	124-48-1	5 U	5 U	5 U	5 บ	5 U	6 U	5 U	5 U	5 บ	6 U
1,1,2-Trichloroethane	79-00-5	5 บ	5 U	5 U	5 U	5 U	6 U	5 U	5 U	5 U	6 ป
Benzene	71-43-2	5 ป	5 U	5 U	5 U	5 บ	6 U	5 บ	5 U	5 U	6 U
trans-1,3-Dichloropropene	10061-02-6	5 U	5 U	5 U	5 บ	5 U	6 U	5 U	5 U	5 U	6 U
Bromoform	75-25-2	5 U	5 บ	5 U	5 U	5 U	6 U	5 U	5 ป	5 ປ	6 U
4-Methyl-2-pentanone	108-10-1	11 U	10 U	11 U	10 U	11 U	11 U	11 U	10 U	11 U	13 U
2-Hexanone	591-78-6	11 U	10 U	11 U	10 U	11 U	11 U	11 U	10 U	11 U	13 U
Tetrachloroethene	127-18-4	5 U	5 U	5 ป	5 U	5 U	6 U	5 ป	5 U	5 U	6 U
1,1,2,2-Tetrachloroethane	79-34-5	5 U	5 ป	5 U	5 U	5 U	6 U	5 U	5 U	5 ป	6 U
Toluene	108-88-3	5 U	5 U	5 ย	5 U	5 U	6 U	5 U	5 U	5 U	6 U
Chlorobenzene	108-90-7	5 U	5 U	5 U	5 U	5 U	6 U	5 บ	5 U	5 U	6 U
Ethylbenzene	100-41-4	5 U	5 U	5 U	5 ป	5 U	6 U	5 U	5 U	5 U	6 U
Styrene	100-42-5	5 บ	5 U	5 ช	5 U	5 U	6 U	5 U	5 U	5 U	6 U
Xylene (total)	1330-20-7	5 U	5 บ	5 U	5 บ	5 U	6 U	5 U	5 U	5 U	6 U

U The analyte was undetected at the stated limit. J The associated value is an estimated quantity.

93127510684

Reasons for Westinghouse Hanford Company Qualification--Volatile Organics

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--BOOFL4 was qualified as estimated, "J". Fourteen day holding time criteria established for water missed on sample BOOFL4 by 7 days.

LABORATORY BLANK--Acetone was qualified as undetected at 15 μ g/Kg in B00H02 because acetone was also reported in the associated laboratory blank (#910321-027). A summary of VOA Reagent Blanks at Primary Lab:

Nine laboratory blanks total: 6 with no reported contaminants 1 with Acetone at 26 μ g/Kg (3/21/91) 1 with 4-methyl-2-pentanone at 3 J μ g/Kg (2/28/91) 1 with an unknown tentatively identified compound (TIC) at 7 J μ g/Kg (3/22/91)

Split Samples:

LABORATORY BLANK--Methylene chloride and acetone were found in laboratory blanks, and were qualified as undetected, "U", in samples BOOHO7, BOOGW5, and BOOGS5.

CALIBRATION--Two samples had analytes qualified because of separate exceedances of Westinghouse Hanford-OSM's calibration criteria. All analytes were undetected. Sample BOOHO7 was qualified "UJ" for the following analytes:

alpha BHC	aldrin	chlordane
beta BHC	endrin	gamma chlordane
delta BHC	alpha	_

Sample BOOGW5 was qualified "UJ" for the following analytes:

alpha BHC	aldrin	endosulfan sulfate
beta BHC	endosulfan I	4,4'-DDT
delta BHC	4,4'-DDE	alpha chlordane
gamma BHC (lindane)	4,4'-DDD	gamma chlordane

Additional Note to Volatile Organic Compound Data, Table A-5.

Three "unknown" compounds were reported as VOA TICs: 19 J, 22 J, 11 J $\mu g/Kg$ in the regular sample BOOGV5. No similar compounds were found in the associated laboratory blank.

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

					1010 0011						
ANALYTE	CAS#	B00FK6	B00FK7	B00FK8	BOOFK9	BOOFLO	B00FL1	B00FL3	800FL4	B00GR9	800GS4
	ТҮРЕ	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup	Reg
	POND	3A	3A	3A	3A	3A	3A	3A	3A	ЗА	3A
	DEPTH	6.5	8.5	10.5	13	14.5	16		28	28	52.5
	EXTRACTION DATE	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91
	ANALYSIS DATE	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	3/1/91
Phenol	108-95-2	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
bis(2-chloroethyl)ether	111-44-4	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 มม	1300 ປມ
2-Chlorophenol	95-57-8	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
1,3-Dichtorobenzene	541-73-1	1100 UJ	1100 UJ	1000 บม	1100 UJ	1100 UJ	1100 UJ	990 NJ	1000 UJ	1000 ሀታ	1300 UJ
1,4-Dichlorobenzene	106-46-7	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 บม	990 UJ	1000 UJ	1000 UJ	1300 UJ
Benzyl Alcohol	100-51-6	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
1,2-Dichtorobenzene	95-50-1	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	590 UJ	1000 UJ	1000 UJ	1300 UJ
2-Methylphenol	95-48-7	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 บม	1000 UJ	1300 UJ
bis(2-Chloroisopropyl) ether	108-60-1	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 มJ	1000 UJ	1300 UJ
4-Methylphenol	106-44-5	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 NJ	1000 UJ	1000 มม	1300 UJ
N-Nitrosodipropylamine	621-64-7	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	590 UJ	1000 UJ	1000 UJ	1300 มม
Hexachloroethane	67-72-1	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 N	1000 UJ	1000 UJ	1300 มม
Nitrobenzene	98-95-3	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 N1	1000 UJ	1000 UJ	1300 UJ
Isophorone	78-59-1	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
2-Nitrophenol	88-75-5	1100 UJ	1100 UJ	1000 UJ	1100 បរ	1100 UJ	1100 UJ	990 UJ	1000 ม	1000 UJ	1300 UJ
2,4-Dimethylphenol	105-67-9	1100 UJ	1100 UJ	1000 ປ໓	1100 UJ	1100 UJ	1100 UJ	990 NI	1000 UJ	1000 UJ	1300 ยม
Benzoic acid	65-85-0	5400 UJ	590 J	520 J	5100 UJ	360 J	470 J	4800 UJ	370 J	390 J	6300 N1
bis(2-chloroethoxy)metha	ne 111-91-1	1100 UJ	1100 บม	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 na	1000 UJ	1000 UJ	1300 UJ

(Page 1 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. ($\mu g/Kg$) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	BOOFK6	B00FK7	BOOFK8	B00FK9	BOOFLO	BOOFL1	BOOFL3	BOOFL4	B00GR9	B00G\$4
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup	Reg
	POND	3A	3A	3A	3A	3A	3A	3A	3A	3A	3A
	DEPTH	6.5	8.5	10.5	13	14.5	16	~	28	28	52.5
	EXTRACTION DATE	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91
	ANALYSIS DATE	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	3/1/91
2,4-Dichlorophenol	120-83-2	1100 บ.เ	1100 UJ	1000 UJ	1100 บม	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 נע	1300 UJ
1,2,4-Trichlorobenzene	120-82-1	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	9 90 UJ	1000 UJ	1000 UJ	1300 UJ
Naphthalene	91-20-3	1100 UJ	1100 ניט	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 ni	1000 มม	1000 UJ	1300 UJ
4-Chloroaniline	106-47-8	עט 1100	1100 บป	עט 1000	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
Hexachlorobutadiene	87-68-3	1108 UJ	1100 UJ	1000 บม	1100 UJ	1100 UJ	1100 UJ	990 มม	1000 UJ	עט 1000	1300 UJ
4-Chloro-3-methylphenol	59-50-7	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
2-Methylnaphthalene	91-57-6	1100 บม	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 N1	1000 UJ	1000 UJ	1300 มม
Hexachlorocyclopentadiene	e 77-47-4	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
2,4,6-Trichlorophenol	88-06-2	1108 UJ	1100 UJ	1000 UJ	1100 บม	1100 UJ	1100 UJ	990 ni	1000 UJ	עט 1000	1300 UJ
2,4,5-Trichlorophenol	95-95-4	5400 UJ	5400 UJ	5100 UJ	5100 UJ	5200 UJ	5400 UJ	4800 UJ	5000 บม	5100 ยม	6300 UJ
2-Chioronaphthalene	91-58-7	1100 ปป	1100 บป	1000 UJ	1100 บม	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
2-Nitroaniline	88-74-4	5400 UJ	5400 ยป	5100 UJ	5100 ปม	5200 UJ	5400 UJ	4800 UJ	5000 UJ	5100 UJ	6300 N1
Dimethylphthalate	131-11-3	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
Acenaphthylene	208-96-8	1100 ยม	1100 נע	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 NI	1000 UJ	1000 UJ	1300 UJ
3-Nitroaniline	99-09-2	5400 UJ	5400 บ.	5100 เม	5100 บ.เ	5200 UJ	5400 UJ	4800 UJ	5000 UJ	5100 บม	6300 N1
Acenaphthene	83-32-9	1100 UJ	1100 UJ	1000 มม	1100 UJ	1100 ปม	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
2,4-Dinitrophenol	51-28-5	5400 บ.เ	5400 เป	5100 ยม	5100 UJ	5200 บม	5400 UJ	4800 UJ	5000 UJ	5100 UJ	6300 กา
4-Nitrophenol	100-02-7	5400 UJ	5400 มูง	5100 UJ	5100 มม	5200 UJ	5400 UJ	4800 UJ	5000 UJ	5100 บม	6300 UJ

ANALYTE CAS# BOOFK6 BOOFK7 BOOFK8 BOOFK9 BOOFL0 BOOFL1 BOOFL3 BOOFL4 BOOFL4 TYPE Reg Reg Reg Reg Reg Reg Reg Reg Blank Reg POND 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A	R9 B00GS4
POND 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A 3A	lun Red
DEPTH 6.5 8.5 10.5 13 14.5 16 28 EXTRACTION DATE 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/28/91	MP Nes
EXTRACTION DATE 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/24/91 2/28/9	A 3A
AMALYSIS DATE 2/28/91	8 52.5
Dibenzofuran 132-64-9 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1000 UJ	91 2/24/91
2,4-Dinitrotoluene 121-14-2 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 1000 UJ 1000 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1000 91 3/1/91	
2,4-Dinitrotoluene 121-14-2 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 1000 UJ 1000 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1000	
2,6-Dinitrotoluene 606-20-2 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 1000 UJ	บ.ม 1300 บ.
2,0 billiot declarity	UJ 1300 U.
Diethylphthalate 84-66-2 1100 UJ 170 J 1000 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 1000	UJ 1300 U.
	UJ 210 .
4-Chlorophenyl-phenylether 7005-72-3 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	บJ 1300 ย.
Fluorene 86-73-7 1100 UJ 1100 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	บม 1300 บ.
4-พîtroaniline 100-01-6 5400 นม 5400 นม 5100 นม 5100 นม 5200 นม 5400 นม 5400 นม 5000 นม 510	บา 6300 ก
4,6-Dinitro-2-methylphenol 534-52-1 5400 UJ 5400 UJ 5100 UJ 5100 UJ 5200 UJ 5400 UJ 4800 UJ 5000 UJ 510	กา 6300 ก
N-Nitrosodiphenylamine 86-30-6 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	UJ 1300 U.
4-Bromophenyl-phenylether 101-55-3 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	บม 1300 น
Hexachlorobenzene 118-74-1 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	UJ 1300 U
Pentachlorophenol 87-86-5 5400 UJ 5400 UJ 5100 UJ 5100 UJ 5200 UJ 5400 UJ 4800 UJ 5000 UJ 510	N 9300 A
Phenanthrene 85-01-8 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	UJ 1300 U
Anthracene 120-12-7 1108 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	บ.ม 1300 U
Di-n-Butylphthalate 84-74-2 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 990 UJ 100	UJ 1300 U
Fluoranthene 206-44-0 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	UJ 1300 U
Pyrene 129-00-0 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	ม 13 00 U
Butylbenzylphthalate 85-68-7 1100 UJ 1100 UJ 1000 UJ 1100 UJ 1100 UJ 1100 UJ 990 UJ 1000 UJ 100	

(Page 3 of 16)

5

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	B00FK6	BOOFK7	B00FK8	B00FK9	B00FL0	B00FL1	BOOFL3	B00FL4	B00GR9	B00GS4
	TYPE	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Fdup	Reg
	POND	3A									
	DEPTH	6.5	8.5	10.5	13	14.5	16		28	28	52.5
	EXTRACTION DATE	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91	2/24/91
	ANALYSIS DATE	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	2/28/91	3/1/91
3,31-Dichlorobenzidine	91-94-1	2200 UJ	2200 UJ	2100 UJ	2100 UJ	2100 UJ	2200 UJ	2000 UJ	2100 UJ	2100 UJ	1300 UJ
Benzo(a)anthracene	56-55-3	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 บา	990 UJ	1000 UJ	1000 UJ	1300 UJ
bis(2-ethylhexyl)phthalat	e 117 - 81-7	1100 UJ	1100 UJ	1100 UJ	1100 ยม	1100 UJ	1100 UJ	990 N1	1000 UJ	1000 UJ	1400 UJ
Chrysene	218-01-9	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 มม	1000 UJ	1300 UJ
Dî-n-octylphthalate	117-84-0	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 บม	1100 UJ	990 NY	נט 1000	1000 UJ	1300 UJ
Benzo(b)fluoranthene	205-99-2	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
Benzo(k)fluoranthene	207-08-9	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
Benzo(a)pyrene	50-32-8	1100 UJ	1100 UJ	עט 1000	נט 1100	1100 UJ	1100 UJ	990 UJ	1000 UJ	1000 UJ	1300 UJ
Indeno(1,2,3-cd)pyrene	193-39-5	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 UJ	1000 ப	1000 มม	1300 UJ
Dibenz(a,h)anthracene	53-70-3	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 NT	1000 UJ	1000 UJ	1300 บม
Benzo(g,h,i)perylene	191-24-2	1100 UJ	1100 UJ	1000 UJ	1100 UJ	1100 UJ	1100 UJ	990 NI	1000 UJ	1000 UJ	1300 UJ
OTHER WAC-173-303-9905 DA CONSTITUENTS?	NGEROUS WASTE	No	Мо	Но	No	Но	?	No	No	?	No
Total TICs		7	7	8	6	8	8	2	7	9	8
TICs without laboratory "	B" flags	3	3	4	2	5	5	0	4	6	4

WHC-SD-EN-AP-104

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	BOOGS5	B00GS9	BOOGT7	B00GV5	B00GV6	B00GV7	BO0GV8	B00GV9	BOOGWO	800GW1
	TYPE	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
	POND	3A	3A	3а	3A	3B	3B	38	3B	3B	38
	DEPTH	52.5	66.5	97	143.5	1	3.5	5.5	~~~	7.5	9.5
	EXTRACTION DATE	2/24/91	2/24/91	2/27/91	3/7/91	3/7/91	3/7/91	3/7/91	3/12/91	3/12/91	3/12/91
	ANALYSIS DATE	3/1/91	3/1/91	3/5/91	3/12/91	3/12/91	3/12/91	3/12/91	3/14/91	3/14/91	4/2/91
Phenol	108-95-2	450 U	1100 มม	1000 บป	990 N1	990 U	990 U	1000 U	990 U	990 U	1000 UJ
bis(2-chloroethyl)ether	111-44-4	450 ม	1100 UJ	1000 UJ	990 UJ	990 U	990 u	1000 U	990 U	990 U	1000 มม
2-Chi orophenol	95-57-8	450 U	1100 UJ	1000 เป	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
1,3-Dichlorobenzene	541-73-1	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
1,4-Dichlorobenzene	106-46-7	450 บ	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Benzyl Atcohol	100-51-6	450 U	1100 UJ	1000 ยม	990 N1	990 U	990 U	1000 U	990 บ	990 U	1000 UJ
1,2-Dichlorobenzene	95-50-1	450 บ	1100 มม	1000 มา	990 NT	990 U	990 U	1000 บ	990 U	990 U	1000 ሀJ
2-Methylphenol	95-48-7	450 U	1100 UJ	1000 UJ	990 N1	990 U	990 U	1000 U	990 U	990 U	1000 UJ
bis(2-Chloroisopropyl) ether	108-60-1	450 U	1100 UJ	1000 UJ	990 N1	990 U	990 U	1000 U	990 U	990 U	1000 UJ
4-Methylphenol	106-44-5	450 Ц	1100 UJ	עט 1000	590 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
N-Nitrosodipropylamine	621-64-7	450 U	1100 UJ	1000 UJ	990 na	990 U	990 u	1000 U	990 U	990 U	עט 1000
Hexachloroethane	67-72-1	450 U	1100 UJ	1000 UJ	990 N1	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Nitrobenzene	98-95-3	450 U	1100 UJ	1000 UJ	890 UJ	990 U	990 U	1000 U	990 U	990 U	1000 ມຸມ
Isophorone	78-59-1	450 ป	1100 UJ	1000 UJ	990 นา	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2-Nitrophenol	88-75-5	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2,4-Dimethylphenol	105-67-9	450 U	1100 UJ	וט 1000	990 tij	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Benzoic acid	65-85-0	2200 U	830 J	5000 UJ	4800 UJ	290 J	240 J	5100 U	4800 U	4800 U	רח 2000
bis(2-chloroethoxy)methar	ne 111-91-1	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ

(Page 5 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. ($\mu g/Kg$) (Base/Neutral/Acid Compounds)

					T		1				
ANALYTE	CAS#	B00GS5	B00GS9	800GT7	B00GV5	B00GV6	B00GV7	BOOGV8	B00GV9	BOOGHO	B00GW1
	TYPE	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
	POND	3A	3A	3A	3A	38	3B	3B	3B	3в	3в
	DEPTH	52.5	66.5	97	143.5	1	3.5	5.5		7.5	9.5
	EXTRACTION DATE	2/24/91	2/24/91	2/27/91	3/7/91	3/7/91	3/7/91	3/7/91	3/12/91	3/12/91	3/12/91
	ANALYSIS DATE	3/1/91	3/1/91	3/5/91	3/12/91	3/12/91	3/12/91	3/12/91	3/14/91	3/14/91	4/2/91
2,4-Dichtorophenol	120-83-2	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
1,2,4-Trichlorobenzene	120-82-1	450 ย	עט 1100	1000 UJ	990 RJ	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
Naphthalene	91-20-3	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
4-Chloroaniline	106-47-8	450 U	1100 UJ	1000 UJ	3 30 ΠΊ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Hexachlorobutadiene	87-68-3	450 U	1100 UJ	1000 บม	990 N1	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
4-Chloro-3-methylphenol	59-50-7	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2-Methylnaphthalene	91-57-6	450 บ	1100 ບຸງ	1000 UJ	990 ni	990 บ	990 U	1000 U	990 U	990 U	1000 UJ
Hexachlorocyclopentadiene	77-47-4	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2,4,6-Trichlorophenol	88-06-2	450 U	1100 UJ	1800 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2,4,5-Trichlorophenol	95-95-4	2200 U	5200 ÜJ	5000 UJ	4800 UJ	4800 U	4800 U	5100 U	4800 U	4800 U	5000 UJ
2-Chloronaphthalene	91-58-7	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2-Nitroaniline	88-74-4	2200 U	5200 UJ	5000 UJ	4800 UJ	4800 U	4800 U	5100 ป	4800 U	4800 บ	5000 UJ
Dimethylphthalate	131-11-3	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 ม	990 U	1000 UJ
Acenaphthylene	208-96-8	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
3-Nitroaniline	99-09-2	2200 U	5200 UJ	5000 ปป	4800 UJ	4800 U	4800 U	5100 U	4800 U	4800 U	5000 UJ
Acenaphthene	83-32-9	450 U	1100 บม	1000 UJ	990 N1	990 U	990 U	1000 U	990 U	990 ย	1000 UJ
2,4-Dinitrophenol	51-28-5	2200 บ	5200 UJ	5000 UJ	4800 UJ	4800 U	4800 บ	5100 บ	4800 U	4800 U	5000 UJ
4-Nitrophenol	100-02-7	2200 U	5200 UJ	5000 UJ	4800 UJ	4800 U	4800 U	5100 บ	4800 U	4800 U	5000 UJ

(Page 6 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

ANALYTE C	AS#	B00GS5	B00GS9	B00GT7	B00GV5	B00GV6	B00GV7	800GV8	B00GV9	B00GW0	B00GW1
	TYPE	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
	POND	3A	3A	3A	3A	38	3B	3B	3B	38	38
	DEPTH	52.5	66.5	97	143.5	1	3.5	5.5		7.5	9.5
E)	KTRACTION DATE	2/24/91	2/24/91	2/27/91	3/7/91	3/7/91	3/7/91	3/7/91	3/12/91	3/12/91	3/12/91
	ANALYSIS DATE	3/1/91	3/1/91	3/5/91	3/12/91	3/12/91	3/12/91	3/12/91	3/14/91	3/14/91	4/2/91
Dibenzofuran	132-64-9	450 U	1100 UJ	1000 ப	990 NT	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2,4-Dinitrotoluene	121-14-2	450 U	1100 UJ	1000 UJ	990 NJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
2,6-Dinitrotoluene	606-20-2	NA	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	LU 0001
Diethylphthalate	84-66-2	95 J	1100 UJ	1000 UJ	990 UJ.	990 U	990 U	1000 บ	990 U	990 U*	100001*
4-Chlorophenyl-phenylether	7005-72-3	450 U	1100 UJ	1000 UJ	990 NJ	990 U	990 บ	1000 U	990 U	990 U	1000 UJ
Fluorene	86-73-7	450 U	1100 UJ	1000 UJ	650 ก า	990 U	990 U	1000 ป	990 U	990 U	1000 UJ
4-Nitroaniline	100-01-6	2200 ม	5200 เม	5000 UJ	4800 UJ	4800 บ	4800 U	5100 U	4800 U	4800 U	5000 UJ
4,6-Dinitro-2-methylphenol	534-52-1	2200 U	5200 มJ	5000 ยม	4800 UJ	4800 U	4800 U	5100 U	4800 U	4800 U	5000 บม
N-Nitrosodiphenylamine	86-30-6	450 U ¹	1100 UJ	1000 ப	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
4-Bromophenyl-phenylether	101-55-3	450 U	עט 1100	1000 UJ	990 NJ	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
Hexachlorobenzene	118-74-1	450 U	1100 UJ	1000 UJ	990 n1	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Pentachlorophenol	87-86-5	2200 ป	5200 UJ	5000 UJ	4800 UJ	4800 U	4800 ป	5100 ป	4800 U	4800 U	5000 UJ
Phenanthrene	85-01-8	450 U	1100 UJ	1000 บป	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Anthracene	120-12-7	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Di-n-Butylphthalate	84-74-2	450 U*	1100 UJ	1000 UJ	אר 666	2500 ປ	990 U	1000 ປ	1900 U	990 U	1800 บ.
Fluoranthene	206-44-0	450 U	1100 UJ	1000 บJ	990 N1	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Pyrene	129-00-0	450 U	1100 UJ	1000 ப	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Butylbenzylphthalate	85-68-7	450 ป	1100 ப	1000 UJ	990 UJ	990 U	990 U	ט 1000	990 U	990 U	1000 UJ
				المحمسسة مسسسا			لـــــــــــــــــــــــــــــــــــــ				

(Page 7 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	B00GS5	B00GS9	B00GT7	B00GV5	B00GV6	800GV7	B00GVB	B00GV9	B00GW0	800GW1
	ТҮРЕ	Split	Reg	Reg	Reg	Reg	Reg	Reg	Blank	Reg	Reg
	POND	3A	3A	3A	3A	38	3B	38	3B	3B	38
	DEPTH	52.5	66.5	97	143.5	1	3.5	5.5		7.5	9.5
E	XTRACTION DATE	2/24/91	2/24/91	2/27/91	3/7/91	3/7/91	3/7/91	3/7/91	3/12/91	3/12/91	3/12/91
	ANALYSIS DATE	3/1/91	3/1/94	3/5/91	3/12/91	3/12/91	3/12/91	3/12/91	3/14/91	3/14/91	4/2/91
3,3:-Dichlorobenzidine	91-94-1	900 U	2200 UJ	2100 UJ	2000 UJ	2000 U	2000 U	2100 บ	2000 ม	2000 U	5000 NT
Benzo(a)anthracene	56-55-3	450 U	1100 UJ	1000 เม	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
bis(2-ethylhexyl)phthalate	117-81-7	450 U*	1100 ሀച	1000 UJ	990 UJ	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
Chrysene	218-01-9	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 ປ	990 U	990 U	1000 UJ
Di-n-octylphthalate	117-84-0	450 U	1100 ሀፊ	1000 ม	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Benzo(b)fluoranthene	205-99-2	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Benzo(k)fluoranthene	207-08-9	450 U	1100 UJ	1000 บม	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 ມຸງ
Benzo(a)pyrene	50-32-8	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Indeno(1,2,3-cd)pyrene	193-39-5	450 U	1100 UJ	1000 UJ	990 UJ	990 U	9 90 U	1000 ປ	990 U	990 tJ	1000 UJ
Dibenz(a,h)anthracene	53-70-3	450 U	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
Benzo(g,h,i)perylene	191-24-2	450 บ	1100 UJ	1000 UJ	990 UJ	990 U	990 U	1000 U	990 U	990 U	1000 UJ
OTHER WAC-173-303-9905 DAN CONSTITUENTS?	GEROUS WASTE	No	No	No	Но	No	No	No	No	No	No
Total TICs		0	8	13	7	17	9	7	16	11	9
TICs without laboratory "B	" flags	0	4	11	4	9	2	2	8	4	2

Table A-6. B-Pond Phase 3 Semivolatiles. ($\mu g/Kg$) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	B00GW3	B00GW4	BOOGNS	B00GW8	B00GX6	B00GZ2	B00GZ6	800GZ8	вооноо	B00H01
	TYPE	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg	Reg
	POND	3в	3B	3в	3B	3в	38	38	3B	3C	3C
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
	EXTRACTION DATE	3/12/91	3/12/91	3/13/91	3/12/91	3/17/91	3/17/91	3/21/91	4/2/91	3/21/91	3/21/91
	ANALYSIS DATE	4/2/91	3/14/91	4/8/91	4/2/91	4/4/91	4/4/91	4/1/91	4/5/91	4/1/91	4/1/91
Phenol	108-95-2	1000 UJ	1000 ប	370 U	1000 עט	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
bis(2-chloroethyl)ether	111-44-4	1000 UJ	1000 บ	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 JJ	1000 UJ	1000 UJ
2-Chlorophenol	95-57-8	1000 U.i	1000 ປ	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	עט 1000	1000 UJ
1,3-Dichlorobenzene	541-73-1	1000 UJ	1000 U	370 U	1000 UJ	1000 ນຸມ	1000 UJ	1200 UJ	1500 UJ	עט 1000	1000 UJ
1,4-Dichlorobenzene	106-46-7	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 U.
Benzyl Alcohol	100-51-6	1000 มม	1000 U	370 U	1000 UJ	1000 UJ	1000 บม	1200 UJ	1500 บ.เ	1000 UJ	1000 UJ
1,2-Dichlorobenzene	95-50-1	1000 UJ	1000 U	370 บ	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
2-Methylphenol	95-48-7	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 ŮJ	1000 UJ	1000 U.
bis(2-Chloroisopropyl) ether	108-60-1	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 טָּי	1000 UJ	1000 U.
4-Methylphenol	106-44-5	1000 UJ	1000 บ	370 บ	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 มม	1000 UJ	1000 U.
N-Nitrosodipropylamine	621-64-7	1000 UJ	1000 บ	370 U	1000 ປປ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 เม	1000 UJ
Hexachloroethane	67-72-1	1000 UJ	1000 ປ	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 U.
Witrobenzene	98-95-3	1000 UJ	1000 U	370 U	1000 UJ	1000 บม	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 U.
Isophorone	78-59-1	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 U.
2-Nitrophenol	88-75-5	1000 UJ	1000 U	370 U	1000 UJ	1000 บม	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 U.
2,4-Dimethylphenol	105-67-9	1000 UJ	1000 บ	370 U	1000 UJ	1000 บู	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 U.
Benzoic acid	65-85-0	4900 UJ	4900 U	1900 U	5000 UJ	5100 עט	5000 UJ	5800 บม	73000J*	2000 NT	5000 U.
bis(2-chloroethoxy)metha	ne 111-91-1	1000 U.J	1000 ប	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 U.

(Page 9 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. ($\mu g/Kg$) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	B00GW3	B00GH4	B00GW5	B00GW8	B00GX6	B00GZ2	B00GZ6	B00628	вооноо	вооно1
	TYPE	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg.	Reg
	РОИО	3в	3в	3B	3B	3B	38	3в	3 B	3C	3C
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
	EXTRACTION DATE	3/12/91	3/12/91	3/13/91	3/12/91	3/17/91	3/17/91	3/21/91	4/2/91	3/21/91	3/21/91
	ANALYSIS DATE	4/2/91	3/14/91	4/8/91	4/2/91	· 4/4/91	4/4/91	4/1/91	4/5/91	4/1/91	4/1/91
2,4-Dichlorophenol	120-83-2	1000 UJ	1000 ປ	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
1,2,4-Trichlorobenzene	120-82-1	1000 UJ	1000 บ	370 U	1000 UJ	נט 1000	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
Naphthalene	91-20-3	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 ມມ	1000 UJ
4-Chloroaniline	106-47-8	1000 UJ	1000 ປ	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 บ.เ	1000 UJ
Hexachlorobutadiene	87-68-3	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
4-Chloro-3-methylphenol	59-50-7	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 บJ	1500 บ.เ	1000 UJ	1000 บม
2-Methylnaphthalene	91-57-6	1000 UJ	1000 ປ	370 บ	1000 UJ	1000 UJ	1000 มม	1200 UJ	1500 บ.เ	1000 UJ	1000 บม
Hexachlorocyclopentadiene	÷ 77-47-4	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บง	1000 UJ	1000 UJ
2,4,6-Trichtorophenol	88-06-2	1000 UJ	1000 U	370 U	1000 นม	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
2,4,5-Trichlorophenol	95-95-4	4900 UJ	4900 ม	1900 U	5000 UJ	5100 UJ	5000 UJ	5800 UJ	7300 U.J	5000 UJ	5000 UJ
2-Chloronaphthalene	91-58-7	1000 UJ	1000 น	370 U	1000 បរ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
2-Nitroaniline	88-74-4	4900 UJ	4900 U	1900 U	5000 มูง	5100 มม	5000 UJ	5800 UJ	7300 UJ	5000 UJ	5000 UJ
Dimethylphthalate	131-11-3	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Acenaphthylene	208-96-8	1000 มม	1000 ປ	370 U	1000 U.	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
3-Nitroaniline	99-09-2	4900 UJ	4900 U	1900 U	5000 UJ	5100 UJ	5000 UJ	5800 UJ	7300 UJ	5000 UJ	5000 UJ
Acenaphthene	83-32-9	1000 เม	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
2,4-Dinitrophenol	51-28-5	4900 UJ	4900 U	1900 ປ	5000 UJ	5100 บม	5000 UJ	5800 UJ	7300 UJ	5000 UJ	5000 UJ
4-Nitrophenol	100-02-7	4900 UJ	4900 U	1900 บ	5000 มม	5100 UJ	5000 UJ	5800 UJ	7300 UJ	5000 UJ	2000 NT

(Page 10 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. ($\mu g/Kg$) (Base/Neutral/Acid Compounds)

ANALYTE CA	S#	B00GW3	800GW4	800GH5	B00GW8	B00GX6	B00GZ2	B00GZ6	800GZ8	вооноо	вооно1
	TYPE	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg	Reg
	POND	3B	3в	3в	3в	38	38	3в	3в	3c	3c
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
EX	TRACTION DATE	3/12/91	3/12/91	3/13/91	3/12/91	3/17/91	3/17/91	3/21/91	4/2/91	3/21/91	3/21/91
	ANALYSIS DATE	4/2/91	3/14/91	4/8/91	4/2/91	4/4/91	4/4/91	4/1/91	4/5/91	4/1/91	4/1/91
Dibenzofuran	132-64-9	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
2,4-Dinitrotoluene	121-14-2	עט 1000	1000 บ	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
2,6-Dinitrotoluene	606-20-2	נט 1000	1000 U	NA	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Diethylphthalate	84-66-2	1000UJ*	1000 U*	370 U	1000 UJ	1000 UJ	370 J	1200 UJ	1500UJ*	1000 UJ	1000 มม
4-Chlorophenyl-phenylether	7005-72-3	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Fluorene	86-73-7	1000 บม	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	עט 1500	1000 UJ	1000 UJ
4-Nitroaniline	100-01-6	4900 UJ	4900 U	1900 U	5000 UJ	5100 UJ	5000 UJ	5800 UJ	7300 UJ	5000 บม	5000 มม
4,6-Dinitro-2-methylphenol	534-52-1	4900 UJ	4900 U	1900 U	5000 UJ	5100 UJ	5000 UJ	5800 UJ	7300 UJ	5000 UJ	5000 UJ
N-Mitrosodiphenylamine	86-30-6	1000 UJ	1000 U	90 J _J	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
4-Bromophenyl-phenylether	101-55-3	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 มม	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Hexachlorobenzene	118-74-1	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Pentachlorophenol	87-86-5	4900 UJ	4900 U	1900 U	5000 นม	5100 UJ	5000 UJ	2800 UJ	7300 UJ	5000 UJ	5000 UJ
Phenanthrene	85-01-8	1000 UJ	1000 U	370 บ	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Anthracene	120-12-7	1000 UJ	1000 บ	370 U	1000 UJ	1000 UJ	1000 บ.	1200 มม	1500 UJ	1000 เม	1000 UJ
Di-n-Butylphthalate	84-74-2	1000 มม	1000 U	45 J	1500 UJ	1000 UJ	1400 UJ	1200 UJ	4500 UJ	1000 UJ	1000 UJ
fluoranthene	206-44-0	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
Pyrene	129-00-0	1 000 UJ	1000 ປ	370 U	1000 UJ	1000 UJ	1000 มม	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Butylbenzylphthalate	85-68-7	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 บ.เ	1500 UJ	1000 บป	1000 UJ

(Page 11 of 16)

·

Table A-6. B-Pond Phase 3 Semivolatiles. ($\mu g/Kg$) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	B00GW3	800GW4	800GW5	800GW8	B00GX6	B00GZ2	B00GZ6	B00gz8	B00H00	вооно1
	TYPE	Reg	Fdup	Split	Reg	Reg	Reg	Reg	Reg	Reg	Reg
	дкоч	3в	3в	3B	38	3в	3в	3в	3B	3C	3C
	DEPTH	13	13	13	21	61.5	90.5	118.5	123.5	1	3
	EXTRACTION DATE	3/12/91	3/12/91	3/13/91	3/12/91	3/17/91	3/17/91	3/21/91	4/2/91	3/21/91	3/21/91
	ANALYSIS DATE	4/2/91	3/14/91	4/8/91	4/2/91	4/4/91	4/4/91	4/1/91	4/5/91	4/1/91	4/1/91
3,31-Dichlorobenzidine	91-94-1	2000 UJ	2000 U	740 U	2000 UJ	2100 บม	2100 UJ	2400 UJ	3000 N7	2100 UJ	2100 UJ
Benzo(a)anthracene	56-55-3	1000 ยม	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 ยม	1000 UJ
bis(2-ethylhexyl)phthalate	e 117-81-7	1000 UJ	1000 U	54 J	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1200 UJ	1600 UJ
Chrysene	218-01-9	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
Di-n-octylphthalate	117-84-0	1000 UJ	1000 U	370 U	1000 ບຸງ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 บร
Benzo(b)fluoranthene	205-99-2	1000 UJ	1000 บ	370 U	1000 ยม	1000 UJ	1000 UJ	1200 UJ	1500 ยม	1000 UJ	1000 UJ
Benzo(k)fluoranthene	207-08-9	1000 นม	1000 ປ	370 U	1000 UJ	1000 UJ	1000 มJ	1200 UJ	1500 ม	1000 UJ	1000 UJ
Benzo(a)pyrene	50-32-8	1000 UJ	1000 U	370 บ	1000 UJ	1000 มม	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Indeno(1,2,3-cd)pyrene	193-39-5	1000 UJ	1000 U	370 u	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 UJ	1000 UJ	1000 UJ
Dibenz(a,h)anthracene	53-70-3	1000 UJ	1000 U	370 U	1000 UJ	1000 UJ	1000 UJ	1200 UJ	1500 บม	1000 UJ	1000 UJ
Benzo(g,h,i)perylene	191-24-2	1000 UJ	1000 U	370 U	1000 UJ	1080 UJ	1000 UJ	1200 UJ	1500 UJ	1000 บ.เ	1000 UJ
OTHER WAC-173-303-9905 DAI CONSTITUENTS?	NGEROUS WASTE	No	No	No	No	No	No	Но	No	No	No
Total TICs		6	11	5	13	14	17	11	20	16	17
TICs without laboratory "	B" flags	0	4	5	7	5	9	1	1	5	-0

ANALYTE	CAS#	B00H02	B00H03	вооно4	вооно5	B00H06	800H07	B00H14	B00H10	B00H19	B00H23
	TYPE	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	POND	3с	3c	3C	3C	3c	3C	ЗС	3c	3c	3c
	DEPTH	5	7	9	9	11.5	11.5	30	•	60	80
	EXTRACTION DATE	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91
	ANALYSIS DATE	4/1/91	4/5/91	4/5/91	4/5/91	4/5/91	4/26/91	4/5/91	4/5/91	4/5/91	4/5/91
Phenol	108-95-2	1300 UJ	1000 UJ	1000 UJ	1000 UJ	נט 1000	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
bis(2-chloroethyl)ether	111-44-4	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
2-Chlorophenol	95-57-8	1300 UJ	LU 0001	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	590 UJ	1100 UJ	1300 U
1,3-Dichlorobenzene	541-73-1	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	590 NY	1100 UJ	1300 U
1,4-Dichtorobenzene	106-46-7	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 บ	1100 UJ	990 N1	1100 UJ	1300 U
Benzyl Alcohol	100-51-6	1300 ชม	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 บ	1100 UJ	990 N1	1100 UJ	1300 U
1,2-Dichlorobenzene	95-50-1	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	880 N1	1100 UJ	1300 U
2-Methylphenol	95-48-7	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	590 NI	1100 UJ	1300 U
bis(2-Chloroisopropyl) ether	108-60-1	1300 D1	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	390 N1	1100 UJ	1300 U
4-Methylphenol	106-44-5	1300 UJ	1000: UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 N1	1100 UJ	1300 U
N-Nitrosodipropylamine	621-64-7	1300 UJ	1000 มา	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 N1	1100 UJ	1300 U
Hexachloroethane	67-72-1	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 N1	1100 UJ	1300 U
Nitrobenzene	98-95-3	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	690 n1	1100 UJ	1300 U
Isophorone	78-59-1	1300 UJ	1000 UJ	1000 UJ	נט 1000	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
2-Nitrophenol	88-75-5	1300 UJ	1000 UJ	1000 ยม	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
2,4-Dimethylphenol	105-67-9	1300 UJ	1000 UJ	1000 UJ	1000 បរ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Benzoic acid	65-85-0	6300 N1	5000UJ*	5100UJ*	5000UJ*	5100UJ*	1700 U	5300UJ*	4800บJ*	5100UJ*	6200 U*
bis(2-chloroethoxy)methar	ne 111-91-1	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U

(Page 13 of 16)

, B

, <u>‡</u>

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	B00H02	вооноз	вооно4	вооно5	вооно6	B00H07	B00H14	B00H10	B00H19	B00H23
	TYPE	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	POND	3C	3C	3C	3C	3C	3C	3C	3C	3C	3C
	DEPTH	5	7	9	9	11.5	11.5	30		60	80
	EXTRACTION DATE	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91
	ANALYSIS DATE	4/1/91	4/5/91	4/5/91	4/5/91	4/5/91	4/26/91	4/5/91	4/5/91	4/5/91	4/5/91
2,4-Dichlorophenol	120-83-2	1300 UJ	1000 UJ	1000 אַנו	1000 UJ	1000 UJ	340 U	1100 UJ	230 n1	1100 UJ	1300 ย
1,2,4-Trichlorobenzene	120-82-1	1300 บม	1000 UJ	1000 นJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Naph thal ene	91-20-3	1300 UJ	1000 UJ	עט 1000	1000 UJ	1000 UJ	340 U	1100 UJ	880 N1	1100 UJ	1300 U
4-Chloroaniline	106-47-8	1300 บ.	1000 UJ	1000 UJ	1000 ເປ	1000 UJ	340 U	1100 UJ	990 n1	1100 บง	1300 U
Hexachlorobutadiene	87-68-3	1300 UJ	1000 UJ	1000 UJ	1000 มJ	1000 UJ	340 U	1100 UJ	990 N1	1100 UJ	1300 U
4-Chloro-3-methylphenol	59-50-7	1300 บ.	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 ป	1100 UJ	990 na	1100 บม	1300 U
2-Methylnaphthalene	91-57-6	1300 UJ	1000 UJ	1000 ມມ	1000 UJ	1000 UJ	340 U	1100 เม	990 UJ	1100 UJ	1300 U
Hexachlorocyclopentadiene	e 77-47-4	1300 UJ	1000 UJ	1000 עט	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 บ
2,4,6-Trichlorophenol	88-06-2	1300 UJ	1000 UJ	1000 UJ	1000 ԱՍ	1000 UJ	340 U	1100 UJ	990 UJ	1100 บม	1300 U
2,4,5-Trichlorophenol	95-95-4	6300 UJ	5000 UJ	5100 UJ	5000 UJ	5100 มม	1700 U	5300 ยป	4800 UJ	5100 เม	6200 U
2-Chloronaphthalene	91-58-7	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 บ	1100 UJ	990 UJ	נט 1100	1300 U
2-Nitroaniline	88-74-4	6300 N1	5000 UJ	5100 ับJ	5000 UJ	5100 UJ	1700 U	5300 UJ	4800 UJ	5100 UJ	6200 U
Dimethylphthalate	131-11-3	1300 UJ	1000 ບຸມ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Acenaphthylene	208-96-8	1300 เม	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 ಟ	1300 U
3-Nitroaniline .	99-09-2	6300 N1	5000 บม	5100 UJ	5000 UJ	5100 UJ	1700 U	5300 เม	4800 UJ	5100 UJ	6200 บ
Acenaphthene	83-32-9	1300 ยา	1000 UJ	1000 UJ	1000 บ.เ	1000 UJ	340 บ	1100 UJ	990 UJ	1100 UJ	1300 U
2,4-Dinitrophenol	51-28-5	6300 เม	5000 UJ	5100 UJ	5000 או	5100 UJ	1700 บ	5300 UJ	4800 เม	5100 UJ	6200 U
4-Nitrophenol	100-02-7	6300 N1	5000 มม	5100 UJ	5000 UJ	5100 UJ	1700 U	5300 ผม	4800 เม	5100 UJ	6200 ม
											

Table A-6. B-Pond Phase 3 Semivolatiles. (μ g/Kg) (Base/Neutral/Acid Compounds)

			(,	•		· ·					
ANALYTE (CAS#	B00H0S	B00H03	B00K04	вооно5	вооно6	вооно7	B00H14	B00H10	B00H19	воон23
	TYPE	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	POND	3c	3c	3c	3c	3C	3c	3c	3c	3c	3c
	DEPTH	5	7	9	9	11.5	11.5	30		60	80
£	XTRACTION DATE	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91
	ANALYSIS DATE	4/1/91	4/5/91	4/5/91	4/5/91	4/5/91	4/26/91	4/5/91	4/5/91	4/5/91	4/5/91
4			.,								
Dibenzofuran	132-64-9	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 บม	1300 ປ
2,4-Dinitrotoluene	121-14-2	1300 บม	1000 บม	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
2,6-Dinitrotoluene	606-20-2	1300 UJ	1000 UJ	1000 עט	1000 UJ	1000 UJ	NA	1100 UJ	3 30 กา	1100 UJ	1300 U
Diethylphthalate	84-66-2	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000UJ*	340 U	11000J*	990 nn	1100 UJ	1300 ⊔*
4-Chiorophenyl-phenylether	7005-72-3	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Fluorene	86-73-7	1300 UJ	1000 ម.រ	1000 ນຸງ	1000 UJ	1000 ப	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
4-Nitroaniline	100-01-6	6300 มา	5000 นม	5100 UJ	5000 UJ	5100 UJ	1700 U	5300 UJ	4800 UJ	5100 UJ	6200 U
4,6-Dinitro-2-methylphenol	534-52-1	6300 NT	5000 UJ	5100 บม	5000 ปม	5100 UJ	1700 U	2300 NT	4800 tij	5100 บป	6200 U
N-Nitrosodiphenylamine	86-30-6	1300 UJ	1000 UJ	1000 UJ	1000 ยม	1000 UJ	340 U ¹	1100 UJ	990 na	1100 UJ	1300 U
4-Bromophenyl-phenylether	101-55-3	1300 UJ	1000 บม	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Hexachlorobenzene	118-74-1	1300 UJ	1000 UJ	1000 UJ	1000 บ.	1000 UJ	340 U	1100 UJ	990 na	1100 UJ	1300 U
Pentachlorophenol	87-86-5	6300 นา	5000 มม	5100 UJ	5000 ปร	5100 UJ	1700 U	5300 UJ	4800 UJ	5100 บม	6200 U
Phenanthrene	85-01-8	1300 UJ	1000 UJ	1000 UJ	1000 បរ	1000 UJ	340 U	1100 UJ	990 na	1100 UJ	1300 U
Anthracene	120-12-7	1300 UJ	1000 มม	1000 UJ	נט 1000	1000 UJ	340 บ	1100 UJ	990 UJ	1100 UJ	1300 U
Di-n-Butylphthalate	84-74-2	2000 เม	1500 UJ	2500 UJ	נט 2100	3100 UJ	340 U	2500 UJ	1100 UJ	2200 UJ	3700 U
Fluoranthene	206-44-0	1300 UJ	1000 บม	1000 UJ	1000 เม	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Pyrene	129-00-0	1300 มม	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Butylbenzylphthalate	85-68-7	1300 UJ	עט 1000	1000 UJ	1000 עט	1000 UJ	340 U	1100 UJ	590 UJ	1100 UJ	1300 U

(Page 15 of 16)

Table A-6. B-Pond Phase 3 Semivolatiles. $(\mu g/Kg)$ (Base/Neutral/Acid Compounds)

ANALYTE	CAS#	вооно2	вооноз	800H04	в00н05	B00H06	вооно7	B00H14	B00H10	B00H19	B00H23
AUX-112	TYPE	Reg	Reg	Reg	Fdup	Reg	Split	Reg	Blank	Reg	Reg
	POND	3c	3C	3c	3C	3c	3C	3c	3c	3C	3C
<u></u>	DEPTH	5	7	9	9	11.5	11.5	30		60	80
 	XTRACTION DATE	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91	3/21/91	4/2/91	4/2/91	4/2/91	4/2/91
	ANALYSIS DATE	4/1/91	4/5/91	4/5/91 #	4/5/91	4/5/91	4/26/91	4/5/91	4/5/91	4/5/91	4/5/91
				*							
3,31-Dichlorobenzidine	91-94-1	2600 UJ	2100 UJ	2100 UJ	2100 UJ	2100 UJ	690 U	2200 UJ	2000 UJ	2100 UJ	2500 U
Benzo(a)anthracene	56-55-3	1300 UJ	1000 UJ	1000 ผม	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
bis(2-ethylhexyl)phthalate	117-81-7	1400 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Chrysene	218-01-9	1300 UJ	1000 UJ	1000 มม	1000 U.J	נט 1000	340 U	1100 UJ	990 na	1100 UJ	1300 U
Di-n-octylphthalate	117-84-0	1300 UJ	1000 UJ	ען 1000	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Benzo(b)fluoranthene	205-99-2	1300 UJ	1000 ม.เ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Benzo(k)fluoranthene	207-08-9	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Benzo(a)pyrene	50-32-8	1300 UJ	1000 UJ	1000 UJ	1000 เม	1000 บม	340 U	1100 UJ	990 N1	1100 UJ	1300 U
Indeno(1,2,3-cd)pyrene	193-39-5	1300 UJ	LU 0001	1000 UJ	1000 បរ	1000 UJ	340 U	1100 UJ	990 N1	1100 UJ	1300 ປ
Dibenz(a,h)anthracene	53-70-3	1300 UJ	1000 UJ	1000 UJ	1000 ยม	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 U
Benzo(g,h,i)perylene	191-24-2	1300 UJ	1000 UJ	1000 UJ	1000 UJ	1000 UJ	340 U	1100 UJ	990 UJ	1100 UJ	1300 บ
OTHER WAC-173-303-9905 DANG CONSTITUENTS?	GEROUS WASTE	No	No	No	No	No	No	Но	No	No	No
Total TiCs		18	21	21	20	21	5	21	21	19	20
TICs without laboratory "B'	" flags	1	4	3	2	2	5	4	4	2	4

Rev.

U The analyte was undetected at the stated limit.

J The associated value is an estimated quantity.

^{*} NOTE: Analyte was qualified as non-detected at the adjusted CRQL due to traces in immediate laboratory blank and sample however, other samples analyzed at that laboratory are reported in this table at sub-CRQL concentrations.

Cannot be separated from Diphenylamine.

Reasons for Westinghouse Hanford Company Qualification— Semivolatile Organic (Base/Neutral/Acid) Compounds

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--All samples were flagged as estimated, "J". The following samples were qualified "J" based on extraction outside 7-day criteria established for water. (All samples were analyzed within 40 days of extraction.)

BOOFK6	BOOGR9	BOOGX6	B00H04
BOOFK7	BOOGS4	BOOGZ2	B00H05
BOOFK8	BOOGS9	BOOGZ6	B00H06
BOOFK9	BOOGT7	BOOGZ8	B00H10
B00FL0	BOOGV5	В00Н00	B00H14
BOOFL1	BOOGW1	B00H01	B00H19
BOOFL3	BOOGW3	B00H02	
BOOFL4	BOOGW8	B00H03	

LABORATORY BLANK--The target compounds diethyl phthalate bis(2-ethylhexyl) phthalate, di-n-butyl phthalate and benzoic acid were detected in laboratory blanks. This resulted in an undetected qualification, "U", of one or more of those analytes detected at similar concentrations in the following:

BOOFK6	BOOGS9	BOOGW4	B00H04
BOOFK7	BOOGT7	BOOGW8	B00H05
BOOFK8	BOOGV5	B00GX6	B00H06
BOOFK9	BOOGV6	BOOGZ2	B00H10
BOOFLO	BOOGV7	BOOGZ6	B00H14
BOOFL1	BOOGV8	B00GZ8	B00H19
BOOFL3	BOOGV9	B00H00	B00H23
BOOFL4	BOOGWO	B00H01	
BOOGR9	BOOGW1	B00H02	
BOOGS4	BOOGW3	B00H03	

Blank qualification criteria were also applied to compounds reported as TICs. The TICs were not reported when present in similar concentrations in the immediately associated laboratory blank.

Split Samples:

LABORATORY BLANKS--The compounds di-n-butylpthalate, fluoranthene, pyrene, butylbenzylphthalate, and bis(2-ethylhexyl)phthalate were detected at sub-CRQL levels in the laboratory blank associated with BOOGS5. Similar levels in sample BOOGS5 were qualified "U" at the quantitation limit.

Additional notes :

S

N

9

The split samples B00GS5, B00GW5, and B00H07 had a pH reported in conjunction with the semivolatile analysis. Reported values were 7.1, 7.2, and 6.3, respectively.

A listing of semivolatile TICs follows in Table A-7.

Table A-7. B-Pond Phase 3 Semivolatile Tentatively Identified Compounds. Laboratory Reported Compounds Not in the Associated Lab Blank (6 sheets)

SAMPLE	REPORTED COMPOUND	CAS#	CONCENTRATION
B00FK6	Dioctyl Adipate	123-79-5	630 J
	Unknown		1400 J
	Unknown		960 J
BOOFK7	Benzaldehyde, 5-hydroxy-3-metho	121-33-5	550 J
	2-Pyrrolidinone, 1-methyl-	872-50-4	610 J
	Unknown		900 J
800FK8	Unknown Hydrocarbons		5400 J
	Unknown Hydrocarbons		1100 J
	Unknown		1500 J
	Unknown		500 J
B00FK9	Octanoic Acid	124-07-2	460 J
	Unknown		1400 J
BOOFLO	Unknown Hydrocarbon		2800 J
	Unknown Hydrocarbon		810 J
	Unknown		520 J
	Unknown		1500 J
	Unknown		490 J
800FL1	Dimethyl Hydrazine	····	YL 009
	Unknown Hydrocarbon		530 J
	Unknown		1500 J
 	Unknown		1700 J
······································	Unknown		620 J
BOOFL3	None		
B00FL4	Benzaldehyde, 5-hydroxy-3-metho	121-33-5	480 J
	Phosphoric acid, Dioctadecyl e		470 J
	Unknown		1200 J
	Unknown		1600 J

Table A-7. B-Pond Phase 3 Semivolatile Tentatively Identified Compounds. Laboratory Reported Compounds Not in the Associated Lab Blank (6 sheets)

SAMPLE	REPORTED COMPOUND	CAS#	CONCENTRATION
B00GR9	Benzaldehyde, 5-hydroxy-3-metho	121-33-5	450 J
	Dimethyl Hydrazine		460 J
	Unknown		630 J
	Unknown		440 J
	Unknown		790 j
	Unknown		640 J
B00GS4	Phosphoric acid, Dioctadecyl e		1200 J
	Unknown Hydrocarbon		1700 J
	Unknown		1300 J
	Unknown		650 J
B00GS5	None		
800633	NOTE		
B00GS9	Butyl Cellosolve	111-76-2	690 J
	Unknown		470 J
	Unknown		1400 J
	Unknown		490 J
			7000
BOOGT7	Unknown Hydrocarbon		3000 J
	Unknown Phthalate ester		470 J
	Unknown		780 J
	Unknown		2000 J
	Unknown		820 J 2300 J
	Unknown		
	Unknown		550 J 1600 J
	Unknown		1400 J
	Unknown		1400 J
	Unknown		2000 J
			
B00GV5	Unknown		780 J
	Unknown		1400 J
	Unknown		640 J
****	Unknown		790 J

Table A-7. B-Pond Phase 3 Semivolatile Tentatively Identified Compounds. Laboratory Reported Compounds Not in the Associated Lab Blank (6 sheets)

SAMPLE	REPORTED COMPOUND	CAS#	CONCENTRATION
800GV6	2-Pyrrolidinone, 1-methyl-	872-50-4	620 J
	Isoheptdecanol		1800 J
•	Sat'd. Hydrocarbon		1200 J
	Sat'd. Hydrocarbon		1100 J
	Sat'd. Hydrocarbon		570 J
	Sat'd. Hydrocarbon		670 J
	Sat'd. Hydrocarbon		1300 J
	Unknown		1200 J
	Unknown		920 J
B00GV7	Hexadecanoic acid	57-10-3	1500 J
	Tetradecanoic acid, tetradecyl	3234-85-3	
	Total account acray tetradecyt	3234-63-3	520 J
B00GV8	Pentadecanoic acid	1002-84-2	820 J
	Unknown		640 J
			
BOOGV9	Unknown Alkoxy Cpd		1800 J
	Unknown Alkyl Hydrocarbon		1800 J
	Unknown Alkyl Hydrocarbon		440 J
	Unknown Phthalate ester		890 J
	Unknown		400 J
	Unknown		4800 J
	Unknown		490 J
···	Unknown		850 J
800GW0	Unknown Alkyl Hydrocarbon		470 J
	Unknown Alkyl Hydrocarbon		1200 J
	Unknown Alkyl/Alkoxy Cpd		990 J
	Unknown Alkyl/Alkoxy Cpd		2300 J
B00GW1	Unknown Alkoxy Cpd		860 J
	Unknown Alkyl Hydrocarbon		1500 J
PANCUZ	Vana		
800GW3	None		
		1	

Table A-7. B-Pond Phase 3 Semivolatile Tentatively Identified Compounds.
Laboratory Reported Compounds Not in the Associated Lab Blank
(6 sheets)

TION
00 J
1 00
60 J
40 J
00 J
00 JA
0 JA
00 J
00 J
70 J
100 J
50 J
10 J
900 J
50 J
70 J
00 J
'40 J
00 J
00 J
30 J
00 J
00 J
50 J
00 1
00 J
00 J
20 J
900 1
80 J
8 3 4 5

Table A-7. B-Pond Phase 3 Semivolatile Tentatively Identified Compounds.

Laboratory Reported Compounds Not in the Associated Lab Blank

(6 sheets)

SAMPLE	REPORTED COMPOUND	CAS#	CONCENTRATION
B00GZ6	Unknown		1400 J
BOOGZ8	Unknown Alkyl Hydrocarbon		2600 J
800н00	Unknown Hydrocarbon		1200 J
	Unknown Hydrocarbon		3800 J
	Unknown Hydrocarbon		1600 J
	Unknown Hydrocarbon		910 J
	Unknown		590 J
 			
вооно1	None		·········
·			
B00H02	Unknown		790 J
вооноз	bis(2-Methoxyethyl)ester	117-82-8	L _. 068
	Propanoic acid, 2-methyl-, 1-(1	74381-40-1	2600 J
	Unknown Alkyl Hydrocarbon		900 J
	Unknown Hydrocarbon		1200 J
B00H04	Propanoic acid, 2-methyl-, 1-(1	74381-40-1	4100 J
	Unknown Hydrocarbon		960 J
	Unknown		1100 J
вооно5	bis(2-Methoxyethyl)ester	117-82-8	790 J
	Propanoic acid, 2-methyl-, 1-(1	74381-40-1	2300 J
вооно6	Unknown Alkyl Hydrocarbon		1000 J
	Unknown Hydrocarbon		940 J
вооно7	Adipate		L 0009
	Aldol condensate		200 JA
	Phthalate		100 J
	Unknown Hydrocarbon		200 J
	Unknown		200 J
			• • • • • • • • • • • • • • • • • • • •

Table A-7. B-Pond Phase 3 Semivolatile Tentatively Identified Compounds. Laboratory Reported Compounds Not in the Associated Lab Blank (6 sheets)

SAMPLE	REPORTED COMPOUND	CAS#	CONCENTRATION
B00H14	Propanoic acid, 2-methyl-, 2,2-D		1200 J
	Unknown Hydrocarbon		780 J
	Unknown		800 J
	Unknown		890 J
воон10	Propanoic acid, 2-methyl-, 1-(1	74381-40-1	1100 J
	Unknown Alkyl Hydrocarbon		550 J
	Unknown		550 J
	Unknown		2100 J
B00H19	bis(2-Methoxyethyl)ester	117-82-8	880 J
	Propanoic acid, 2-methyl-, 1-(1	74381-40-1	3300 J
B00H23	bis(2-Methoxyethyl)ester	117-82-8	1200 J
	Unknown Hydrocarbon		1100 J
	Unknown Hydrocarbon		1100 J
	Unknown		1100 J

J The associated value is an estimated quantity.

Table A-8a. Analytes by Inductively Coupled Plasma, Aluminum-Calcium. ($\mu g/g$)

SAMPLE	TYPE	POND	APPROX. DEPTH	Al	Sb		Ва		Ве		В		cd		Ca
800FK6	Reg	3A	6.5	6600	5.6	U	72		0.36		4.5		0.98		3400
BOOFK7	Reg	3A	8.5	6900	5.4	U	81		0.43		8.6		1.2		5300
BOOFK8	Reg	3A	10.5	3800	5.1	U	61		0,36		3.2		1.6		8100
воогк9	Reg	3A	13	4500	4.8	U	55		0.31	-	4.8		0.85		8400
BOOFLO	Reg	. 3A	14.5	5200	1 5.1	U	69		0.53		3.5		1.2		9200
800FL1	Reg	3A	16	5600	5.4	U	75		0.40		7.4	_	1.3		12000
BOOFL3	Blank	3A		130	5.0	U	1.6		0.03	U	3.7		0.30	U	36
BOOFL4	Reg	3A	28	4700	5.1	U	67		0.38		4.7		0.54		9300
BOOGR9	Fdup	3A	28	3900	5.1	U	54		0.34		5.3		0.72		6900
BOOGS0	Reg	3A	31.5	ЫA	NA		NA		HA		NA		НА		NA
800GS1	Reg	3A	36.5	6100	5.2	U	71		0.41		0.42	IJ	1.6		12000
BOOGS2	Reg	3A	42	5200	6.5		65		0.35		0.39	U	0.99		7700
BOOGS3	Reg	3A	46.5	5300	5.2	U	7 2		0.35		0.42	U	0.69		9300
BOOGS4	Reg	3A	52.5	8700	5.5	U	91		0.50		1.3		0.33	U	14000
BOOGS5	Split	3A	52.5	4020	4.0	เกา	75		0.34	8	NA		0.762	U	11600
BOOGS8	Reg	3a	57	4800	4.9	Ü	66		0.31		0.39	U	0.34		6700
800GS9	Reg	3A	66.5	5500	5.9		75		0.35		0.41	ប	0.31	U	8000
BOOGT1	Reg	3A	77	9600	5.7	IJ	83		0.37		0.46	Ü	0.34	U	11000
BOOGT3	Blank	3A	•••	230	4.8	U	4.6		0.029	U	0.38	u	0.29	U	64
BOOGT4	Reg	3A	85.5	6500	5.2	U	56		0.23	\neg	8.2		0.49		7400
BOOGT5	Fdup	3A	85.5	6300	5.2	IJ	52		0.25		8.3		0.58		8300
BOOGT6	Split	3A	85.5	2450	4.8	U	36.3	В	0.21	U	NA		0.83	Ü	5280
BOOGT7	Reg	3A	97	6600	4.8	U	75		0.28		8.2		0.58		6300

(Page 1 of 4)

à i

Table A-8a. Analytes by Inductively Coupled Plasma, Aluminum-Calcium. ($\mu g/g$)

				J 000 = J 0						0 0/0/		
SAMPLE	TYPE	POND	APPROX. DEPTH	Al	Sb		Ba	Ве	В	Cd	Ca	
BOOFK6	Reg	3A	6.5	6600	5.6	U	72	0.36	4.5	0.98	3400	
BOOGT8	Reg	3A	102	7600	14		87	0.35	8.0	0.76	7800	
BOOGVO	Reg	3A	122	6500	4.6	U	71	0.29	8.8	0.28	5800	
BOOGV1	Blank	3A		300	4.6	U	6.4	0.12	5.9	0.27	06	
BOOGV2	Reg	3A	131	7400	Į4.6	C	77	0.30	7.4	0.60	8000	
BOOGV3	Fdup	3A	131	7100	5.2	ับ	110	0.30	9.1	0.64	7600	
BOOGV4	Split	3A	131	2590	3.76	U	43.7	0.28	NA NA	0.79	3450	
BOOGV5	Reg	3A	143.5	6100	8.0		53	0.28	9.3	0.62	6400	
BOOGV6	Reg	3B	1	4500	5.0	U	62	0.32	8.7	0.67	6900	
BOOGV7	Reg	3B	3.5	5200	4.9	Ü	70	0.33	7.6	0.50	7700	
BOOGV8	Reg	3B	5.5	5300	5.1	IJ	87	0.35	8.9	0.31	7700	
800GV9	Blank	38		150	5.0	IJ	2.0	0.03	7.5	0.30	37	
BOOGWO	Reg	3B	7.5	7200	5.3	U	80	0.40	6.1	0.80	13000	
BOOGW1	Reg	38	9.5	5000	5.1	U	64	0.35	6.6	0.80	8700	
BOOGW3	Reg	3B `	13	4600	5.0	U	80	0.35	5.8	1.7	7100	
BOOGW4	Fdup	3B	13	4900	14.8	U	78	0.35	5.8	0.84	7600	
BOOGW5	Split	3B	13	2210	3.89	IJ	58.3	0.20	J HA	0.82	5220	
BOOGW6	Reg	3B	16	7000	5.3	U	75	0.42	8.0	0.90	10000	
8000018	Reg	3B	21	6000	5.1	U	76	0.35	7.2	0.80	7600	
BOOGW9	Reg	3в	28	6500	5.2	U	96	0.38	8.1	0.60	7300	
BOOGX2	Reg	3B	31	5500	5.1	U	65	0.37	6.8	0.96	7200	
BOOGX3	Reg	3B	35.5	5700	5.0	Ü	63	0.33	5.2	1.6	6500	
BOOGX4	Reg	3B	40	5600	5.1	U	75	0.37	4.7	1.7	6800	

(Page 2 of 4)

Table A-8a. Analytes by Inductively Coupled Plasma, Aluminum-Calcium. ($\mu g/g$)

SAMPLE	TYPE	POND	APPROX. DEPTH	Al	Sb		Ва	Ве	В	ca ca	Ca	
BOOFK6	Reg	3A	6.5	6600	5.6	U	72	0.36	4.5	0.98	3400	
BOOGX5	Reg	3B	52	6000	5.1	U	95	0.36	7.1	1.2	6600	
BOOGX6	Reg	3B	61.5	5400	5.1	IJ	75	0.34	4.2	1.5	7700	
BOOGX8	Reg	3B	70.5	7400	5.2	ប	84	0.32	3.7	1.3	8000	
BOOGYO	Blank	3B		200	4.9	U	3.6	0.05	6.0	0.29	U 49	
BOOGY1	Reg	3B	80.5	8400	5.2	U	80	0.29	12	0.66	8700	
BOOGY2	Fdup	3B	80.5	7200	5.2	U	63	0.29	8.7	0.82	8000	
*B00GY9	Split	3B	80.5	2930	12.5	U	43.7	1.0 U	NA	1.0	บ 5160	
BOOGZ2	Reg	3B	90.5	7300	5.1	U	84	0.31	6.9	1.0	7000	\Box
BOOGZ3	Reg	3B	105	6900	5.1	U	66	0.30	5.0	1.1	5800	
B00G26	Reg	3B	118.5	17000	5.8	U	88	0.88	7.6	1.3	5000	
BOOGZ8	Reg	3B	123.5	13000	4.9	ีย	87	0.56	9.5	1.8	3000	
ВООНОО	Reg	3C	1	6000	5.2	IJ	53	0.41	8.3	2.0	11000	
вооно1	Reg	3C	3	6200	5.0	U	50	0.36	5.8	1.0	5900	
вооно2	Reg	3C	5	6500	5.2	บ	60	0.39	7.7	1.2	6900	
вооноз	Reg	3C	7	5400	, 5.0	U	88	0.29	11	2.5	6800	
вооно4	Reg	3C	9	6000	5.0	IJ	92	0.21	12	2.3	7300	
вооно5	Fdup	3C	9	7100	4.9	U	79	0.26	9.4	2.1	7600	
BOOH06	Reg	3C	11.5	4900	5.3	u	76	0.30	12	2.3	6800	
8001107	Split	3C	11.5	2300	4.0	U	57.1	0.36 B	NA	0.8 L	J 4820	\dashv
вооноя	Reg	3с	16	4600	5.2	Ü	170	0.23	14	1.7	5300	
800Н10	Blank	3c		260	4.9	U	3.0	0.066	3.4	0.29	J 75	
воон11	Reg	3C	20.5	4700	5.2	U	69	0.30	0.42 U	1.0	6200	ᅦ

(Page 3 of 4)

SAMPLE TYPE POND APPROX. Αl Sb Вa В Cd Ca DEPTH BOOFK6 3A 6.5 6600 5.6 72 0.36 4.5 0.98 3400 Reg 73 **BOOH14** Reg 3C 30 5600 4.8 U 0.35 4.9 1.7 6800 BOOH15 Reg 3C 36 6000 5.2 IJ 56 0.27 10 1.9 6200 B00H16 3C 40.5 5500 5.3 84 0.26 12 2.3 9400 Req 5.1 B00H17 **Fdup** 3C 40.5 5500 78 0.32 0.41 u 0.62 5800 50 5800 5.3 69 U BOOH18 3C 0.35 0.42 1.7 Reg 7800 BOOH19 3C 60 7000 5.3 U 97 0.29 4.5 1.2 6500 Reg BOOH20 3C 70.5 7300 5.2 U 70 4.0 Reg 0.33 1.7 7400 BOOH21 Blank 3C 150 5.0 2.4 0.04 3.9 0.30 U 92 BOOH23 3C 80 8300 5.2 100 0.37 3.5 7600 Reg 1.3 B00H24 Split 3C 3720 3.59 46.8 0.756 0.21 NA U 4740

Table A-8a. Analytes by Inductively Coupled Plasma, Aluminum-Calcium. ($\mu g/g$)

WHC-SD-EN-AP-104

U The analyte was undetected at the stated limit.

J The associated value is an estimated quantity.

B The reported value is less than the CLP required detection limit, but greater than the instrument detection limit. This concentration flag was only reported with split samples.

^{*} As reported by laboratory--unvalidated by WHC Office of Sample Management. "J" or additional qualification flags may be added. NA Analysis not requested.

Table A-8b. Analytes by Inductively Coupled Plasma, Chromium-Molybdenum. ($\mu g/g$)

SAMPLE	ТҮРЕ	POND	APPROX. DEPTH	Cr		Со		Cu		Fe	Mg	Mn		Мо	
BOOFK6	Reg	3A	6.5	7.4		9.4		10		19000	3900	330	J	1.1	U
BOOFK7	Reg	3A	8.5	6.6		13		15		26000	5300	390	J	1.1	Ü
BOOFK8	Reg	3A	10.5	3.3		15		17		29000	5200	400	J	1.0	U
вооғк9	Reg	3A	13	5.9		12		16		24000	4300	300	J	0.96	U
BOOFLO	Reg	3A	14.5	7.4		14		16	``	29000	4500	360	J	1.0	U
BOOFL1	Reg	3A	16	5.9		14		21		28000	5100	370	J	1.1	IJ
BOOFL3	Blank	3A	•	0.99	U	0.50	U	0.40	U	190	19	4.5	J	0.99	U
BOOFL4	Reg	3A	28	3.5		13		17		28000	4000	360	J	1.0	U
BOOGR9	Fdup	3A	28	4.9		13		14		25000	3600	300	J	1.0	U
BOOGS0	Reg	3A	31.5	NA		NA		NA		NA	NA	NA		NA	
BOOGS1	Reg	3A	36.5	9.6		13		16		27000	6600	410		1.0	U
BOOGS2	Reg	3A	42	7.7		11		16		26000	5300	300		0.97	U
B00GS3	Reg	3A	46.5	3.9		12		17		26000	5100	350		1.0	IJ
BOOGS4	Reg	3A	52.5	8.1		12		20		27000	8700	440		1.1	u
BOOGS5	Split	3A	52.5	0.572	U	10.4		13.8		15700	4670	354	ŗ	NA	
BOOGS8	Reg	3A	57	3.5		12	-	15		24000	4300	300		0.99	U
BOOGS9	Reg	3A	66.5	3.1		12		18		27000	4600	340		1.0	U
BOOGT1	Reg	3A	77	13		8.4		13		19000	6600	360		1.1	U
B00GT3	Blank	3A		0.96	U	0.48	IJ	0.57		890	38	7.5		0.96	U
BOOGT4	Reg	3A	85.5	11	1	7.0		12		16000 J	4700	250	J	1.0	U
BOOGT5	Fdup	3A	85.5	9.4		7.4		13		16000 J	4000	260	J	1.0	U
BOOGT6	Split	3A	85.5	0.63	IJ	3.6	8	4.9	В	5450	1700	140	J	NA	
BOOGT7	Reg	3A	97	12		10		16		20000 J	4300	260	J	1.3	

(Page 1 of 4)

· i

1

Table A-8b. Analytes by Inductively Coupled Plasma, Chromium-Molybdenum. ($\mu g/g$)

														U J		
SAMPLE	TYPE	POND	APPROX. DEPTH	Cr		Co		Cu	Fe		Mg		Mn		Мо	
BOOFK6	Reg	3A	6.5	7.4		9.4		10	19000		3900		330	J	1.1	U
800GT8	Reg	3A	102	16		14		27	29000	J	5500		340	J	1.9	
BOOGV0	Reg	3A	122	9.5		12		16	21000	J	3800		250	J	1.1	
800GV1	Blank	3A		0.91	IJ	0.72		1.4	1300	Ţ	42		13	J	0.91	U
BOOGV2	Reg	3A	131	10		§ 13		23	24000	ſ	3800		290	j	1.5	
BOOGV3	Fđup	3A	131	14		14		22	24000	J	4300		290	j	1.9	
BOOGV4	Split	3A	131	2.9		6.3	В	10.1	9140		2210		151		NA	,
BOOGV5	Reg	3A	143.5	16		14		45	25000	ţ	5100		280	1	2.4	
BOOGV6	Reg	38	1	8.7		12		16	24000	Ĺ	3600		280	J	1.2	
BOOGV7	Reg	38	3.5	8.6		14		17	25000	J	3800		340	J	1.4	
BOOGV8	Reg	3B	5.5	14		13		19	26000	J	4000		350	J	1.5	
800GV9	Blank	3B		1.3		0.50	IJ	5.7	270	ŗ.	22		5.4	J	1.00	Ü
BOOGW0	Reg	38	7.5	9.7		11		19	23000	J	7000		410	J	1.3	
BOOGW1	Reg	3B	9.5	5.1		14		25	28000	J	5000		360	J	1.4	
BOOGW3	Reg	3B	13	14		13		19	27000		4900		300		1.0	U
BOOGW4	Fdup	3B	13	7.2		13		18	25000	J	4200		340	J	0.95	U
BOOGW5	Split	38	13	0.61	Ü	6.1	В	8.6	9620		1990	J	152	i	NA	
BOOGW6	Reg	38	16	8.1		14		17	30000	7	5800		400	L	1.1	บ
BOOGNB	Reg	38	21	6.8		14		18	29000	Ţ	4600		360	1	1.0	U
BOOGW9	Reg	38	28	9.4		15		21	29000	J	4200		340	j	1.0	
BOOGX2	Reg	38	31	7.6		14		17	27000	ŗ	3800		320	j	1.0	
BOOGX3	Reg	3в	35.5	9.6		13		18	24000		3800		270		1.0	U
800GX4	Reg	3в	40	5.9		14		19	27000		4600		310		1.0	U

(Page 2 of 4)

Table A-8b. Analytes by Inductively Coupled Plasma, Chromium-Molybdenum. ($\mu g/g$)

SAMPLE TYPE POND APPROX. DEPTH Cr Co Cu Fe Mg Mn Mo															u- 51		
BOGK5 Reg 38 52 11 13 21 27000 4200 300 1.5	SAMPLE	TYPE	POND		Cr		Co		Cu		Fe		Mg	Mn		Мо	
BOGIX6 Reg 38 61.5 11 12 17 25000 4400 310 1.2	BOOFK6	Reg	3A	6.5	7.4		9.4		10		19000		3900	330	J	1.1	IJ
BOOGX8 Reg 3B 70.5 11 9.5 14 21000 4800 300 1.0	BOOGX5	Reg	3B	52	11		13		21		27000		4200	300		1.5	
BOOGYO Blank 3B 0.98 U 1 0.49 U 1.5 970 J 32 18 J 0.98 BOOGY1 Reg 3B 80.5 19 9.1 26 30000 J 4300 370 J 2.0 BOOGY2 Fdup 3B 80.5 17 8.9 22 29000 J 4400 350 J 1.4 *BOOGY2 Fdup 3B 80.5 2.1 10.4 U 10.9 9600 2530 183 NA BOOGZ2 Reg 3B 90.5 1B 12 33 26000 J 3900 300 J 1.9 BOOGZ3 Reg 3B 105 20 11 19 22000 4600 280 1.4 BOOGZ6 Reg 3B 118.5 25 9.5 19 23000 8400 270 1.2 BOOGZ8 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.	BOOGX6	Reg	3B	61.5	11		12		17		25000		4400	310		1.2	
BOOGY1 Reg 3B 80.5 19 9.1 26 30000 J 4300 370 J 2.0	BOOGX8	Reg	3B	70.5	11		9.5		14		21000		4800	300		1.0	U
BOOGY2 Fetup 3B 80.5 17 8.9 22 29000 J 4400 350 J 1.4 *BOOGY2 Split 3B 80.5 2.1 10.4 U 10.9 9600 2530 183 NA BOOGZ2 Reg 3B 90.5 18 12 33 26000 J 3900 300 J 1.9 BOOGZ3 Reg 3B 105 20 11 19 22000 4600 280 1.4 BOOGZ6 Reg 3B 118.5 25 9.5 19 23000 8400 270 1.2 BOOGZ8 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.99 BOOH00 Reg 3C 1 6.0 13 17 28000 5000 370 1.0 BOOH02 Reg 3C 3 11 11 19 23	воосуо	Blank	3B		0.98	Ŋ	0.49	υ	1.5		970	ſ	32	18	j	0.98	U
*BOOGY9 Split 38 80.5 2.1 10.4 U 10.9 9600 2530 183 NA BOOGZ2 Reg 3B 90.5 18 12 33 26000 J 3900 300 J 1.9 BOOGZ3 Reg 3B 105 20 11 19 22000 4600 280 1.4 BOOGZ6 Reg 3B 118.5 25 9.5 19 23000 8400 270 1.2 BOOGZ8 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.99 BOOHOO Reg 3C 1 6.0 13 17 28000 5000 370 1.0 BOOHOO Reg 3C 3 11 11 11 19 23000 4600 290 1.0 BOOHOO Reg 3C 3 11 11 11 19 23000 4600 290 1.0 BOOHOO Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOHOO Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOHOO Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOHOO Reg 3C 9 20 12 16 22000 5500 300 1.0 BOOHOO Reg 3C 9 20 12 16 22000 5500 300 1.0 BOOHOO Reg 3C 9 20 12 16 22000 5500 300 1.0 BOOHOO Reg 3C 9 20 12 16 22000 5500 300 1.0 BOOHOO Reg 3C 9 20 12 16 22000 5500 300 1.0 BOOHOO Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOHOO Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOHOO Reg 3C 16 4.6 10 13 21000 3700 250 1.0	BOOGY1	Reg	3B	80.5	19		9.1		26		30000	ŗ	4300	370	_	2.0	
BOOG22 Reg 3B 90.5 18 12 33 26000 J 3900 300 J 1.9 BOOG23 Reg 3B 105 20 11 19 22000 4600 280 1.4 BOOG26 Reg 3B 118.5 25 9.5 19 23000 8400 270 1.2 BOOG28 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.99 BOOH00 Reg 3C 1 6.0 13 17 28000 5000 370 1.0 BOOH01 Reg 3C 3 11 11 19 23000 4600 290 1.0 BOOH02 Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOH03 Reg 3C 7 7.6 13 16 25000 4500 320 2.2 <td>BOOGY2</td> <td>Fdup</td> <td>3в</td> <td>80.5</td> <td>17</td> <td></td> <td>8.9</td> <td></td> <td>22</td> <td></td> <td>29000</td> <td>Ļ</td> <td>4400</td> <td>350</td> <td>1</td> <td>1.4</td> <td></td>	BOOGY2	Fdup	3в	80.5	17		8.9		22		29000	Ļ	4400	350	1	1.4	
BOOGZ3 Reg 3B 105 20 11 19 22000 4600 280 1.4 BOOGZ6 Reg 3B 118.5 25 9.5 19 23000 8400 270 1.2 BOOGZ8 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.99 BOOH00 Reg 3C 1 6.0 13 17 28000 5000 370 1.0 BOOH01 Reg 3C 3 11 11 19 23000 4600 290 1.0 BOOH02 Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOH02 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOH04 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOH05 </td <td>*B00GY9</td> <td>Split</td> <td>3B</td> <td>80.5</td> <td>2.1</td> <td></td> <td>10.4</td> <td>U</td> <td>10.9</td> <td></td> <td>9600</td> <td></td> <td>2530</td> <td>183</td> <td></td> <td>NA</td> <td></td>	*B00GY9	Split	3B	80.5	2.1		10.4	U	10.9		9600		2530	183		NA	
ВООДZ6 Reg 3B 118.5 25 9.5 19 23000 8400 270 1.2 ВООДZ8 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.99 ВООНОО Reg 3C 1 6.0 13 17 28000 5000 370 1.0 ВООНО1 Reg 3C 3 11 11 19 23000 4600 290 1.0 ВООНО2 Reg 3C 5 13 14 26 29000 5000 350 1.8 ВООНО3 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 ВООНО4 Reg 3C 9 11 13 18 26000 4500 320 2.2 ВООНО5 Fdup 3C 9 20 12 16 22000 5500 300 1.0 ВООНО5 </td <td>BOOGZ2</td> <td>Reg</td> <td>38</td> <td>90.5</td> <td>18</td> <td></td> <td>12</td> <td></td> <td>33</td> <td></td> <td>26000</td> <td>J</td> <td>3900</td> <td>300</td> <td>J</td> <td>1.9</td> <td>-</td>	BOOGZ2	Reg	38	90.5	18		12		33		26000	J	3900	300	J	1.9	-
BOOGZ8 Reg 3B 123.5 18 7.3 13 17000 6000 270 0.99 BOOH00 Reg 3C 1 6.0 13 17 28000 5000 370 1.0 BOOH01 Reg 3C 3 11 11 19 23000 4600 290 1.0 BOOH02 Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOH03 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOH04 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOH05 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH09 <td>B00GZ3</td> <td>Reg</td> <td>38</td> <td>105</td> <td>20</td> <td></td> <td>11</td> <td></td> <td>19</td> <td></td> <td>22000</td> <td></td> <td>4600</td> <td>280</td> <td></td> <td>1.4</td> <td></td>	B00GZ3	Reg	38	105	20		11		19		22000		4600	280		1.4	
BOOHOO Reg 3C 1 6.0 13 17 28000 5000 370 1.0 BOOHO1 Reg 3C 3 11 11 19 23000 4600 290 1.0 BOOHO2 Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOHO3 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOHO4 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOHO5 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOHO6 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOHO9 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	BOOGZ6	Reg	3B	118.5	25		9.5		19		23000		8400	270		1.2	IJ
BOOH01 Reg 3C 3 11 11 19 23000 4600 290 1.0 BOOH02 Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOH03 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOH04 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOH05 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH07 Spt it 3C 11.5 0.634 U 6 8 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	800GZ8	Reg	3B	123.5	18		7.3		13		17000		6000	270		0.99	U
BOOH02 Reg 3C 5 13 14 26 29000 5000 350 1.8 BOOH03 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOH04 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOH05 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH07 Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	Вооноо	Reg	3C	1	6.0		13		17		28000		5000	370		1.0	U
BOOH03 Reg 3C 7 7.6 13 16 25000 4500 300 1.0 BOOH04 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOH05 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH07 Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	B00H01	Reg	3C	3	11		11		19		23000		4600	290		1.0	U
BOOH04 Reg 3C 9 11 13 18 26000 4500 320 2.2 BOOH05 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH07 Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	воон02	Reg	3C	5	13		14		26		29000		5000	350		1.8	
BOOH05 Fdup 3C 9 20 12 16 22000 5500 300 1.0 BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH07 Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	вооноз	Reg	3C	7	7.6		, 13		16		25000		4500	300		1.0	U
BOOH06 Reg 3C 11.5 4.1 15 17 30000 5000 400 1.1 BOOH07 Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	воон04	Reg	3C	9	11		13		18		26000		4500	320		2.2	
BOOH07 Split 3C 11.5 0.634 U 6 B 9.4 11400 2350 172 NA BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	вооно5	Fdup	3C	9	20		12		16		22000		5500	300		1.0	
BOOH09 Reg 3C 16 4.6 10 13 21000 3700 250 1.0	вооно6	Reg	3C	11.5	4.1		15		17		30000		5000	400		1.1	U
	вооно7	Split	3C	11.5	0.634	Ų	6	В	9.4		11400		2350	172		NA	
BOOH10 Blank 3C 0.98 U 0.49 U 0.39 U 650 44 12 0.98	вооно9	Reg	3C	16	4.6		10		13		21000		3700	250		1.0	U
<u> </u>	воон10	Blank	3C		0.98	U	0.49	U	0.39	U	650		44	12	ï	0.98	U
BOOH11 Reg 3C 20.5 5.7 13 14 25000 3900 300 1.0	ВООН11	Reg	3C	20.5	5.7		13		14		25000		3900	300		1.0	U

(Page 3 of 4)

,

Table A-8b. Analytes by Inductively Coupled Plasma, Chromium-Molybdenum. ($\mu g/g$)

SAMPLE	TYPE	POND	APPROX. DEPTH	Cr		Co		Cu		Fe		Mg		Mn		Мо	
BOOFK6	Reg	3A	6.5	7.4		9.4		10		19000		3900		330	ل	1.1	u
B00H14	Reg	3C	30	5.7		12		17		26000		4100		290		0.97	U
B00H15	Reg	3C	36	7.1		12		15		23000		3700		280		1.0	U
B00H16	Reg	3C	40.5	6.3		13		15		26000		4300		290	·	1.1	U
воон17	Fdup	3C	40.5	11		14		19		25000		4800		310		1.0	U
воон18	Reg	3C	50	7.3		16		17		31000		4900		390		1.2	
B00H19	Reg	3 C	60	11		8.1		15		17000		4200		270		1.3	
воон20	Reg	3C	70.5	11		11		19		23000		4500		290		1.0	U
В00Н21	Blank	3C		7.2		0.50	Ü	0.40	U	270		45		6.9		0.99	U
B00H23	Reg	3C	80	27		12		23		25000		5800		310		1.0	u
воон24	Split	3C	80	8.5	J	8.1	В	12.7		13600	J	3230	J	189	J	NA	

U The analyte was undetected at the stated limit.

J The associated value is an estimated quantity.

B The reported value is less than the CLP required detection limit, but greater than the instrument detection limit.

This concentration flag was only reported with split samples.

* As reported by laboratory--unvalidated by WHC Office of Sample Management. "J" or additional qualification flags may be added. NA Analysis not requested.

Table A-8c. Analytes by Inductively Coupled Plasma, Nickel-Zinc. ($\mu g/g$)

								y coupled				· (A3/3		
SAMPLE	TYPE	POND	APPROX. DEPTH	Ni		К		Sí	Ag		Na	v		Zn
BOOFK6	Reg	3A	6.5	8.5		1400		860	0.67	U	170	45		42
BOOFK7	Reg	3A	8.5	10		1200		540	0.64	U	240	67		51
BOOFK8	Reg	3A	10.5	5.9		590		550	0.61	U	230	81		51
BOOFK9	Reg	3A	13	7.7		560		320	0.58	U	230	59		45
800FL0	Reg	3A	14.5	10		600		500	0.62	Ü	290	86		54
BOOFL1	Reg	3A	16	7.5		840		510	0.64	U	320	81		55
BOOFL3	Blank	3A		0.99	IJ	59	IJ	58	0.59	U	20	0.50	U	2.1
800FL4	Reg	3A	28	6.4		530		370	0.62		220	78		48
BOOGR9	Fdup	3A	28	6.4		530		370	0.61	U	240	78		47
BOOGS0	Reg	3A	31.5	NA		NA		NA	NA		NA	NA.		NA
800GS1	Reg	3A	36.5	15		900		400	1.5		280	68		56
BOOGS2	Reg	3A	42	13		750		330	1.0		270	68		52
BOOGS3	Reg	3A	46.5	12		800		280	1.1		280	68		51
BOOGS4	Reg	3A	52.5	12		1500		480	1.1		250	58		60
BOOGS5	Split	3A	52.5	6.6	В	1110	IJ	NA	0.952	U	131 E	18.2		32.4
BOOGS8	Reg	3A	57	7.1		670		310	0.66		330	62		45
BOOGS9	Reg	3A	66.5	7.0		710		270	0.77		310	74		52
BOOGT1	Reg	3A	77	16		1800		450	0.83		180	41		42
BOOGT3	Blank	3A		0.96	U	57	U	87	0.57	U	16	0.48	ข	0.6
BOOGT4	Reg	3A	85.5	11		1000		440	0.63	IJ	200	38		34
BOOGT5	Fdup	3A	85.5	10		830		550	0.62	u	160	40		33
800GT6	Split	3A	85.5	3.6	В	420	ü	на	0.83	U	90.3 B	7.6	В	12.4
BOOGT7	Reg	3A	97	10		800		470	0.58	IJ	540	52		37

(Page 1 of 4)

.

Table A-8c. Analytes by Inductively Coupled Plasma, Nickel-Zinc. ($\mu g/g$)

			· · · · · · · · · · · · · · · · · · ·					Journe	, , ,				· (//9/9)	
SAMPLE	TYPE	POND	APPROX. DEPTH	Ni		К		Si	Ag	• "	Na		٧	Žn
BDOFK6	Reg	3A	6.5	8.5		1400		860	0.67	IJ	170		45	42
872008	Reg	3A	102	15		1100		560	0.61	U	740		73	51
BOOGVO	Reg	3A	122	11		930		450	0.56	U	490		56	42
BOOGV1	Blank	3A		0.91	IJ	83		82	0.55	U	58		3.1	7.4
BOOGV2	Reg	3A	131	9.8		870		330	0.56	U	810		65	43
BOOGV3	Fdup	3A	131	16		860		510	0.62	U	770		61	43
BOOGV4	Split	3A	131	6.1	8	390	В	NA	0.79	U	341		15.4	., 15.6
BOOGV5	Reg	3A	143.5	24		550		320	0.65	u	600		69	45
BOOGV6	Reg	38	1	8.2		680		340	0.60	U	320		64	48
BOOGV7	Reg	3в	3.5	8.9		660		330	0.58	IJ	360		72	50
BOOGV8	Reg	3B	5.5	13		670		360	0.62	IJ	340		70	52
BOOGV9	Blank	3в		1.4		60	U	110	0.60	U	34		0.50 U	4.1
BOOGW0	Reg	3B	7.5	11		1300		260	0.64	U	210		52	48
BOOGW1	Reg	3B	9.5	8.2		780		280	0.61	U	230		78	50
BOOGW3	Reg	3B	13	11		850		300	0.60	IJ	340		71	46
800GW4	Fdup	3B	13	8.8		670		220	0.57	U	280		76	45
BOOGW5	Split	3B	13	4.3	8	491	В	NA ,	0.82	U	132	В	11.3	17.7
BOOGW6	Reg	38	16	10		870		300	0.63	U	260		82	51
BOOGW8	Reg	3в	21	8.3		740		240	0.61	u	450		76	50
BOOGW9	Reg	3в	28	11		730]	240	0.62	U	560		87	50
BOOGX2	Reg	3B	31	8.9		660		250	0.62	IJ	390		82	49
BOOGX3	Reg	3B	35.5	9.2		710		290	0.60	υ	520		77	44
BOOGX4	Reg	3B	40	10		780		410	0.61	U	420		76	46

(Page 2 of 4)

Table A-8c. Analytes by Inductively Coupled Plasma, Nickel-Zinc. ($\mu g/g$)

								Journa					W9/9/	
SAMPLE	TYPE	POND	APPROX. DEPTH	Ni		K		Si	Ąg		Na		V	Zn
BOOFK6	Reg	3A	6.5	8.5		1400		860	0.67	U	170		45	42
BOOGX5	Reg	3B	52	9.7		910		390	0.62	U	550		72	46
BOOGX6	Reg	3B	61.5	12		770		450	0.61	U	420		68	43
BOOGX8	Reg	3B	70.5	12		1200		400	0.62	U	450		54	40
BOOGY0	Blank	3B		0.99		65		100	0.59	U	51		0.59	3.3
BOOGY1	Reg	3B	80.5	12		970	:	290	0.62	U	610		45	40
BOOGY2	Fdup	38	80.5	14		1100		260	0.65		410		45	36
*B00GY9	Split	3B	80.5	8.3	U	1040	U	на	2.1	C	1040	IJ	15.0	17.3
BOOGZ2	Reg	3в	90.5	13		780		250	0.61	U	710		67	40
BOOGZ3	Reg	3B	105	15		1200		430	0.61	C	500		58	39
B00GZ6	Reg	38	118.5	21		3000		430	0.70	U	210		38	56
BOOGZ8	Reg	3B	123.5	14		2000		290	0.59	U	180		34	43
вооноо	Reg	3C	1	9.4		1100		350	0.62	U	560		77	51
вооно1	Reg	3C	3	11		830	·	460	0.60	U	470		62	41
вооно2	Reg	3C	5	13		970		300	0.62	c	620		78	57
вооноз	Reg	3C	7	10		940		410	0.60	Ü	450		62	49
вооно4	Reg	3C	9	11		960	, .	290	0.60	Ü	510		69	49
вооно5	Fdup	3C	9	29		790	-	260	0.59	۵	540		58	39
вооно6	Reg	3C	11.5	7.0		670		290	0.63	υ	390		85	54
вооно 7	Split	3C	11.5	5.0	В	256	В	NA .	0.85	U	263	U	17.3	19.3
вооно9	Reg	3C	16	6.8		550		290	0.62	U	310		55	38
воон10	Blank	3C		0.98	U	59	U	100	0.59	U	31		0.53	5.5
800H11	Reg	3C	20.5	14		630		270	0.62	U	270		68	47

(Page 3 of 4)

Table A-8c. Analytes by Inductively Coupled Plasma, Nickel-Zinc. (μ g/g)

													·	
SAMPLE	TYPE	POND	APPROX. DEPTH	Ni	κ		Si	Ag		Na		٧		Žn
BOOFK6	Reg	3A	6.5	8.5	1400		860	0.67	IJ	170		45		42
BOOH14	Reg	3C	30	9.6	860		260	0.58	U	440		69		49
воон15	Reg	3C	36	7.9	720		250	0.62	IJ	520		60		42
BOOH16	Reg	3C	40.5	12	750		270	0.64	U	510		72		46
воон17	Fdup	3C	40.5	14	670		300	0.61	U	440		68		45
воон18	Reg	3C	50	8.9	770		370	0.64	U	430		85		54
воон19	Reg	3C	60	11	1100		430	0.63	U	410		38		34
воон20	Reg	3C	70.5	10	1100		310	0.62	U	570		63		41
воон21	Blank	3C		4.1	60	U	76	0.60	U	56		0.50	U	2.2
воон23	Reg	3C	80	18	1000		350	0.63	U	730		61		42
воон24	Split	3C	80	9.5	694	8	NA	1.1	В	275	В	23		23.5

U The analyte was undetected at the stated limit.

J The associated value is an estimated quantity.

B The reported value is less than the CLP required detection limit, but greater than the instrument detection limit.

This concentration flag was only reported with split samples.

* As reported by laboratory--unvalidated by WHC Office of Sample Management. "J" or additional qualification flags may be added. NA Analysis not requested.

Reasons for Westinghouse Hanford Company Qualification—Analytes by Inductively Coupled Plasma (Aluminum-Zinc)

Regular, Field Duplicate, and Silica Sand Samples:

MATRIX SPIKE--The spike recovery for Mg and Fe was high for several batches. This resulted in an estimated, "J", qualification for samples in those batches. Affected samples are:

BOOFK6	BOOGT4	BOOGV6	BOOGYO
BOOFK7	BOOGT5	BOOGV7	BOOGY1
BOOFK8	BOOGT7	BOOGV8	BOOGY2
BOOFK9	BOOGT8	BOOGV9	BOOGZ2
B00FL0	BOOGVO	BOOGWO	BOOGW9
BOOFL1	BOOGV1	BOOGW1	BOOGX2
BOOFL3	BOOGV2	BOOGW4	
BOOFL4	BOOGV3	BOOGW6	
BOOGR9	BOOGV5	BOOGW8	

Split Samples:

LABORATORY BLANKS--BOOGS5, BOOGT6 and BOOGW5 were qualified as undetected, "U", for K based on traces in the associated blanks. Sample BOOH07 was likewise qualified for Na because contamination was present in the associated blank. (Blank concentrations were less than the CLP CRQL.)

INDUCTIVELY COUPLED PLASMA (ICP) INTERFERENCE CHECK SAMPLE--BOOGS5, BOOHO7, BOOH24, BOOGT6 and BOOGW5 Mn results were qualified as estimated, "J", because of the possibility of false positive results. A "UJ" qualified Sb results for BOOH24 and BOOGS5 because of the potential for false negative results from interference. Sodium results for BOOGV4 were qualified "J", because of the possibility of false positive results.

MATRIX SPIKE—The Cd and Mn results for B00H07 were qualified "UJ" and "J", respectively because of associated low matrix spike recoveries. The Sb results for B00H24 and B00GS5 were qualified "UJ" because of low spike recoveries (<75%).

DUPLICATE ANALYSIS--Barium and Cr results of sample BOOH24 were qualified because of variability among duplicate analyses.

SERIAL DILUTION--Several major soil elements (A1, Fe, Mn, Ca, and Mg) were qualified as estimated, "J", for BOOH24 because of serial dilution results differed from initial sample results by >10%.

Ta	able A-9	. Anal	ytes by Atom	ic Absorpti	on Spectrosc	opy. (μg/g)
/PE	POND	APPROX.	Arsenic	Lead	Mercury	Sellenium

							F	-		opy. (μg	151		
SAMPLE	TYPE	POND	APPROX. DEPTH	Arsenic		Lead		Mercury		Sellenium		Thallium	
BOOFK6	Reg	3A	6.5	2.6		5.1		1.0	IJ	0.54	U	1.1	U
BOOFK7	Reg	3A	8.5	2.86		5.1		1.0	Π'n	0.54	U	1.1	U
BOOFK8	Reg	3A	10.5	1.8		3.12		1.0	ПJ	0.50	U	0.99	U
BOOFK9	Reg	3A	13	2.0		3.83		1.0	υJ	0.52	U	1.0	U
BOOFLO	Reg	3A	14.5	1.7		3.18		1.0	υJ	0.52	U	1.0	U
BOOFL1	Reg	3A	16	2.6		4.0		1.0	U	0.50	u	0.99	U
BOOFL3	Blank	3A		0.49	U	0.39	IJ	1.0	U	0.49	υ	1.0	U
BOOFL4	Reg	3A	28	1.3		2.6		1.0	U	1.0	U	1.0	U
BOOGR9	Fdup	3A	28	1.1		2.6		1.0	U	0.46	U	0.92	U
BOOGS0	Reg	3A	31.5	0.97		3.0		1.0	U	NA		на	
B00GS1	Reg	3A	36.5	2.1		4.2		1.0	U	NA		NA	
BOOGS2	Reg	3A	42	1.5		2.6		1.0	U	NA		NA	
B00GS3	Reg	3A	46.5	1.9		3.1		1.0	U	NA		NA	
800GS4	Reg	3A	52.5	4.2		11		1.0	U	1.1	UD	1.1	IJ
800GS5	Split	3A	52.5	4.4		8.7	J	0.12	U	0.348	กา	0.696	IJ
BOOGS8	Reg	3A	57	1.5		2.5		1.0	U	NA		NA	
BOOGS9	Reg	3A	66.5	1.3	_	2.8		1.0	U	0.99	UD	0.99	U
BOOGT 1	Reg	3A	77	1.2		5.1		1.0	u	1.1	UD	1.1	U
B00GT3	8 lank	3A		0.44	U	0.45		1.0	U	NA		NA	
BOOGT4	Reg	3A	85.5	1.6		2.1		1.0	U	NA		HA	
BOOGT5	Fdup	3A	85.5	1.7		2.5		1.0	U	NA		NA	•
BOOGT6	Split	3A	85.5	0.42	IJ	2.5		0.11	กา	NA		NA NA	
BOOGT7	Reg	3A	97	1.2		4.3		1.0	U	0.49	U	0.97	U

(Page 1 of 4)

SAMPLE	TYPE												
		POND	APPROX. DEPTH	Arsenic		Lead		Mercury		Sellenium		Thallium	
BOOGT8	Reg	3A	102	1.5		9.3		1.0	U	NA		NA	
BOOGVO	Reg	3A	122	0.94		2.8		1.0	U	NA		NA	
800GV1	Blank	3A	•	0.5	U	0.52		1.0	U	0.50	U	NA	
BOOGV2	Reg	3A	131	0.79		5.0		1.0	U	NA		NA	
BOOGV3	Fdup	3A	131	0.82		4.6		1.0	U	NA		NA	
BOOGV4	Split	3A	131	0.6	В	7.3		0.1	U	NA		NA	
BOOGV5	Reg	3A	143.5	0.94		18		1.0	U	0.54	U	1.1	U
BOOGV6	Reg	38	1	1.0		2.6		1.0	U	0.50	IJ	1.0	u
BOOGV7	Reg	38	3.5	2.0		3.4		1.0	U	0.52	U	1.0	U
800GV8	Reg	3B	5.5	1.6		3.5		1.0	U	0.52	U	1.1	U
BOOGV9	Blank	3B		0.5	U	0.50		1.0	υJ	0.05	u	1.0	U
BOOGHO	Reg	3B	7.5	7.1		13		1.0	IJ	0.53	U	1.1	Ü
BOOGW1	Reg	3B	9.5	3.7		4.1		1.0	υJ	0.50	U	1.0	U
BOOGW3	Reg	38	13	6.6		3.2		1.0	ΠΊ	0.51	U	1.0	U
BOOGW4	Fdup	3в	13	2.4		3.6		1.0	υJ	0.51	U	1.0	IJ
BOOGW5	Split	38	13	1.0	J	0.36	U	0.1	ΠΊ	0.32	U	0.89	U
BOOGW6	Reg	3B	16	2.6		4.7		1.0	ΠΊ	NA		HA	
BOOGW8	Reg	3B	21	2.2		3.0		1.0	ΒJ	0.52	U	1.0	U
BOOGW9	Reg	3B	28	1.2		2.9		1.0	กา	NA		NA	 -
B00GX2	Reg	3в	31	0.93		3.0		1.0	υJ	HA	_	NA	
BOOGX3	Reg	3B	35.5	0.68		2.3		1.0	U	NA	_	NA	

B00GX4

BOOGX5

(Page 2 of 4)

Reg

Reg

38

3в

0.82

0.90

40

52

2.5

2.7

1.0

1.0

NA

NA

NA

SAMPLE TYPE POND APPROX. Arsenic Lead Mercury Sellenium Thallium DEPTH BOOGX6 3B 61.5 0.61 2.2 1.0 u 0.52 Reg 1.0 BOOGX8 38 70.5 1.5 Reg 3.1 1.0 NA NA 3B 0.5 0.43 BOOGYO Blank 1.0 NA NA BOOGY1 Reg 3B 80.5 1.6 20 1.0 NA NA BOOGY2 Fdup 3B 80.5 1.9 8.8 1.0 NA NA *B00GY9 Split 3B 80.5 1.9 7.1 0.56 BOOGZ2 Reg 3B 90.5 1.2 9.9 1.0 0.51 1.0 800GZ3 Reg 3B 105 0.98 2.9 1.0 NA NA B00GZ6 Reg 3в 118.5 0.59 8.5 1.0 0.54 1.0 BOOGZ8 3B 123.5 7.2 7.2 Reg 1.0 0.61 U 1.2 **BOOHOO** Reg 3C 2.5 3.9 1.0 0.51 1.0 3C 3 B00H01 1.9 Reg 3.1 1.0 0.51 1.0 Reg 3C 5 2.3 30 B00H02 1.0 u 0.52 1.0 3C 7 B00H03 Reg 2.1 2.5 1.0 0.52 U 1.0 **BOOH04** Reg 3C 9 1.8 2.6 1.0 0.52 1.0 BOOK05 Fdup 3C 1.3 2.6 1.0 0.51 1.0 11.5 B00H06 Reg 3C 1.7 2.5 1.0 0.52 1.0 B00H07 Split 3C 11.5 0.9 2.2 0.1 0.16 8.0 B00H09 1.9 Reg 3C 16 0.80 1.0 NA NA BOOH10 Blank 3C 0.5 0.51 0.1 IJ 0.50 1.0 BOOH11 Reg 3C 20.5 0.82 2.5 0.1 UJ NA NA B00H14 3C 30 0.92 2,4 0.52 Reg 0.1 IJ 1.0 B00H15 Reg 3C 36 0.65 0.1 1.8 IJ NA NA

WHC-SD-EN-AP-104

Table A-9. Analytes by Atomic Absorption Spectroscopy. $(\mu g/g)$

(Page 3 of 4)

Table A-9. Analytes by Atomic Absorption Spectroscopy. $(\mu g/g)$

									10 00.01	
SAMPLE	TYPE	POND	APPROX. DEPTH	Arsenic		Lead	Mercury	_	Sellenium	Thallium
B00H16	Reg	3C	40.5	0.76		2.0	0.1	ΠΊ	NA	NA
BOOH17	Fdup	3c	40.5	0.50	U	1.9	0.1	LU	NA.	на
B00H18	Reg	3C	50	0.73		2.1	0.1	υJ	NA	NA
ВООН19	Reg	3c	60	1.4		2.8	0.1	υJ	0.53 U	1.0 U
B00H20	Reg	3C	70.5	0.88		2.22	0.1	เก	HA	NA
BOOH21	Blank	3C		0.5	U	0.4 U	0.1	เก	0.50 U	1.0 U
ВООН23	Reg	3C	80	1.4		2.5	0.1	ΠΊ	0.52 บ	1.0 U
воон24	Split	3C	80	0.66	J	2.1	0.107	UR	NA	NA

U The analyte was undetected at the stated limit.
J The associated value is an estimated quantity.
HA Analysis not requested.
D Sample quantitation may be affected by dilution.
B The reported value is less than the CLP required detection limit, but greater than the instrument detection limit.
This concentration flag was only reported with split samples.
* As reported by laboratory--unvalidated by WHC Office of Sample Management. "J" or additional qualification flags may be added.
R Qualified by WHC Office of Sample Management as unusable.

Reasons for Westinghouse Hanford Company Qualification— Analytes by Atomic Absorption Spectroscopy

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--All holding time criteria were met except for some mercury samples. Those samples were qualified "UJ". All samples were flagged as estimated, "J". The 28 day criteria established for water was exceeded for the following Phase 3 soil samples:

BOOFK6	BOOGW1	B00GX2	B00H17
BOOFK7	BOOGW3	B00H10	B00H18
BOOFK8	BOOGW4	B00H11	B00H19
BOOFK9	BOOGW6	B00H14	B00H20
B00FL0	BOOGW8	B00H15	B00H21
BOOGV9	BOOGW9	B00H16	B00H23
BOOGWO			

<u>Split Samples:</u>

S

 \Box

S

9

LABORATORY BLANKS--Selenium results for BOOGW5 were qualified as "U" because similar levels were found in the immediately associated laboratory blank.

HOLDING TIME--Mercury sample results for BOOGW5 and BOOGT6 were qualified Because of holding times greater than 28 days. Mercury was not detected in either sample; both were qualified "UJ".

SPIKE RECOVERY--Low percent recovery of spike led Westinghouse Hanford-OSM to qualify As result as estimated, "J" or "UJ" on BOOGW5 and BOOGT6, respectively. The Pb, Se, and Tl results for BOOGS5 were also qualified "J", "UJ", and "UJ", respectively, for spike recoveries outside limits. The Hg results for BOOH24 were qualified unusable, "R", because there was no spike recovery.

Table A-10. Miscellaneous Analytes. ($\mu g/g$)

SAMPLE	TYPE	POND	APPROX. DEPTH	Ammonia		Chloride		Cyanide		Fluoride	Ni	trate		Sulfate		Sulfide	-
BOOFK6	Reg	3A	6.5	0.001	IJ	20	U	1.0	ŊĴ	2		20	ŊJ	20	u	0.1	IJ
BOOFK7	Reg	3A	8.5	0.001	Ü	20	u	0.12	J	1.4		20	IJ	20	U	0.1	nı
BOOFK8	Reg	3A	10.5	0.001	U	20	U	1.0	U	0.8		20	UJ	20	IJ	0.1	IJ
BOOFK9	Reg	3A	13	0.001	U	20	U	1.0	IJ	0.6		20	ΠΊ	20	U	0.1	UJ
BOOFLO	Reg	3A	14.5	0.001	U	20	U	1.0	เกา	0.6		20	ΠΊ	24	-	0.1	ונו
BOOFL1	Reg	3A	16	0.001	U	20	C	1.0	LU	0.8		20	เกา	20	U	0.1	มา
BOOFL3	Blank	3A		0.001	U	20	U	1.0	υJ	0.4		20	ΠŢ	20	u	0.1	NI
BOOFL4	Reg	3A	28	0.001	U	20	U	1.0	IJ	0.6		20	υJ	20	U	0.1	เม
BOOGR9	Fdup	3A	28	0.001	U	20	υ	1.0	ЦJ	0.6		20	เม	20	υ	0.1	רח
BOOGSO	Reg	3A	30.5	0.001	U	20	U	NA		1.2		20	ΠΊ	20	U	NA	
BOOG\$1	Reg	3A	36.5	0.001	U	20	υ	NA		2.2		20	Πη	20	U	NA	
BOOGS2	Reg	3A	42	0.001	U	20	U	NA		1.0		20	UJ	20	IJ	NA	
BOOGS3	Reg	3A	46.5	0.001	U	20	U	NA		1.0		20	IJ	20	Ü	NA	
BOOGS4	Reg	3A	52.5	0.001	U	20	U	1.0	กา	2	U	20	เม	20	Ü	0.1	υJ
BOOGS5	Split	3A	52.5	NA		NA NA		0.6	UI	NA		NA		NA		NA	
800GS8	Reg	3A	57	0.001	U	20	U	NA		2	יו	20	ΠΊ	20	u	NA	
BOOGS9	Reg	3A	66.5	0.001	U	20	U	1.0	្រ។	2	J.	20	เกา	20	U	0.1	Π٦
BOOGT1	Reg	3A	77	0.001	U	20	U	NA		2	1	20	uJ	20	U	AK	
BOOGT3	Blank	3A		0.001	U	20	U	NA		2 (1	20	ΠΊ	20	U	NA	
BOOGT4	Reg	3A	85.5	0.001	υ	1	П	NA		2	1	1	ŊJ	1	U	NA	
BOOGT5	Fdup	3A	85.5	0.001	U	1	U	NA		2 (<u>, </u>	1	υJ	1	U	NA	
BOOGT6	Split	3A	85.5	NA		NA		NA		AA	1	NA		NA		NA	
BOOGT7	Reg	3A	97	0.001	U	1	U	1.0	ΓIJ	2 (1	1	IJ	1	U	0.1	U

(Page 1 of 4)

ł

Table A-10. Miscellaneous Analytes. ($\mu g/g$)

										, ccs. (49,							
SAMPLE	TYPE	POND	APPROX. DEPTH	Ammonia		Chloride		Cyanide		Fluoride	N	itrate		Sulfate		Sulfide	
BOOGT8	Reg	3A	102	0.001	IJ	20	U	NA		2		20	มา	21		NA	
BOOGV0	Rag	3A	122	0.001	U	20	ŭ	AK		2 t	1	20	กา	20	u	NA	
BOOGV1	Blank	3A	***	0.001	u	20	U	NA		2 (1	20	n1	20	U	NA	
800GV2	Reg	3A	131	0.001	U	20	C	NA		2 (기	20	UJ	20	U	NA	
800GV3	Fdup	3A	131	0.001	п	20	U	NA		2 (1	20	UJ	20	u	NA	
BOOGV4	Split	3A	131	NA		NA		NA		NA	1	NA		NA		NA	
BOOGV5	Reg	3A	143.5	0.001	U	20	U	1.0	UJ	2 i	J	20	IJ	20	U	0.1	เม
BOOGV6	Reg	3B	1	0.001	IJ	20	U	1.0	Π٦	2 1	1	20	υJ	20	U	0.1	υJ
BOOGV7	Reg	3B	3.5	0.001	U	20	U	1.0	กา	2 (1	20	ΠŢ	20	U	0.1	U
B006V8	Reg	3B	5.5	0.001	Ü	20	U	1.0	ពរ	2 1	1	20	ΠΊ	20	U	0.1	U
800GV9	Blank	3в		0.001		20	IJ	0.1	ΠŢ	2 (,	20	IJ	20	U	0.1	υJ
BOOGWO	Reg	3B	7.5	0.001	U	20	IJ	1.0	ពរ	2 (J	20	IJ	20	U	0.1	UJ
BOOGW1	Reg	38	9.5	0.001	U	20	Ü	0.1	ΠΊ	2 (1	20	IJ	20	U	0.1	UJ
BOOGW3	Reg	3в	13	0.001	U	20	U	1.0	Π1	2 i	1	20	ŊJ	20	U	0.1	Ŋ
BOOGH4	Fdup	3B	13	0.001	IJ	20	U	0.1	ΠJ	2 (7	20	LU	20	IJ	0.1	เกา
BOOGN2	Split	3B	13	NA		NA		0.5	ij	NA		на		NA		NA	
BOOGW6	Reg	3B	16	NA		20	U	NA		2 (7	20	UJ	20	U	NA	
BOOGW8	Reg	3в	21	0.001	U	20	IJ	1.0	ŊĴ	2 l	آار	20	UJ	20	บ	0.1	IJ
BOOGW9	Reg	3B	28	NA		20	U	NA		2		20	กา	20	ប	NA	
BOOGX2	Reg	3B	31	NA		20	U	NA		2 ι	ı	20	Πĵ	20	u	NA	
BOOGX3	Reg	3B	35.5	0.001	U	20	U	АИ		2 ι	7	20	Π1	20	บ	MA	
BOOGX4	Reg	3B	40	0.001	U	20	U	NA		2.6	1	20	υJ	20	บ	NA	
800GX5	Reg	3B	52	0.001	IJ	20	U	NA		2.4	\top	20	IJ	20	U	NA	

(Page 2 of 4)

Table A-10. Miscellaneous Analytes. (μ g/g)

SAMPLE	ТҮРЕ	POND	APPROX. DEPTH	Ammonia		Chloride		Cyanide		Fluoride	- 5/	Witrate	<u> </u>	Sulfate		Sulfide	
BOOGX6	Reg	3в	61.5	0.001	U	20	U	0.1	ព្យ	2.0		20	IJ	20	U	0.1	ΠΊ
'B00GX8	Reg	3B	70.5	0.001	C	20	IJ	NA		2	U	20	LU	20	Ŋ	NA	
BOOGY0	Blank	3B		0.001	U	20	U	NA		2	U	20	UJ	20	U	NA	
BOOGY1	Reg	38	80.5	0.001	U	20	Ü	NA		2	IJ	20	มู	39		NA	
800GY2	Fdup	3B	80.5	0.001	U	20	บ	NA		2.0		20	เกา	46		NA	
BOOGY9	Split	3B	80.5	NA		NA		NА		NA		NA		NA		NA	
BOOGZ2	Reg	3B	90.5	0.001	U	20	U	0.1	มา	2.2		20	กา	36		0.1	LU
BOOGZ3	Reg	38	105	0.001	IJ	20	U	NA		2.0		20	กา	25		NA	
BOOGZ6	Reg	3B	118.5	0.001	U	20	Ü	1.0	UJ	3.0		20	Ŋ	28		0.1	ΠT
B00GZ8	Reg	3B	123.5	0.001	U	20	Ü	0.1	IJ	2	U	20	ΝJ	26		0.1	UJ
800H00	Reg	3C	1	0.001	IJ	20	U	1.0	มา	2.0		20	UJ	20	U	0.1	UJ
вооно1	Reg	3C	3	0.001	ប	20	U	1.0	IJ	2.2		20	ΠΊ	20	U	0.1	กา
вооно2	Reg	3C	5	0.001	IJ	20	U	1.0	ΠΊ	2.2		20	Ŋ	20	U	0.1	ΠΊ
вооноз	Reg	3C	7	0.001	U	20	U	0.1	กา	2	u	20	ΠΊ	20	U.	0.1	U.J
воон04	Reg	3C	9	0.001	U	20	U	0.1	กา	2	U	20	IJ	26		0.1	IJ
вооно5	Fdup	3C	9	0.001	U	20	U	0.1	กา	2	U	20	υJ	21		0.1	UJ
B00H06	Reg	3C	11.5	0.001	U	20	U	0.1	υJ	2	U	20	Πη	20	U	0.1	IJ
вооно7	Split	3C	11.5	NA		NA		0.5	ΠΊ	NA		NA		NA		NA	
вооно9	Reg	3C	16	0.001	u	20	U	АН		2	U	20	IJ	20	U	NA	
воон10	Blank	3C		0.001	เก	20	u	0.1	ŊΊ	2	U	20	ŲJ	20	U	0.1	IJ
BOOH11	Reg	3C	20.5	0.001	UJ	20	IJ	NA		2	U	20	IJ	20	U	NA	
воон14	Reg	3C	30	0.001	U	20	U	0.1	υJ	2	U	20	IJ	20	U	0.1	IJ
BOOH15	Reg	3C	36	0.001	U	20	U	NA		2	U	20	ΠΊ	20	U	NA	

(Page 3 of 4)

A-80

ı,ţ

ŧ ..

Table A-10. Miscellaneous Analytes. $(\mu g/g)$

SAMPLE	TYPE	POND	APPROX. DEPTH	Ammonia		Chloride		Cyanide		Fluoride		Nitrate		Sulfate		Sulfide	
B00H16	Reg	3C	40.5	0.001	ΩJ	20	U	NA		2	U	20	UJ.	20	U	NA	
BOOH17	Fdup	3C	40.5	0.001	IJ	20	U	NA		2	U	20	ΠΊ	20	IJ	NA	
B00H18	Reg	3C	50	0.001	IJ	20	Ü	NA		2	U	20	UJ	20	U	NA.	
воон19	Reg	3C	60	0.001	υJ	20	U	0.17	มา	2	U	20	IJ	20	u	0.1	UJ
воон20	Reg	3C	70.5	0.001	กา	20	u	NA		2	U	20	ΠΊ	20	U	NA	
воон21	Blank	3C		0.001	ΠΊ	20	U	NA		2	U	20	LU	20	U		
ВООН23	Reg	3C	80	0.001	ทา	20	U	0.1	Πĵ	2	U	20	U.J	20	U		UJ
Воон24	Split	3C	80	NA		NA		NA		NA		NA		NA.		NA	

U The analyte was undetected at the stated concentration.
J The associated value is an estimated quantity.
NA Analysis not requested.
I information only, see validation explanations.

Reasons for Westinghouse Hanford Company Qualification— Miscellaneous Analytes

Regular, Field Duplicate, and Silica Sand Samples:

HOLDING TIME--Nitrate holding time of 48 hrs exceeded for all samples. All samples qualified as estimated, "J", for nitrate. Only BOOGT7, BOOGV7, and BOOGV8 were analyzed within 28 days for sulfide. All other samples were qualified as estimated, "J", for sulfide. All samples were qualified as estimated, "J", for cyanide because of holding times in excess of 14 days. A 28 day holding time for ammonia analyses was exceeded for the following samples:

B00H10 B00H17 B00H19 B00H21 B00H11 B00H18 B00H20 B00H23 B00H16

Split Samples:

MATRIX SPIKE/DUPLICATE--No matrix spike or duplicate results were provided for cyanide in sample BOOGS5 or BOOHO7. The undetected value for BOOGS5 was qualified as "UI", or information only while a similar undetected result for BOOHO7 was qualified as estimated, "UJ".

Table A-11. List of Radioactivity Data $(\rho Ci/g)$ ---Unvalidated.

	i	~	<u>-</u>		Alpha		Beta		⁹⁰ sr	
Sample	Туре	Pond	Approx. Depth	Alpha	Counting Error	8eta	Counting Error	90 _{Sr}	Counting Error	GEA ¹
BOOFK6	Reg	3A	-6.5	5.34	2.9	-0.221	4.8	12.7	0.84	NA
BOOFK7	Reg	3A	-8.5	4.5	2.9	5.0	5.0	3.47	0.51	NA
800FK8	Reg	3A	-10.5	3.21	2.8	-0.863	4.8	3.65	0.51	NA
BOOFK9	Reg	3A	-13	2.4	2.7	-2.61	4.8	3.86	0.52	NA
BOOFLO	Reg	ЗА	-14.5	-2.42	2.3	-9.51	4.5	1.43	4.0	NA
BOOFL1	Reg	3A	-16	2.37	2.7	-1.43	4.8	0.00	0.41	NA
BOOFL3	Blank	3A		-0.77	2.4	-10.5	4.4	-0.0686	0.29	NA
800FL4	Reg	3A	-28	-1.08	2.4	1.16	4.4	0.226	0.074	NA
BOOGR9	Fdup	3A	-28	-2.44	2.3	-12.6	4.4	3.27	0.50	NA
BOOGSO	Reg	3A	-31.5	-0.309	2.5	-11.3	4.4	NA	NA	NA
800GS1	Reg	3A	-36.5	-2.39	2.3	-11.2	4.4	NA	NA	NA
B00G\$2	Reg	3A	-42	-0.337	1.9	2.33	4.7	NA	NA	NA
800G\$3	Reg	ЗА	-46.5	1.05	2.1	6.72	4.9	NA	NA	NA
800GS4	Reg	3A	-52.5	2.28	2.3	4.82	4.8	0.13	0.46	NA
800GS5	Split	3A	-52.5	3.4	1.3	33	2	< 0.04		Done
B00GS8	Reg	3A	-57	0.711	2	3.32	4.7	NA	NA	NA
800GS9	Reg	3A	-66.5	1.48	0.48	2.26	0.87	379	330	NA
800GT1	Reg	3A	-77	1.67	0.51	3.35	0.93	NA	NA	NA
воодт3	Blank	3A		0.76	0.11	0.67	0.13	NA	AM	NA
BOOGT4	Reg	3A	-85.5	2.46	2.3	8.24	5.0	NA	NA	NA
BOOGT5	Fdup	3A	-85.5	1.84	2.2	5.49	4,8	NA	NA	NA
BOOGT6	Split	3A	-85.5	< 3		19	2	NA	NA	NA
BOOGT7	Reg	3A	-97	1.81	2.2	0.815	4.6	36.1	1.7	Done
BOOGT8	Reg	3A	-102	42.59	5.5	4.94	5.2	NA	NA	NA
BOOGVO	Reg	3A	-122	1.74	1.9	-2.12	4.8	NA	NA NA	NA ·
800GV1	Blank	3A		1.45	1.9	-0.26	4.9	NA	NA	NA
B00GV2	Reg	3A	-131	1.93	1.9	-0.22	4.9	NA	NA	NA
800GV3	Fdup	3A	-131	2.16	2	5.84	5.2	NA	NA	NA
BOOGV4	Split	3A	-131	< 2		26	3	NA	NA	NA
BOOGV5	Reg	3A	-143.5	3.52	2.2	7.43	5.3	1.00	0.433	Done
BOOGV6	Reg	38	-1	2.21	1.7	1.65	4.7	-0.182	0.44	Done
BOOGV7	Reg	38	-3.5	4.82	2.2	5.78	5.0	1.25	0.55	Done
BOOGV8	Reg	38	-5.5	1.83	1.7	5.93	5.0	1.14	0.54	Done
BOOGV9	Blank	3B		2.95	1.9	-0.72	4.6	-0.016	0.45	Done
BOOGWO	Reg	3B	-7.5	3.27	1.9	8.75	5.1	36.5	1.7	Done

Table A-11. List of Radioactivity Data $(\rho Ci/g)$ --Unvalidated.

Sample Type Pond Depth Alpha Counting Beta Counting From Error Counting GEA'		1 401	e A-1.		01 1100	Dactivity	Dava	(DO1/9/	01114110		
BOGGIA	Sample	Туре	Pond	Approx. Depth	Alpha	Counting	Beta	Counting	⁹⁰ sr		GEA ¹
BOOGM4	BOOGW1	Reg	3B	-9.5	2.43	1.8	3.28	4.8	0.222	0.47	Done
BOGGIS Split 38	800GW3	Reg	3B	-13	1.22	1.6	2.91	3.8	1.55	0.40	Done
BOOGM6 Reg 38	BOOGW4	Fdup	38	-13	4.02	2.1	3.42	4.8	1.06	0.53	Done
BOGGM8 Reg 38	BOOGW5	Split	3B	-13	< 1		19	2	< 0.04		Done
BOOGM9 Reg 38	BOOGW6	Reg	38	-16	3.89	2	6.84	5.0	NA	NA	NA
BOOGX2 Reg 38 -31 4.28 2.1 3.59 4.8 NA NA NA MA BOOGX3 Reg 38 -35.5 3.45 2 2.06 3.8 NA	BOOGW8	Reg	3B	-21	1.43	1.6	0.48	4.7	1.47	0.56	Done
BOOGX3 Reg 38 -35.5 3.45 2 2.06 3.8 NA	BOOGW9	Reg	3B	-28	1.82	1.7	1.36	4.7	NA	NA	NA
BOOGX4 Reg 38 -40 2.38 1.8 3.86 3.9 NA NA NA BOOGX5 Reg 38 -52 3.01 1.9 4.57 3.9 NA NA NA NA BOOGX6 Reg 38 -51.5 7.29 2.4 3.74 3.9 1.22 0.38 Done BOOGX8 Reg 38 -61.5 7.29 2.4 3.74 3.9 1.22 0.38 Done BOOGX8 Reg 38 -70.5 2.54 1.8 5.88 4.0 NA NA NA BOOGY1 Reg 38 -80.5 -0.94 2.3 4.1 -0.41 NA NA NA BOOGY2 Fdup 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGY2 Reg 38 -80.5 2.7 1.2 31 2 NA NA NA	BOOGX2	Reg	38	-31	4.28	2.1	3.59	4.8	NA	NA	NA
BOOGX5 Reg 38 -52 3.01 1.9 4.57 3.9 NA NA NA BOOGX6 Reg 38 -61.5 7.29 2.4 3.74 3.9 1.22 0.38 Done BOOGX8 Reg 38 -70.5 2.54 1.8 5.88 4.0 NA NA NA BOOGY0 Blank 38 -70.5 2.54 1.8 5.88 4.0 NA NA NA BOOGY1 Reg 38 -80.5 -0.94 2.3 4.1 -0.41 NA NA NA BOOGY2 Fdup 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGY2 Reg 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGY2 Reg 38 -10.5 -2.79 2.3 3.02 4.3 0.806 0.34 Done	800GX3	Reg	38	-35.5	3.45	2	2.06	3.8	NA	NA	NA
BOOGX6 Reg 38 -61.5 7.29 2.4 3.74 3.9 1.22 0.38 Done BOOGX6 Reg 38 -70.5 2.54 1.8 5.88 4.0 MA NA NA BOOGY0 Blank 38 -70.5 2.54 1.8 5.88 4.0 NA NA NA BOOGY0 Blank 38 -70.5 2.54 1.8 5.88 4.0 NA NA NA BOOGY1 Reg 38 -80.5 1.0 9.94 2.3 4.1 -0.41 NA NA NA BOOGY2 Fdup 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGY2 Reg 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGY2 Reg 38 -105 -1.77 2.2 1.37 4.2 NA NA NA <td>BOOGX4</td> <td>Reg</td> <td>3B</td> <td>-40</td> <td>2.38</td> <td>1.8</td> <td>3.86</td> <td>3.9</td> <td>NA</td> <td>NA</td> <td>NA</td>	BOOGX4	Reg	3B	-40	2.38	1.8	3.86	3.9	NA	NA	NA
BOOGX8 Reg 3B -70.5 2.54 1.8 5.88 4.0 NA NA NA NA BOOGY0 Blank 3B -0.47 2.3 -0.59 4.1 NA NA NA NA BOOGY1 Reg 3B -80.5 -0.94 2.3 4.1 -0.41 NA NA NA BOOGY2 Fdup 3B -80.5 1.14 2.5 4.57 4.4 NA NA NA BOOGY2 Fdup 3B -80.5 2.7 1.2 31 2 NA NA NA BOOGZ3 Reg 3B -90.5 -2.59 2 3.02 4.3 0.806 0.34 Done BOOGZ3 Reg 3B -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ3 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43	BOOGX5	Reg	3B	-52	3.01	1.9	4.57	3.9	NA	NA	NA
BOOGYO Blank 3B -0.47 2.3 -0.59 4.1 NA NA NA BOOGY1 Reg 3B -80.5 -0.94 2.3 4.1 -0.41 NA NA NA BOOGY2 Fdup 3B -80.5 1.14 2.5 4.57 4.4 NA NA NA BOOGY2 Fdup 3B -80.5 2.7 1.2 31 2 NA NA NA BOOGZ2 Reg 3B -90.5 -2.59 2 3.02 4.3 0.806 0.34 Done BOOGZ3 Reg 3B -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ8 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done BOOH00 Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done	BOOGX6	Reg	3B	-61.5	7.29	2.4	3.74	3.9	1.22	0.38	Done
BOOGY1 Reg 3B -80.5 -0.94 2.3 4.1 -0.41 NA NA NA BOOGY2 Fdup 3B -80.5 1.14 2.5 4.57 4.4 NA NA NA BOOGY2 Split 3B -80.5 2.7 1.2 31 2 NA NA NA BOOGZ2 Reg 3B -90.5 -2.59 2 3.02 4.3 0.806 0.34 Done BOOGZ3 Reg 3B -105 -1.77 2.2 1.37 4.2 NA NA NA BOOGZ8 Reg 3B -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ8 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done BOOH00 Reg 3C -3 -0.65 2.3 -0.30 4.1 1.31 0.38 Done	BOOGX8	Reg	3в	-70.5	2.54	1.8	5.88	4.0	NA	NA	NA
BOOGY2 Fdup 38 -80.5 1.14 2.5 4.57 4.4 NA NA NA BOOGY2 Split 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGY2 Reg 38 -90.5 -2.59 2 3.02 4.3 0.806 0.34 Done BOOGY3 Reg 38 -105 -1.77 2.2 1.37 4.2 NA NA NA BOOGY3 Reg 38 -105 -1.77 2.2 1.37 4.2 NA NA NA BOOGY3 Reg 38 -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGY3 Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done BOOH01 Reg 3C -5 -2.25 2.1 0.30 4.1 1.37 0.39 Done	BOOGYO	Blank	3B		-0.47	2.3	-0.59	4.1	NA.	NA	NA
BOOGY9 Split 38 -80.5 2.7 1.2 31 2 NA NA NA BOOGZZ Reg 3B -90.5 -2.59 2 3.02 4.3 0.806 0.34 Done BOOGZZ Reg 3B -105 -1.77 2.2 1.37 4.2 NA NA NA BOOGZ6 Reg 3B -18.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ8 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done BOOH00 Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done BOOH01 Reg 3C -5 -2.25 2.1 0.30 4.1 1.37 0.39 Done BOOH02 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done	BOOGY1	Reg	3B	-80.5	-0.94	2.3	4.1	-0.41	NA	NA	NA
BOOGZZ Reg 3B -90.5 -2.59 2 3.02 4.3 0.806 0.34 Done BOOGZ3 Reg 3B -105 -1.77 2.2 1.37 4.2 NA NA NA BOOGZ6 Reg 3B -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ8 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done BOOH00 Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done BOOH01 Reg 3C -5 -2.25 2.1 0.30 4.1 1.37 0.39 Done BOOH02 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done BOOH03 Reg 3C -7 -1.87 2.4 -1.37 4.0 1.86 0.42 D	BOOGY2	Fdup	3B	-80.5	1.14	2.5	4.57	4.4	NA	NA	NA
BOOGZ3 Reg 3B -105 -1.77 2.2 1.37 4.2 NA NA NA BOOGZ6 Reg 3B -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ8 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done BOOH00 Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done BOOH01 Reg 3C -3 -0.65 2.3 -0.78 4.1 1.37 0.39 Done BOOH02 Reg 3C -5 -2.25 2.1 0.30 4.1 2.86 0.049 Done BOOH03 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done BOOH04 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 D	800GY9	Split	3B	-80.5	2.7	1.2	31	2	NA	NA	NA
BOOGZ6 Reg 38 -118.5 -0.46 2.3 1.49 4.2 9.17 0.78 Done BOOGZ8 Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done BOOH00 Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done BOOH01 Reg 3C -3 -0.65 2.3 -0.78 4.1 1.37 0.39 Done BOOH02 Reg 3C -5 -2.25 2.1 0.30 4.1 2.86 0.049 Done BOOH03 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done BOOH04 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 Done BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41	BOOGZ2	Reg	3B	-90.5	-2.59	2	3.02	4.3	0.806	0.34	Dane
ВООБДЕ Reg 3B -123.5 -2.7 2.3 4.34 4.3 2.43 0.46 Done ВООНОО Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done ВООНОО Reg 3C -3 -0.65 2.3 -0.78 4.1 1.37 0.39 Done ВООНОО Reg 3C -5 -2.25 2.1 0.30 4.1 2.86 0.049 Done ВООНОЗ Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done ВООНОЗ Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 Done ВООНОБ Fclup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 Done ВООНОБ Reg 3C -11.5 1.9 1 2 25 < 0.04	BOOGZ3	Reg	3B	-105	-1.77	2.2	1.37	4.2	NA .	NA	NA
BOOHOO Reg 3C -1 -1.45 2.2 -0.30 4.1 1.31 0.38 Done BOOHO1 Reg 3C -3 -0.65 2.3 -0.78 4.1 1.37 0.39 Done BOOHO2 Reg 3C -5 -2.25 2.1 0.30 4.1 2.86 0.049 Done BOOHO3 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done BOOHO4 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 Done BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 Done BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Split 3C -11.5 1.9 1 2 25 < 0.04 Do	800GZ6	Reg	38	-118.5	-0.46	2.3	1.49	4.2	9.17	0.78	Done
BOOH01 Reg 3C -3 -0.65 2.3 -0.78 4.1 1.37 0.39 Done BOOH02 Reg 3C -5 -2.25 2.1 0.30 4.1 2.86 0.049 Done BOOH03 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done BOOH04 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 Done BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 Done BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Split 3C -11.5 1.9 1 2 25 < 0.04	BOOGZ8	Reg	3B	-123.5	-2.7	2.3	4.34	4.3	2,43	0.46	Done
BOOH02 Reg 3C -5 -2.25 2.1 0.30 4.1 2.86 0.049 bone BOOH03 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 bone BOOH04 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 bone BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 bone BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Sptit 3C -11.5 1.9 1 2 25 < 0.04	000008	Reg	3C	-1	-1.45	2.2	-0.30	4.1	1.31	0.38	Done
BOOH03 Reg 3C -7 -1.71 2.5 2.32 4.2 2.58 0.47 Done BOOH04 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 Done BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 Done BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Split 3C -11.5 1.9 1 2 25 < 0.04	вооно1	Reg	3C	-3	-0.65	2.3	-0.78	4.1	1.37	0.39	Done
BOOH04 Reg 3C -9 -1.87 2.4 -1.37 4.0 1.86 0.42 Done BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 Done BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Sptit 3C -11.5 1.9 1 2 25 < 0.04	вооно2	Reg	3C	-5	-2.25	2.1	0.30	4.1	2.86	0.049	Done
BOOH05 Fdup 3C -9 -3.21 2.3 0.64 4.1 1.60 0.41 Done BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Sptit 3C -11.5 1.9 1 2 25 < 0.04	вооноз	Reg	3C	-7	-1.71	2.5	2,32	4.2	2.58	0.47	Done
BOOH06 Reg 3C -11.5 -1.44 2.5 4.56 4.3 1.13 0.37 Done BOOH07 Split 3C -11.5 1.9 1 2 25 < 0.04	вооно4	Reg	3C	-9	-1.87	2.4	-1.37	4.0	1.86	0.42	Done
BOOH07 Split 3C -11.5 1.9 1 2 25 < 0.04 Done BOOH09 Reg 3C -16 2.0 1.6 6.94 4.2 NA NA NA BOOH10 Blank 3C 0.94 1.4 2.13 4.0 0.101 0.37 Done BOOH11 Reg 3C -20.5 3.29 1.8 3.61 4.0 NA NA NA BOOH14 Reg 3C -30 2.98 1.8 6.59 4.2 0.608 0.41 Done BOOH15 Reg 3C -36 -1.11 1 -3.12 3.6 NA NA NA	800H05	Fdup	3C	-9	-3.21	2.3	0.64	4.1	1.60	0.41	Done
BOOH09 Reg 3C -16 2.0 1.6 6.94 4.2 NA NA NA BOOH10 Blank 3C 0.94 1.4 2.13 4.0 0.101 0.37 Done BOOH11 Reg 3C -20.5 3.29 1.8 3.61 4.0 NA NA NA BOOH14 Reg 3C -30 2.98 1.8 6.59 4.2 0.608 0.41 Done BOOH15 Reg 3C -36 -1.11 1 -3.12 3.6 NA NA NA	вооно6	Reg	3C	-11.5	-1.44	2.5	4.56	4.3	1.13	0.37	Done
BOOH10 Blank 3C 0.94 1.4 2.13 4.0 0.101 0.37 Done BOOH11 Reg 3C -20.5 3.29 1.8 3.61 4.0 NA NA NA BOOH14 Reg 3C -30 2.98 1.8 6.59 4.2 0.608 0.41 Done BOOH15 Reg 3C -36 -1.11 1 -3.12 3.6 NA NA NA	вооно7	Split	3C	-11.5	1.9	1	2	25	< 0.04	•••	Done
BOOH11 Reg 3C -20.5 3.29 1.8 3.61 4.0 NA NA NA BOOH14 Reg 3C -30 2.98 1.8 6.59 4.2 0.608 0.41 Done BOOH15 Reg 3C -36 -1.11 1 -3.12 3.6 NA NA NA	BOOH09	Reg	3C	-16	2.0	1.6	6.94	4.2	NA	NA	NA
BOOH14 Reg 3C -30 2.98 1.8 6.59 4.2 0.608 0.41 Done 800H15 Reg 3C -36 -1.11 1 -3.12 3.6 NA NA NA	BOOH10	Blank	3C		0.94	1.4	2.13	4.0	0.101	0.37	Done
800H15 Reg 3C -36 -1.11 1 -3.12 3.6 NA NA NA	800H11	Reg	3C	-20.5	3.29	1.8	3.61	4.0	NA	NA	NA
	BOOH14	Reg	3C	-30	2.98	1.8	6.59	4.2	0.608	0.41	Done
BOOH16 Reg 3C -40.5 3.02 1.8 4.11 4.1 NA NA NA	800H15	Reg	3C	-36	-1.11	1	-3.12	3.6	NA	NA	NA
	B00H16	Reg	3C	-40.5	3.02	1.8	4.11	4-1	NA	NA	NA

Table A-11. List of Radioactivity Data $(\rho Ci/g)$ --Unvalidated.

Sample	Туре	Pond	Approx. Depth	Alpha	Alpha Counting Error	Beta	Beta Counting Error	⁹⁰ sr	⁹⁰ Sr Counting Error	GEA ¹
BOOH17	Fdup	3C	-40.5	3.85	1.9	3.51	4.0	NA	NA :	NA
B00H18	Reg	3C	-50	1.86	1.6	3.51	4.0	NA	NA	NA
воон19	Reg	3C	-60	0.68	1.4	-1.39	3.7	0.479	0.40	Done
воон20	Reg	3¢	-70.5	2.66	2	6.38	5.1	NA .	NA .	NA
воон21	Blank	3C		2.53	2	-1.47	4.7	NA	NA	NA
B00H23	Reg	3C	-80	2.46	2	3.29	4.9	2.29	0.52	Done
воон24	Split	3C	-80	М	М	М	м	NA	NA	NA

NA Analysis not requested.

M Missing result, figure not available for this report.

Result only reported as a "less-than" value--counting error not specified by laboratory.

1. GEA = Gamma Energy Analysis, see Table A-12.

Table A-12.

Gamma Energy Analysis Unvalidated, Raw Data. (μ Ci/g)

Primary Labor	atory 437		27/-		27/		275	
<u>Sample</u>	atory 137Cs	<u>Err</u>	234mpa	<u>Err</u>	²³⁴ Th	Err	²³⁵ U	<u>Err</u>
BOOGS4	0.602	0.31	26.03	52.7	3.84	6	NR	
BOOGS9	0.34	0.2	7.1	33.7	0.94	3.8	NR	
BOOGT7	0.0193	0.23	22.73	37.4	0.0945	4.1	NR	
BOOGV5	0.136	0.3	55.35	43.2	1.78	5.9	NR	
BOOGV6	0.262	0.23	-12	49.7	-1.69	5.9	NR	
BOOGV7	0.0374	0.23	-6.03	37.9	-1.95	4.1	NR	
B00G V8	0.446	0.27	21.38	47.3	0.0968	6	NR	
BOOGV9	0.31	0.31	-22.05	51	-2.43	5.9	NR	
BOOGW1	0.0635	0.24	11.1	40.7	0.702	4.1	NR	
BOOGWO	0.0238	0.22	21.3	39.2	-1.13	4.1	NR	
BOOGW3	0.259	0.22	29.28	30.8	-0.224	0.37	NR	
BOOGW4	0.495	0.27	-24.68	45.6	-0.194	5.9	NR	
BOOGW8	-0.0818	0.23	27.83	40	-1.03	4.1	NR	
BOOGX6	0.112	0.20	5.83	34.1	7.56	1.8	NR	
BOOGZ6	0.32	0.2	25.62	29.4	1.27	3.7	NR	
BOOGZ8	0.0241	0.17	15.48	31.1	NR		NR	
B00H00	0.0268	0.18	1.04	31.1	-3.83	2.4	0.308	0.21
B00H01	-0.0589	0.2	10.02	36.5	0.858	3.3	NR	
B00H02	0.0708	0.19	1.04	32.4	-0.149	3.7	NR	
B00H03	-0.113	0.18	-5.18	31.7	NR		NR	
B00H04	0.0924	0.17	44.28	34.6	5.84	2	NR	
B00H 05	0.0429	0.20	8.04	36.2	8.28	1.8	NR	
В00Н06	0.0193	0.18	54.12	29.9	-1.63	3.8	NR	
B00H10	0.103	1.6	33.9	30.7	6.54	1.6	NR	
B00H14	0.175	0.20	-31.38	33.0	0.373	3.7	NR	
B00H19	0.0433	0.18	6.48	31.8	-0.451	3.8	NR	
B00H23	0.0618	0.19	9.3	32.2	-1.93	2.4	NR	

NR Not Reported.

A-8

Table A-12.

Gamma Energy Analysis Unvalidated, Raw Data. $(\mu \text{Ci/g})$

Alternate	(Split)	Laboratory
-----------	---------	------------

<u>Sample</u>	40 <u>K</u>	Err	226 <u>Ra</u>	Err	²²⁸ Th	Err
BOOGS5	14	1.4	- 1.9	0.48	0.864	0.086
B00GW5 B00H07	9.76 10.1	0.98 1	0.853 0.513	0.359 0.297	0.42 0.557	0.042 0.056

Undetected radionuclides reported for the above split samples as "less-than" the following (ρ Ci/g-dry):

	⁷ Ве	⁵⁴ Mn	58 <u>Co</u>	⁵⁹ Fe	<u>60℃o</u>	⁶⁵ Zn
B00GS5	<1	<0.04	<0.08	<0.4	<0.03	<0.1
BOOGW5	<0.8	<0.03	<0.06	<0.3	<0.03	<0.08
В00Н07	<0.6	<0.03	<0.05	<0.2	<0.02	<0.08
	95 <u>Zr</u>	¹⁰³ Ru	106 _{Ru}	131 <u>I</u>	134Cs	137Cs
B00GS5	<0.1	< 0.3	<0.03	<2000	<0.04	<0.03
BOOGW5	<0.08	<0.2	<0.2	<300	<0.03	<0.02
B00H07	<0.07	<0.1	<0.2	<100	<0.03	<0.02
	140Ba	¹⁴¹ Ce	144Ce			
BOOGS5	<30	<0.6	<0.3			
B00GW5	<10	<0.4	<0.2			
B00H07	<5	<0.2	< 0.1			

References

WHC, 1990, WHC-CM-5-3, Westinghouse Hanford Company, Richland, Washington.

9

EPA, 1986, Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, Third Edition, U.S. Environmental Protection Agency, Washington, D.C.

APPENDIX B

ANALYTE VARIABILITY GRAPHS

This page intentionally left blank.

0

 \bigcirc

WHC-SD-EN-AP-104 Rev. 0

LIST OF FIGURES

Figure	B-1.	Selected	Duplicates:	Gross Alpha	١.	•	•	٠	•	•	•	•	•	•	٠	•	•	•	B-2
Figure	B-2.	Selected	Duplicates:	Aluminum.	•	•		•	•		•		•	•	•	•		•	B-2
Figure	B-3.	Selected	Duplicates:	Arsenic		•	•	•			•	•	•		•	•		•	B-3
Figure	B-4.	Selected	Duplicates:	Barium	•	•	•	•					•	•	•	•		•	B-3
Figure	B-5.	Selected	Duplicates:	Beryllium.	•	•		•	•	•	•		•	•	•			•	B-4
Figure	B-6.	Selected	Duplicates:	Gross Beta.		•	•	•	•	•		•	•	•	•	•		٠	B-4
Figure	B-7.	Selected	Duplicates:	Boron	•		•	•	•	•			•	•	•	•	•	•	B-5
Figure	B-8.	Selected	Duplicates:	Cadmium		•	•	•	•	•			•	•	•	•	•	•	B-5
Figure	B-9.	Selected	Duplicates:	Calcium	•		•	•		•	•	•	•	•	•	•	•	•	B-6
Figure	B-10.	Selected	Duplicates:	Chromium.	•		•	•	•	•	•	•	•	•	•	•	•	•	B-6
Figure	B-11.	Selected	Duplicates:	Cobalt	•	٠	•	•	•	•	•	•	•	•	•	•		•	B-7
Figure	B-12.	Selected	Duplicates:	Copper	•		.•	. •	•	•	•			•	•	•		•	B-7
Figure	B-13.	Selected	Duplicates:	Lead	•	•		•			•		•	•	•	•		•	B-8
Figure	B-14.	Selected	Duplicates:	Magnesium.		•	•	•	•	•	•	•	•	•	•	•	•	•	B-8
Figure	B-15.	Selected	Duplicates:	Manganese.	•	•		•	•	•	•		•			•	•	•	B-9
Figure	B-16.	Selected	Duplicates:	Molybdenum	n.	•	•	•	•		•	•		•	•	•		•	B-9
Figure	B-17.	Selected	Duplicates:	Nickel	٠				•		•	•	•		•		•		B-10
Figure	B-18.	Selected	Duplicates:	Potassium.	•	•			•	•	•	•	•		•		•	•	B-10
Figure	B-19.	Selected	Duplicates:	Silicon.	•		•	•		•	•	•	•			•	•	•	B-11
Figure	B-20.	Selected	Duplicates:	Sodium	•			•		•	•		•		•	•		•	B-11
Figure	B-21.	Selected	Duplicates:	⁹⁰ Sr	•		•	•		•		•	•	•	•	•		٠	B-12
Figure	B-22.	Selected	Duplicates:	Sulfate.	•	٠	•	•		•	•		•	•	•			•	B-12
Figure	B-23.	Selected	Duplicates:	Vanadium.	•		•			•				•				•	B-13
Figure	B-24.	Selected	Duplicates:	Zinc															B-13

This page intentionally left blank.

9 3

Introduction

Appendix B contains graphs of selected validated duplicate data. The graphs show how variability does/does not trend over the observed concentration range of the duplicate pairs. The ONLY points appearing on the graphs are those where each validated member of a data pair were reported at detectable levels. These are based on some of the data appearing in the Appendix A.

Each point on the graphs shows a standard deviation based on only two sample results. The reader is cautioned about making grand inferences from any particular point. Though inferences about a population variability based on only two samples are minimally precise, multiple estimates impart more confidence.

Most graphs display two sets of validated data--field duplicate/regular or split/regular sample pairs. The first is based on the results of field duplicates and their associated regular samples. These were collected concurrently and submitted to the primary laboratory without notification that they were duplicate samples. The first set demonstrates uncertainty in the media and a single laboratory measurement system.

The second set appearing on most graphs is based on the results of split samples and their associated regular samples. Split samples were submitted by Westinghouse Hanford to an alternate laboratory; associated regular samples were submitted to the primary laboratory. This set shows the wider validated data uncertainty associated the media and an independent laboratory estimate of the true average concentration at a particular location.

Figure B-1. Selected Duplicates: Gross Alpha.





Figure B-2. Selected Duplicates: Aluminum.








Figure B-3. Selected Duplicates: Arsenic.










Figure B-5. Selected Duplicates: Beryllium.



Duplicate Hean (ug/g) + Field Dup--Reg

0. 2

□ Solit--Reg






Figure B-7. Selected Duplicates: Boron.

Selected Duplicates: Figure B-8. Cadmium. Selected Duplicates: CADMIUM Average Concentration va. Variability ---1.2 1.1 1 0.9 Dupilicate Std. Dev. (ug/q) 9.8 0.7 0.6 0.5 0.4 0.3 0,2 0.1 0 1.2 0.8 Ouplicate Mean (ug/g) Fleid Duo--Reg

Figure B-9. Selected Duplicates: Calcium.




Figure B-10. Selected Duplicates: Chromium.




Figure B-11. Selected Duplicates: Cobalt.





Figure B-12. Selected Duplicates: Copper







Figure B-13. Selected Duplicates: Lead.



□ Split--Reg

+ Fleid Duo--Reg







Figure B-15. Selected Duplicates: Manganese.






Figure B-17. Selected Duplicates: Nickel.






Figure B-18. Selected Duplicates: Potassium.



Selected Duplicates: Silicon Average Concentration vs. Variability Duplicate Std. Day. (ug/4) Ouplicate Mean (ug/g) + Field Buo--Reg

Figure B-19. Selected Duplicates: Silicon.






Figure B-21. Selected Duplicates: 90Sr.




Figure B-22. Selected Duplicates: Sulfate.




Figure B-23. Selected Duplicates: Vanadium.





Figure B-24. Selected Duplicates: Zinc.



This page intentionally left blank.

in

ហ

 \Box

÷

0>

B-14

APPENDIX C

Q

S

 \Box

O

ENVIRONMENTAL PROTECTION AGENCY OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE MEMORANDUM

This page intentionally left blank.

·0

0



C(X)

M

0

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUN 1 9 1989

Swep was to and eveniency ness; as-

Mr. Thomas C. Jorling Commissioner Department of Environmental Conservation State of New York Albany, New York 12233-1010

Dear Mr. Jorling:

I am writing in response to your letter of May 5, 1989, in which you ask numerous questions concerning the regulatory status, under the Resource Conservation and Recovery Act (RCRA), of environmental media (ground water, soil, and sediment) contaminated with RCRA-listed hazardous waste.

As you point out in your letter, it is correct that the Agency's "contained-in" interpretation is that contaminated environmental media must be managed as if they were hazardous wastes until they no longer contain the listed waste, or are delisted. This leads to the critical question of when an environmental medium contaminated by listed hazardous waste ceases to be a listed hazardous waste. In your letter, you discuss three possible answers (based on previous EPA positions and documents) which you believe address this question, and request the Agency to clarify its interpretation. Each of these is discussed below.

The first possible answer you cite would be that the contaminated media would be a hazardous waste unless and until it is delisted, based on the "mixture" and "derived-from" rules. As you correctly state in your letter, a waste that meets a listing description due to the application of either of these rules remains a listed hazardous waste until it is delisted. However, these two rules do not pertain to contaminated environmental media. Under our regulations, contaminated media are not considered solid wastes in the sense of being abandoned, recycled, or inherently waste-like as those terms are defined in the regulations. Therefore, contaminated environmental media cannot be considered a hazardous waste via the "mixture" rule (i.e., to have a hazardous waste mixture, a hazardous waste must be mixed with a solid waste per 40 CFR 261.3(a)(2)(iv)). Similarly, the "derived-from" rule does not apply to contaminated media. Our basis for stating that contaminated environmental media must be managed as hazardous wastes is that they "contain"

. **1** 1

listed hazardous waste. These environmental media must be managed as hazardous waste because, and only as long as, they . "contain" a listed hazardous waste, (i.e., until decontaminated).

The second possibility you mention is that environmental media contaminated with a RCRA listed waste no longer have to be managed as a hazardous waste if the hazardous constituents are completely removed by treatment. This is consistent with the Agency's "contained-in" interpretation and represents the Agency's current policy.

The third possibility you discuss comes from Sylvia Lowrance's January 24, 1989, memorandum that you cited in your letter. This memorandum indicates that OSW has not issued any definitive guidance as to when, or at what levels, environmental media contaminated with listed hazardous waste are no longer considered to contain that hazardous waste. It also states that until such definitive guidance is issued, the Regions may determine these levels on a case-specific basis. Where this determination involves an authorized State, such as New York, our policy is that the State may also make such a determination.

Related to such a determination, you ask whether a risk assessment approach that addressed the public health and environmental impacts of hazardous constituents remaining in treatment residuals would be acceptable. This approach would be acceptable for contaminated media provided you assumed a direct exposure scenario, but would not be acceptable for "derived-from" wastes under our current rules. Additionally, consistent with the statute, you could substitute more stringent standards or criteria for contaminated environmental media than those recommended by the Federal EPA if you determined it to be appropriate.

The Agency is currently involved in a rulemaking effort directed at setting de minimis levels for hazardous constituents below which eligible listed wastes, treatment residuals from those wastes, and environmental media contaminated with those listed wastes would no longer have to be managed as hazardous wastes. The approach being contemplated in the De Minimis program would be similar to that used in the proposed RCRA Clean Closure Guidance in terms of the exposure scenario (direct ingestion), the management scenario (not in a waste management unit), and the levels (primarily health-based).

Your final question related to whether the "remove and decontaminate" procedure set forth in the March 19, 1987 Federal Register preamble to the conforming regulations on closing surface impoundments applies when making complete removal determinations for soil. These procedures do apply when one

chooses to clean close a hazardous waste surface impoundment by removing the waste. The preamble language states that the Agency interprets the term "remove" and "decontaminate" to mean removal of all wastes, liners, and/or leachate (including ground water) that pose a substantial present or potential threat to human health or the environment (52 FR 8706). Further discussion of these requirements is provided in a clarification notice published on March 28, 1988, (53 FR 1144) and in OSWER Policy Directive # 9476.00-18 on demonstrating equivalence of Part 265 clean closure with Part 264 requirements (copy enclosed).

I hope that this response will be helpful to you in establishing and implementing New York's hazardous waste policies on related issues. Should you have additional questions, please contact Bob Dellinger, Chief of the Waste Characterization Branch at (202) 475-8551.

Sincerely yours,

Jonathan Z. Cannon

Acting Assistant Administrator

THIS PAGE INTENTIONALLY